

Author Index

- Aichele, T., 481
Akimov, I. A., 81
Alloing, B., 389
Amand, T., 201
Atatüre, M., 151
- Badolato, A., 151
Bayer, M., 111
Beirne, G. J., 33
Benson, O., 481
Borri, P., 269
Bulaev, D. V., 229
- Çakir, Ö., 179
Clark, S. M., 453
Coish, W. A., 229
- De Greve, K., 453
Dreiser, J., 151
- Edamatsu, K., 355
Efros, Al. L., 111
Englund, D., 423
- Fal'ko, V. I., 53
Faraon, A., 423
Feng, D. H., 81
Fiore, A., 389
Forchel, A., 323
- Fu, K. M. C., 453
Fushman, I., 423
- Greilich, A., 111
- Hawrylak, P., 3
Henneberger, F., 81
- Imamoğlu, A., 151
- Jeffer, M., 33
- Klauser, D., 229
Korkusinski, M., 3
Koseki, S., 453
Krebs, O., 201
- Ladd, T. D., 453
Langbein, W., 269
Loss, D., 229
- Marie, X., 201
Michler, P., 33
Monat, C., 389
- Press, D., 453
- Reithmaier, J.-P., 323
Reitzenstein, S., 323

Renucci, P., 201

Rossi, F., 249

Russell, A., 53

Sanaka, K., 453

Scholz, M., 481

Shabaev, A., 111

Shields, A., 369

Shields, A. J., 389

Skolnick, M. S., 53

Stevenson, R. M., 369

Takagahara, T., 179

Tartakovskii, A. I., 53

Tejedor, C., 167

Troiani, F., 167

Urbaszek, B., 201

Vučković, J., 423

Waks, E., 423

Ward, M. B., 389

Wilson-Rae, I., 167

Yakovlev, D. R., 111

Yamamoto, Y., 453

Young, R. J., 369

Zinoni, C., 389

Subject Index

- π -pulse, 132, 308
- acoustic phonons, 290
- all-optical implementation, 175
- antibunching, 41, 340, 405, 485
- anticrossing, 337
- artificial molecule, 170
- atomic cascade, 355
- atomic force microscopy, 39
- autocorrelation, 41, 343

- BB84 protocol, 489
- Bell measurement, 442
- Bell state, 463
- Bell's inequality, 355
- biexciton, 40, 345, 380, 397, 488
- biexciton-exciton cascade, 488
- bimodal dot growth, 394
- biphoton interferometry, 381
- Boltzmann equation, 256
- bound-exciton state, 456
- Bragg reflector, 330, 373
- bunching, 188
- Bychkov-Rashba spin-orbit coupling, 237

- C-NOT gate, 446
- capping layer, 391
- cavity field decay rate, 430
- cavity mode linewidth, 332
- cavity quantum electrodynamics, 324, 424
- CdSe/ZnSe quantum dots, 83
- CdTe/ZnTe quantum dots, 302
- charge quantum transport, 252
- charge-detection spectroscopy, 13
- charge-tunable quantum dots, 153
- charged biexciton, 86
- charged quantum dots, 83, 115
- coded qubits, 7
- coherent coupling, 344
- coherent manipulation, 14
- coherent population trapping, 474
- coherent regime, 189
- concurrence, 366
- confinement, 299
- controlled-phase gate, 459, 469
- coupled quantum dots, 34
- coupling constant, 82, 325
- critical thickness, 395
- cross-correlation, 41, 488
- current aperture, 406

- dark counts, 403
- de Broglie wavelength, 381
- decoherence, 370, 475

- density-matrix theory, 251
- dephasing, 212, 380
- dephasing time, 121, 129, 217, 281, 289
- Deutsch-Jozsa algorithm, 491
- dipole decay rate, 430
- Dipole Induced Transparency, 445
- dipole-dipole interaction, 72, 82, 185, 232
- donor impurity system, 456
- donor-bound excitons, 473
- dot-cavity coupling, 172
- double quantum dot, 12, 234
- dressed states, 325
- Dresselhaus term, 239
- droplet epitaxy, 471
- dynamic nuclear polarization, 62, 82

- ECR etching, 332
- electric dipole spin resonance, 241
- electrical excitation, 405
- electroluminescence, 408
- electron g-factor, 115
- electron qubit, 181
- electron spin, 203, 231
- electron spin coherence, 183
- electron spin decoherence, 187, 230
- electron spin dynamics, 115, 231
- electron spin life-time, 82
- electron spin polarization, 122, 181
- electron spin relaxation, 213
- electron-beam lithography, 45, 332, 397
- electron-hole exchange interaction, 185, 371
- electron-nuclei spin coupling, 188
- encoding, 7
- energy-renormalization, 255
- ensemble spin precession, 139
- entangled photon generation, 356
- entangled photon pairs, 375, 390
- entanglement, 355, 369, 460
- entanglement distillation, 365
- entanglement purification, 465
- entanglement swapping, 465
- exchange constant, 7
- exchange interaction, 7
- exchange operator, 12
- exciton fine structure, 205
- exciton level splitting, 358, 371
- exciton spin lifetime, 207
- exciton–biexciton beats, 288
- exciton-acoustic phonon interaction, 290
- exciton-polariton, 360
- extraction efficiency, 396

- Faraday geometry, 84, 115, 459
- Faraday rotation, 114, 152
- feedback, 55
- fidelity, 18, 174, 185, 365, 377, 465
- fine structure splitting, 371
- flip-flop process, 55, 98, 232
- Fourier-transform-limit, 467

- Green’s function technique, 252

- Hadamard gate, 492
- Hanbury Brown and Twiss setup, 334, 400
- heavy-hole, 206
- heavy-hole - phonon coupling, 237

- heavy-hole exciton, 181
- heavy-hole spin, 237
- heavy-light hole coupling, 87
- heterodyne detection, 277
- heterodyne spectral interferometry, 282
- high-Q cavity, 396
- hole spin, 168
- homodyne detection, 115, 462
- homogeneous broadening, 294
- Hong-Ou-Mandel setup, 439
- Hubbard approach, 14
- hyperfine coupling, 19, 231, 475
- hyperfine coupling constant, 55
- hyperfine interaction, 55, 82, 187, 212, 230
- hysteresis, 64

- in situ etching, 38
- InAs/GaAs quantum dot layer, 425
- InAs/GaAs quantum dots, 152, 203
- incoherent regime, 189
- independent Boson model, 290
- indistinguishability, 358, 437
- InGaAs/GaAs lateral quantum dots, 37
- InGaAs/GaAs quantum dots, 55, 114, 287, 289
- InGaAs/InP quantum well, 181
- inhomogeneous broadening, 276, 294
- InP Quantum Dots, 486
- InP/GaInP vertical quantum dot pair, 43
- input-output theory, 459
- interdot coupling, 169

- jitter, 403

- Knight field, 56, 104

- Landé factor, 4
- light emitting diode (LED), 405
- light-hole, 206
- light-hole exciton, 181
- Lindblad-like scattering superoperator, 258
- linear combination of atomic orbitals, 27
- linear-optics quantum computation, 436
- linewidth, 427
- Liouville-von Neumann equation, 252, 254
- LO phonons, 291
- local nuclear field, 55, 213
- longitudinal spin relaxation time, 129

- Mach-Zehnder interferometer, 458, 491
- macroscopic limit, 263
- macroscopic polarization, 276
- Markov limit, 251, 253
- master equation, 462
- mesa, 397
- metal-organic vapor phase epitaxy, 45, 391
- Michelson interferometer, 439
- micro-photoluminescence, 36, 334
- microcavity, 323, 378, 397, 457
- microdisk cavity, 472
- micropillar cavity, 472
- mode volume, 437, 456
- molecular beam epitaxy, 38, 83, 114, 328

- molecular orbital, 15
- multiplexing, 488

- negatively charged exciton, 213
- neutral donor ground state, 473
- non-Markovian decay, 233
- non-resonant excitation, 294
- nonequilibrium DNP, 106
- nuclear depolarization, 69
- nuclear field fluctuations, 219
- nuclear spin, 54, 187, 232
- nuclear spin bi-stability, 58
- nuclear spin diffusion, 72
- nuclear spin polarization, 55, 102, 203, 231
- nuclear spin state narrowing, 235
- nuclear spin switch, 62

- on-demand photon source, 370
- optical Bloch equations, 273
- optical quantum bits, 369
- optical selection rules, 167
- oscillator strength, 325
- Overhauser field, 56, 83, 101
- Overhauser shift, 55, 220

- p–n junction, 405
- p-i-n diode, 287
- paramagnetic splitting, 473
- parametric down-conversion, 356, 360
- Pauli blockade, 155
- Pauli principle, 118
- phase coherence, 250, 256
- phase matching, 360
- phase noise, 493
- photoluminescence, 374
- photon echo, 302
- photon qubit, 181

- photonic crystal, 423
- photonic crystal cavity, 472
- polariton, 434
- polarization correlation, 360, 374
- polarization degree, 205
- polarization state, 356, 491
- positively charged exciton, 213
- post-selection, 373, 402
- preparation fidelity, 158
- pump-probe technique, 277
- Purcell effect, 335
- Purcell enhancement, 378
- Purcell factor, 336, 431
- pure dephasing, 290
- purity, 185

- quality factor, 327, 396, 457
- quantum algorithm, 490
- quantum beats, 119
- quantum bits, 3, 34, 112, 158, 201
- quantum bus, 454
- quantum computing, 3, 34, 311, 466
- quantum confined Stark effect, 42
- quantum coupling, 35
- quantum cryptography, 489
- quantum dot molecules, 35
- quantum error correction, 493
- quantum Fermi's golden rule, 257, 263
- quantum information processing, 3, 112, 151, 167, 180, 187, 202, 482
- quantum key distribution, 390
- quantum logic gates, 250
- quantum media converter, 180
- quantum memory, 187, 205
- quantum network, 437

- quantum non-demolition measurement, 168
- quantum point contact, 13
- quantum repeater, 455, 464
- quantum state tomography, 363, 376
- quantum state transfer, 181, 183
- quantum teleportation, 441, 470
- quasiparticle, 259

- Rabi frequency, 174
- Rabi oscillation, 19, 233, 272, 308, 325, 424
- Rabi splitting, 324, 434
- radiative cascade, 436
- radiative lifetime, 299
- Raman scattering, 360
- Raman transition, 152, 170
- Rashba term, 239
- reactive-ion-etching, 397
- recharging, 95
- resonant pumping, 342
- resonant scattering, 153

- Schottky contact, 41
- Schottky-diode, 153
- second order correlation function, 41, 374
- self-assembled quantum dots, 151, 308, 471
- single photon source, 405
- single quantum dots, 302
- single qubit gate, 466
- single-photon generation, 482
- single-photon source, 460
- single-photon wavepacket, 458
- singlet-triplet decoherence, 234
- solid-state quantum devices, 250
- spectral detuning, 154

- spin coherence, 3, 54, 118, 209, 474
- spin exchange, 106
- spin initialization, 118
- spin life-time, 54
- spin manipulation, 82
- spin polarization degree, 54
- spin pumping, 100
- spin read-out, 152, 167
- spin relaxation, 100, 173
- spin temperature, 158
- spin-charge conversion, 152
- spin-flip, 152
- spin-orbit coupling, 95
- spin-orbit interaction, 237
- spin-state mixing, 152
- spin-state preparation, 152
- spin-to-charge conversion, 167
- Stark shift, 272, 412
- strain field, 169
- Stranski-Krastanov growth, 45, 169, 327, 471, 483, 484
- strong coupling regime, 324, 423, 433, 457
- sub-Poissonian statistics, 405
- superconducting single photon detectors, 389
- synchronized spin precession modes, 142

- tangle, 366
- telecom wavelength, 389
- third-order non-linearities, 273
- three-spin coded qubit, 7
- time-correlated fluorescence spectroscopy, 399
- time-resolved photoluminescence, 47, 205

- time-resolved pump-probe Faraday rotation, 115
- transient four-wave mixing, 272
- transition linewidth, 154
- transmission electron microscopy, 38, 393
- transverse spin relaxation time, 129
- triexciton, 488
- trion, 60, 82, 83, 152, 170, 456
- triple dot, 20
- triplet Bell state, 357
- tuning, 425
- two-photon cascade, 488
- two-photon excitation, 356
- two-photon quantum gates, 490
- two-qubit gate, 468
- two-spin coded qubit, 11
- vertically-coupled quantum dots, 169
- Voigt geometry, 84, 115
- waveguide, 424
- weak coupling regime, 326, 423, 432
- wetting layer, 373
- which-way information, 491
- whispering gallery mode, 443
- Wigner-Weisskopf approach, 459
- Zeeman shift, 426
- Zeeman splitting, 61, 158, 208, 234
- zero-phonon line, 290