

# Index

- acetone 33, 49–50, 53
  - aldol reaction of 24
- acid-catalyzed cyclization 36–37
- acid sites 23, 31–33, 35–36, 223
- activated admolecules 103–104
- adsorption 69, 81, 103–105, 107–110, 175–176, 179, 196, 203, 211, 218, 228, 234–235, 241
- AIC *see* Akaike information criterion
- air 213, 215, 217, 221, 223, 231, 234, 287
- Akaike information criterion (AIC) 144, 146
- aldol condensation 24, 39–40, 46, 53
- anisotropy factor 92, 94, 102
- annealing 118, 269
- anodic oxidation 260–262, 264, 268–269, 272, 276
- anodization 261, 263, 265–267, 272, 281
- axial inhomogeneity 96–98, 103
  
- bandgap 232–233, 246, 267–268
- basic sites 22–23, 25, 31–32, 40, 47, 199
- benzaldehyde 23, 28, 32, 39–40
- bifunctional catalysts 14, 21–22, 25, 29–31, 38, 46, 48, 291
  - acid-base 17, 22, 25, 46
  - bifunctional materials 17, 19
- binding energies 191
- biphasic materials 123–124
- bisphenol 28–29
- bond angles 74
- bond energy 73
- bond length 73
  
- calcination 18, 35, 66–68, 270–271
- canonical discriminant analysis (CDA) 57, 59
- carbon cloth (CC) 1, 187, 189, 193–194, 203, 231
- carbon macrofibers 189, 193–194
- carbon materials 175–176, 183, 186, 188, 191, 198
  - nanostructured 186
- carbon nanofibers (CNFs) 180, 186
- carbon nanotubes 166, 174, 196–202, 277
- catalysts 14, 20–24, 26–28, 30–32, 35–38, 40–41, 47, 91, 193, 204–205, 216, 218–223, 226, 232, 289, 291–292
  - four-way 226
  - organometallic 49–50
  - paired 28–29
  - trimetallic 42–43
- catalytic activity 20, 23, 25, 28, 30, 32, 48, 53, 228
- catalytic contactors 226

- catalytic sites 14, 18, 20, 22, 28, 222
- catalytic systems 30, 51, 56
- CC *see* carbon cloth
- C–C coupling 23–24, 32, 40–41
- CDA *see* canonical discriminant analysis
- ceramic hollow fibers 252, 286–287
- ceramic ion conducting membranes (CICM) 212
- ceramic membranes 131, 163, 204–207, 209, 214, 218–219, 221, 227–229, 231, 237, 246, 251–253, 256, 286, 293
- ceria 56, 64–68, 213
- CH<sub>3</sub>CH<sub>2</sub>OH–H<sub>2</sub>O 56, 64, 66
- chemical oxygen demand (COD) 152
- chemical resistance 203, 205, 228
- chemical vapor deposition (CVD) 19, 180, 193, 195, 211
- chemisorption 203, 227
- chemometric methods 57, 59
- chemometrics 55–56, 65, 156
- citral 36–37, 52
- citronellal 36–38, 48–49, 51
- CNFs *see* carbon nanofibers
- CNTs 174–181, 183–188, 190–196
- defect-free 191
- well-graphitized 179
- CO<sub>2</sub> reduction 259
- CO<sub>2</sub> separation 163–164, 169
- COD *see* chemical oxygen demand
- conduction band 233, 266–267, 269
- conductivity 2, 7, 166, 191
- coupling separation 225
- crown ethers 3–5
- Cu/SiO<sub>2</sub> 35
- CVD *see* chemical vapor deposition
- cycles 181
- DA *see* discriminant analysis
- dendrogram 58, 60–61
- diffusing molecules 117–118
- direct simulation Monte Carlo (DSMC) method 128
- discriminant analysis (DA) 57
- DSMC method *see* direct simulation Monte Carlo (DSMC) method
- EAS *see* electrochemical active surface
- EDLC *see* electric double layer capacitor
- electric double layer capacitor (EDLC) 182–185
- electrocatalyst 189, 200
- electrochemical active surface (EAS) 192
- electrochemical energy storage 173, 179, 196–197
- electrode materials 167, 173, 177, 180, 195
- electrolyte 167, 175, 180, 182, 184, 186, 195, 213, 261–265, 274
- electrons 161, 187, 189, 193, 195, 212–213, 259–260, 264–266, 274–275
- emission intensities 150
- energy 1–2, 13, 55, 71, 73, 91, 104, 118, 133–134, 157–160, 168–170, 172–173, 257, 273, 278, 281–284
- chemical 257–258
- electrical 257–258
- potential 72–75, 117, 258
- sustainable 197, 202, 277, 279
- energy density 183
- energy functions 73
- energy vectors 258
- ethylene glycol 247, 260, 264–265, 272
- ethylene oxide 164, 238

- flow 92, 102, 104, 110, 112, 126, 130, 208, 235, 275
- flow field 114, 126, 128
- fluorescence 141, 149–152
- fluorescence maps 149–153
- fluorometry 149
- free volume 81–84, 90, 244
- free volume distributions 86, 88–89
- freshwater 167–168
- fuel cells 2, 9, 113, 160, 162, 164–167, 170, 172–173, 186–187, 189, 200–202, 229, 261, 284
- gas adsorbability 102–104
- gas flow 102–103, 105, 128, 227
- gas phase 33, 104, 189–190, 266–267, 290
- gas separation 204, 209
- gas separation applications 206, 210
- gating system 138–139
- glassy polymers 80–82, 86–87, 161
- glycerol 247, 261, 263–265, 268, 279, 289–290
- grafting 15, 17, 27–28, 30, 37
- postsynthesis 23, 27
- graphite 100, 174–176
- green chemistry 45, 53, 280
- H<sub>2</sub> 212, 285
- HCA *see* hierarchical cluster analysis
- heteroatoms 20, 56, 60–62, 69, 183
- heterogeneous catalysis 44–45, 52, 203–205, 218–219, 229, 232
- HF 261–262, 264, 268, 272
- hierarchical cluster analysis (HCA) 60, 64, 66
- holes 82–83, 86–87, 232, 262, 266
- hybrid materials 1, 9, 17
- hybrid membranes 5–7, 9, 12, 229
- hybrid organic-inorganic materials 1, 10–11
- hydrocarbons 220, 223, 226, 274, 287–288, 291–292
- hydrogen 35, 82, 158, 160–162, 164, 189, 217, 220, 228, 278–279, 284–285, 287–289, 293, 296
- hydrogen production 159–160, 162, 166, 278–279, 284–286, 296
- hydrogen separation 160, 162, 170–171
- hydrogen technology 158–159
- hydrogenation 33–37, 39–41, 223, 291
- hydrophilic pathways 5–6
- hydroxyl radicals 266
- hysteresis loops 61, 63–64
- IEC *see* ion-exchange capacity
- impregnation 15, 19–20, 32–34, 37, 41, 53, 244
- inhomogeneity 96–97, 99, 102
- inorganic membranes 160–161, 228–229, 283–284, 295
- intercalation 176, 178
- ion-exchange capacity (IEC) 7–8
- irradiation 201, 224, 236–237, 263–265
- microwave 30, 194
- isomerization 34–36, 288
- isopulegol 36–38
- isopulegol epoxide 37–38, 48
- jasminaldehyde 23, 46
- layered double hydroxide (LDH) 39, 42, 52
- LDA *see* linear discriminant analysis
- LDH *see* layered double hydroxide

- LIBs *see* Li-ion batteries
- Li-ion batteries (LIBs) 173, 175–177, 180, 194, 276
- light distribution 225, 252–253
- linear discriminant analysis (LDA) 57–59
- lithium 176–179, 197
- lithium ions 175–176, 178–179
- macromolecules 89–90, 115, 172, 225, 237–238
- macrostates 121
- maximum power density (MPD) 192
- mechanical strength 203, 205, 208, 228
- membrane bioreactors 141, 148, 151–153
- membrane materials 4, 8, 89, 142, 148, 154, 223, 225, 290
- membrane reactors 218–221, 229, 283–286, 288–291, 293, 295–297
- fluidized-bed 287, 292–295
- inorganic 283–285, 287, 289–290
- photocatalytic 255–256
- membrane science 129, 140, 153–154, 218
- membrane separation 129, 218, 232, 235
- membrane technology 159–160, 162–163, 171, 228, 231, 256, 291
- membranes 1–3, 5, 7–8, 140–149, 159–161, 163–169, 203–205, 214–215, 219–224, 227–229, 235–239, 244–247, 249–250, 252–255, 285–288, 290–291
- catalytic 222–224
- dense 206, 212–213, 228
- inert 222
- proton-conducting 189–190, 259
- mesoporous silica 19–20, 45, 50, 52
- mesostructured layers 242–243
- metal-organic frameworks (MOFs) 38, 48
- methane 213, 215, 217, 220, 261, 273–274, 284, 287–288, 291, 294, 296–297
- methane aromatization 289, 291, 293, 297
- methanol 8, 38, 46, 160, 164–165, 273, 289, 291, 295–296
- methanol oxidation 188, 201, 282
- methanol synthesis 290–291, 295, 297
- micropores 112, 117, 187, 206, 208–209
- mixed oxides 20, 33, 38–39, 46, 49, 55, 65, 224
- model-process mismatch 136
- MOFs *see* metal-organic frameworks 38, 48
- molecular dynamics 118–121
- molecular modeling 71, 88–89
- MPD *see* maximum power density
- multifunctional catalysts 14–15, 17, 19–20, 22, 52
- multiscale modeling 113–115, 129
- MWCNTs (multiwalled CNTs) 176, 178, 184, 188, 195
- n*-propanol 38–39, 46
- nanomaterials 113–114, 118, 120–121, 196
- nanotubes 184, 189, 260, 262, 269–270, 272, 276–277
- transparent 276
- naturanol 34, 51
- negative electrode 167, 174–175
- neural networks 57, 155–156
- NF (nitrofiltration) membranes 140–142
- NH<sub>4</sub>F 260, 264, 268

- nitrogen adsorption isotherms 59, 64, 66–68
- $\text{OH}_3\text{C}$  41
- olefins 42–43, 45–46, 285, 288–289, 295
- optical fibers 225, 252–253
- organic electrolytes 175, 186, 200, 263–266, 272
- organic–inorganic hybrid materials 18, 47, 49
- oxidation 38, 178, 223, 226, 233, 259, 266
- oxidic support 41, 43–44
- oxygen 42, 81, 83, 162, 179, 189, 214, 242, 264, 266, 284, 287
- palladium 29, 34, 40–41, 47–48, 53
- partial pressure 59, 63, 207, 214
- PCA *see* principal component analysis
- PDMS *see* poly(dimethyl siloxane)
- PEC solar cells 259–260
- PEM fuel cells 187–191, 193–196, 200, 202
- PEMs *see* proton-exchange membranes
- penetrants 81, 86–87
- percolation threshold 93–94, 96, 107
- periodic boundary conditions 76–78, 126
- permeability 96, 104, 114, 140, 143, 155, 207–208, 210, 220, 224, 243–245
- permselectivity 207–208, 220–221, 291
- perovskite-related oxides 213–214
- photoactivity 224, 250–251, 253, 268–269
- photocatalysis 225, 231–235, 237, 252–253, 255–256
- photocatalytic degradation 231, 253
- photocurrent 263–265, 268
- photodegradation 225, 238–239, 245, 248, 250, 255, 268
- photonic bandgaps 270
- photonic crystals 270–271, 280–281
- photoreforming 261, 266–267, 277
- PLS (partial least squares) 135–136, 143, 152
- POMS *see* poly(octyl methyl siloxane)
- poly(dimethyl siloxane) (PDMS) 85–86
- polymer 72, 77, 80–81, 83, 85, 88–90, 164
- polymer chains 77, 79, 143
- polymer membranes 163, 205
- poly(octyl methyl siloxane) (POMS) 85–87
- porosity 17, 92–93, 97, 100, 103, 109, 123, 167, 173, 179, 203, 209, 226, 228, 241–242, 244
- porous barriers 91, 97–98, 100–101
- porous materials 18, 109, 122, 125–126
- porous media 109–112, 124, 208–209
- porous membranes 106, 111, 116, 122, 126–128, 131, 182, 204, 206–207, 219, 288, 293
- pressure retarded osmosis (PRO) 168
- principal component analysis (PCA) 57–58, 61–67, 143
- PRO *see* pressure retarded osmosis
- proton conductivity 7, 11, 166
- proton-exchange membranes (PEMs) 2, 6–10, 186
- protons 2, 6, 171, 187, 189, 193–194, 259, 265

- pseudocapacitance 183, 186  
Pt nanoparticles 187–189, 201
- radial basis function network  
(RBFN) 135–136  
radial inhomogeneity 96–98  
RBFN *see* radial basis function  
network
- reactions 14, 17, 21, 24, 26, 29–31,  
33–34, 36–37, 40, 219–221,  
224, 259, 265–266, 268, 285,  
288–293  
catalytic 22, 28, 218, 223, 265  
chemical 13, 126  
nitroaldol 24–26, 28  
photocatalyzed 235, 254  
redox processes 186  
redox reaction 183  
reverse osmosis (RO) 18, 155,  
168, 236  
RO *see* reverse osmosis  
rubbery polymers 85–87
- SA *see* stearic acid  
scanning electron microscopy  
(SEM) 8, 124, 239–240, 244,  
260, 262  
scatter plots 58, 62, 65  
seawater 167–168  
segmental mobility 85–86, 88  
SEI (solid-electrolyte interphase)  
174–175, 177, 181  
selective chemisorption 227, 246  
SEM *see* scanning electron  
microscopy  
silanol groups 19, 25, 27–28  
single-walled carbon nanotubes  
(SWCNTs) 184, 196, 198, 201  
singular value decomposition  
(SVD) 61  
SiO<sub>2</sub>/ZnO layer 248–249, 251  
SiO<sub>2</sub>/ZnO membrane 248–250  
small molecule diffusion 86, 89  
sol-gel chemistry 10, 18  
sol-gel process 1, 3, 220  
solar energy 257–258, 277  
solid-electrolyte interphase *see* SEI  
solution-diffusion model 140,  
142–147, 156  
stearic acid (SA) 100, 248,  
250–251  
structure 2, 7, 17, 20–21, 72, 75,  
79, 91, 117–118, 135, 137,  
139, 141–142, 189–190, 197,  
269–271  
crystal 270–271  
honeycomb 204, 206, 217  
hybrid 136–137, 143, 146  
organized 187, 193  
supercapacitors 173–174,  
182–183, 185–186, 195,  
198–200  
surface flow 111  
SVD *see* singular value  
decomposition  
SWCNTs *see* single-walled carbon  
nanotubes
- TEM *see* transmission electron  
microscopy  
terpene chemistry 37, 53  
thiol groups 28  
three-phase boundary 193–194  
Ti substrate 269–270, 272  
TiO<sub>2</sub> 40–41, 211, 223–224,  
231–233, 235–236, 246–247,  
260, 268, 277, 279–280  
titania 223–224, 231–234, 245,  
253, 260, 264, 266–267,  
271  
titania nanostructured film 260,  
266, 274  
titania nanotube arrays 264–265  
TMP *see* trans-membrane pressure  
toluene 27–28, 291  
trans-membrane pressure (TMP)  
152

- transmission electron microscopy (TEM) 239, 270
- UV irradiation 224, 233, 238–239, 242, 245, 250–251
- velocity 126–127
- visible light 270–271, 280
- VOCs *see* volatile organic compounds
- volatile organic compounds (VOCs) 209, 221, 223–225, 235, 237, 255–256
- wall-flow filters 217–218
- wastewater 224–225, 234, 238
- wastewater treatment 152–153, 225, 235, 237
- water flow 243, 249–250
- water/methanol mixture 145–146
- water purification 255
- water splitting 166–167, 265–266, 268, 278
- water uptake 7
- water vapor 273, 281
- wavelengths 232, 268, 270–272, 276
- wettability 186
- X-ray diffraction (XRD) 269
- XRD *see* X-ray diffraction
- zeolite membrane reactors 290–291, 295–296
- zeolite membranes 160, 211, 288–290, 294–295
- zeolites 14, 32, 37, 50, 53, 186, 223, 287, 290, 296
- ZnO 224, 227, 231, 246–247, 256, 280

