

Index

- absorbance 388
- absorbent pad 498
- absorption spectrophotometer 410
- acid 9, 21, 23, 28, 53, 97, 100, 152, 172, 315
 - acetic 8, 16, 19, 29, 104, 107, 309, 315
 - acrylic 257, 437
 - adenilic 92
 - aspartic 130, 132
 - caffeic 30, 31
 - caffeine 107
 - carboxylic pyrrolidone 500
 - chlorogenic 31
 - citric 8, 104, 107, 169, 201, 237
 - di-chlorogenic 85
 - dithiodibutyric 385
 - ethylenediaminetetraacetic 364
 - gallic 10
 - higher free fatty 96
 - hydrochloric 12, 53
 - inosinic 91, 93, 104
 - iso-alpha 20, 21, 23, 25, 27, 34, 426, 429
 - isovaleric 324
 - malic 104, 107, 108
 - monobasic 108
 - nucleic 94, 104
 - oleic 10, 17, 25, 425
 - phosphatidic 148, 151, 153
 - phosphoric 110, 425
 - tannin 27, 165
 - total free fatty 134
 - trimellitic 25, 28
 - weak 317
- acid-base equilibrium 444
- acidifier 233, 234, 237, 238, 242, 245
- acidity 84–87, 107, 109, 158, 169, 479
- acid jellies 159
- acid taste 64
- aconite root 209
- active pharmaceutical ingredient (API) 187, 188, 190, 191, 193–195, 197, 199, 200
 - bioavailability 189
 - bitter-tasting 187
 - dissolution 195
 - formulation 189
 - free 199
 - unpleasant 199
- additives 173, 418
- adrenergic response 498
- adsorption 13, 16, 19, 21–23, 67, 70, 71, 148–150, 154, 167, 234, 258, 267, 345, 426, 438, 439
- advanced taste sensors 5, 7, 16, 18, 19, 24, 28, 29, 35, 37
- AEDA *see* Aroma Extract Dilution Analysis
- aftertaste 33, 34, 71, 105, 110, 149, 154, 208, 209, 212–214, 426, 429, 431, 519, 520
- Ag/AgCl electrode 11, 426, 484, 485, 487, 488, 491, 492
 - liquid-junction 484
- agar 179, 180

- agents 35, 163, 193, 200, 238, 278
 - anion exclusion 480
 - sweetening 178, 201
 - taste-masking 35, 37
- aging 109, 113, 132, 133, 289
 - postmortem 94, 99
- aging period 110
 - optimal 110
- aging process 133
- agitation granulation 245
- agitation mechanism 466, 467
- agitation performance 466
- agitator 160, 164, 166
- airflow 369, 496, 501, 503, 508
- air monitoring 277
- air movement 512
- air quality 271
 - high 496
 - indoor 449
 - module 276
- air velocity 496, 502, 503, 508, 513
- alcohol 49, 56
 - decyl 17
 - n-tetradecyl 425
- alcohol content 107, 109
- alkaloids 28, 212, 225
- alpha-cyclodextrin 35, 37
- amine 364
 - butyl 443, 444
 - compounds 436–438, 442, 444
 - coupling 363
 - gases 315, 453
 - groups 360, 364
 - odors 435, 439, 444
 - oleyl 17
- amino acids 8, 17, 28, 94, 97, 104, 108, 110, 111, 130, 131, 145, 167, 212, 500
 - branched-chained 168
 - contents 109, 137, 139
 - free 131, 133
 - crystal 168
 - free 92, 124, 131
- amino groups 150, 151, 363, 385
 - charged 14
 - modified 465
 - quaternary 151
- analysis
 - affinity 357
 - biochemical 488
 - conventional laboratory 424
 - cortisol 504
 - electrochemical 483
 - environmental 276
 - food types 276
 - gene-expression 464
 - objective 91, 95
 - physicochemical 128
 - principal components 255
 - single-cell 464
- analytes 6, 28, 262, 266, 305, 440–442, 444, 445, 447, 485
- analytical devices 437
- analytical procedure 182
- analytical techniques 147, 198
- analytical technologies 195, 232
- analytical tools 182, 264
- antibiotics 145, 153, 155, 157, 159, 161
 - macrolide 157
- antibodies 351, 353–359, 363, 364, 366, 367, 370, 373, 375
 - bound 356, 371
 - characteristics 358
 - monoclonal 359
 - polyclonal 358, 359
 - production 357, 358
- antigen 354–357
- antigen analogues 355, 368
- antigen-antibody reactions 377
- anti-TNT antibody 356, 357, 367, 371
 - bound 371

- antitussive 160
- API *see* active pharmaceutical ingredient
- applications 37, 84, 85, 127, 147, 148, 163, 164, 253, 254, 263, 267, 269, 273–278, 312, 313, 427, 430–432, 490, 491
- aerospace 271
- bio-medical 459
- chemical detection 266
- clinical 278
- e-NOSE 269, 274
- odor-sensing 275
- aqueous extracts 167
- plant 166
- aqueous solution 13, 19, 150, 192, 200, 208, 210, 215, 222, 438, 439, 485
- propiverine 177
- Aroma Extract Dilution Analysis (AEDA) 89
- array 239, 254, 265, 266, 268, 272, 275, 289
- orthogonal 232–234, 238–240, 244
- single 259
- artificial lipid membrane 518
- artificial lipid plasticizer 24
- artificial lipids 10
- artificial olfaction 254, 285, 286, 302
- technology 287
- artificial sweeteners 8
- aspiration 370
- compulsive odor 267
- flux 370
- aspirator 267, 268
- assay 353, 364
- enzyme-linked immunosorbent 380
- asthma 274
- astringency 34, 57, 64, 71, 80, 81, 85, 86, 104–106, 111–114, 166, 207–209, 215–217, 219, 221–226, 416, 417, 424–427
- aftertaste of 221, 222
- persimmon 71
- astringency sensor 25, 27, 28, 76, 426, 429
- astringency sensor chips 429, 430
- astringency sensory score 31
- astringency substances 429, 430
- astringency values 217
- astringent 30, 63, 65, 68, 69, 72, 73, 96, 120, 121, 219, 220, 222–224
- bitterness 225
- Shosaikoto 216
- substances 14–16, 27, 29, 51, 67, 71
- taste 67, 68, 70, 71, 73, 120, 164
- information 67
- intensities 63–65, 67–70, 72, 73
- AuNPs *see* gold nanoparticles
- Au sensor chip 359
- Au sensor surface 354, 359, 361
- autocatalysis 316
- autoclaving 207
- autolysis 108, 109, 111
- bacteria 76, 275, 277
- malolactic 108, 109
- basic tastes 19, 23–26, 28, 94, 169, 171, 225
- five 16, 94, 99, 104
- four 104
- BCAAs *see* branched-chained amino acids
- B-cells *see* B-lymphocytes
- beads 369, 461, 462, 464–466
- extracted 464

- porous polymer 369
- beef 91–95, 97, 99
 - broth 94
 - evaluation 94
 - muscles 95, 96
 - sensory characteristics of 95
 - steak 95
 - taste 94, 96
 - sensory characteristics 95
- beer 27, 37, 110, 338
- berberine 164, 165, 167
 - axis 165
 - calibration curve 165
- biomarkers 436, 495–504, 506, 508, 510, 512
 - noninvasive 513
 - salivary stress 497
- biosensors 380, 386, 387, 437
 - cost-effective 378
 - DNA-based 387
 - label-free 380, 383
 - optical 377
- bitterness sensor 20, 25–27, 36, 76, 180, 425, 427, 429
- bitterness sensory score 31, 37
- bitterness strength 150–152
- bitterness-suppressant 148
 - effect 151
- bitterness suppression 151, 156, 160, 163, 169, 177
 - antibiotics 153, 155, 157, 161
 - basic drugs 149, 151
 - effect 112
 - taste-masking materials 36
 - orally disintegrating tablet 173, 175, 177, 179
- bitterness threshold 159, 161, 162, 176
- bitterness values 217
- bitter substances 13, 21, 22, 24, 32, 94, 145, 153, 234
- bitter taste 32, 115, 118, 124, 163, 181, 190
 - substances 13
- blender 84, 85, 87–89
 - well-trained 89
- blending 84, 85, 87–89, 104, 111–113, 288, 295
 - aromas 295
- blends 83–85, 88, 287, 519
- blood glucose levels 497
- B-lymphocytes (B-cells) 358, 359
- BMI 502
- BONIZYME 123, 124
- bovine serum albumin 357
- bovine tongue epithelium 9
- branched-chained amino acids (BCAAs) 168, 169
- bromhexine hydrochloride 30, 31, 160, 161, 237–239, 245, 247
- brown rice 130–133, 135, 137
 - cooked 132
 - milling 130
 - tastes 127, 130
- brown sugar 49, 50
 - soft 49, 50
- buffer 345, 361, 363
 - acetate 505
 - borate 363
- buffering capacity 158
- buffer solution 352, 356, 370, 373, 478
 - carrier 356
 - tris-HCl 480
- CAM *see* clarithromycin
- CAMD 156–161, 163
 - bitterness intensity 160
 - concentration 159
 - mixture 158, 159, 161–163

- solution 160
- suspensions 161
- Camellia sinensis* 64
- cancer 270, 334
 - bowel 277
 - lung 274
 - marker 274
- carrier mobility 258
 - electron 259
- catalytic metal 259
 - additives 258
- catechins 64, 68–71, 77, 105, 107
 - astringency 70
 - concentrations 69
 - gallate-type 68, 70, 71
 - non-gallate-type 68, 70
 - solutions 68, 70, 71
 - unoxidized 78
- cell 76, 182, 358, 373, 487
 - biological 458
 - culture 358
 - densities 491
 - growth 270, 389
 - liver 490
 - membrane 7, 191
 - taste receptor 9
- chemical analysis 6, 14, 107, 128, 132, 135, 137, 277, 278, 410
 - conventional 46
 - human biological samples 274
- chemical analytes 443
- chemicals 63, 65, 74, 146, 237, 255, 305, 396, 453
 - adsorbing 305
 - detection 278
- chemical sensors 277, 289, 305, 347, 396, 407, 458
- chemical substances 6, 272, 352, 354, 358, 374, 426
- chemical warfare 278
- chemical weapons 271
- chemiresistors 312, 313
 - nano-CPs 312
- chemoluminescence 257
- chemophore 266
- chemoreceptors 6, 272
- chemoresponsive dyes 266
- chemosensing 276
- Chinese Nutgalls 165, 166
- chromatography 108
 - high-performance liquid 6, 108, 156, 164, 167, 174, 176, 410
 - thin-layer 108
- cigarette 393, 394, 396, 397, 399, 400, 404, 406
 - burning 394, 397, 399
 - combustion 399
 - smoke 333, 334, 341–343, 347, 399, 400, 437, 449, 451, 452
 - exposure 436, 450
 - smoking 451, 452
- cinnamon bark 220, 221, 223
 - sweetish 222
- clarithromycin (CAM) 153, 155, 156, 158–161
 - basic 159
 - concentration 156, 158, 159
- macrolides 153, 156
- powder 154
 - suspensions 154, 156
- suspensions 154
- treatment 153
- usage 153
- solubility 158, 160
- solutions 159
 - CMOS 256, 476
- camera 372
 - odor sensor 261
 - scanning circuit 475
- coatings 197, 206, 256, 259, 299
 - additional film 195
 - spin 310

- coefficient variations (CVs) 427, 429
 - values 427–429
- coffee 17, 35, 51, 52, 83–90, 168, 170–172, 427, 430, 431, 519, 525
 - arabica 86
 - blended 87
 - blender 83, 84
 - canned milk 519
 - commercial 84
 - companies 84, 86
 - drinks 52
 - drip-style 525
 - extracts 83, 84
 - flavor 171
 - ground 85
 - industry 83, 84, 86
 - light tasting 520
 - products 83, 84
 - soluble 89
 - quality institute 85
 - soluble 85
 - taste 84, 86
- companies 37, 38, 71, 232, 274, 297, 521, 526
 - food-related 529
 - pharmaceutical 188
- compounds 29, 97, 104, 449
 - aldehyde 438
 - aromatic nitro 309, 310, 369, 370
 - by-product 108
 - electroactive 484
 - flavonoid phenolic 105
 - nitroaromatic 369
 - nitrogenous 92, 104
 - nonflavonoid phenolic 105
 - nonnitrogenous 92
 - organic 119, 258, 312, 442
 - polyphenolic 104, 105
 - semivolatile 369
 - toxic 207
 - water-soluble 500
- conductance 305, 309, 338–344
 - electrical 305
 - molecular wire 306
- conducting polymers (CPs) 312, 438
 - nanostructured 312
 - nanowire 312
 - type 275
- conductivity 258–260, 312, 317
 - electric 412, 413
 - electrical 193
- conductor 307
 - electronic 266
- consumers 37, 64, 74, 86, 105, 113, 271, 520, 523, 525–528
 - claim 104
- consumption 134, 491, 492
 - human 28
- contamination 270, 271
 - detection 277
- control 37, 48, 49, 78, 86, 150, 156, 158, 159, 164–166, 179, 180, 206, 277, 278, 300, 356, 357, 496, 519
 - blank 208, 210, 218
 - negative 371, 504
- core-shell 381–387, 389, 390
 - structure 381
- corticotrophin-releasing hormone (CRH) 497
- cosmetics 254, 269, 271, 278, 286
 - production 253
- CPA values 15, 23, 24, 26, 27, 29, 30, 33–35, 37, 106, 110, 112, 113, 154, 157, 162, 234–236, 429, 430
 - sensors 111
- CPP *see* critical process parameters
- CPs *see* conducting polymers
- CQA *see* critical quality attributes

- CRH *see* corticotrophin-releasing hormone
- critical process parameters (CPP) 245, 247
- critical quality attributes (CQA) 245
- crude drugs 205–207, 213, 215, 219–221, 223–225, 227
taste of 205–207, 226
- CVs *see* coefficient variations
- cyclodextrin 36, 192, 311
- dehydroepiandrosterone (DHEA) 497
- dendrimers 359, 360, 364
cystamine-core PAMAM 364
immobilized 360
- dendron surface 364, 366
- devices 118, 255, 263, 264, 295, 296, 436, 472, 474–476, 483, 487–493
electrochemical 483
electronic 378
inkjet 295, 296
microfluid 459
nanogap 306
odor-sensing 255
one-to-one biological-cell-fusion 458
optical 483
piezoelectric 263, 296
POCT 498
semiconductor 472
- DGDE *see* diethylene glycol dibutyl ether
- DHEA *see* dehydroepiandrosterone
- diagnosis 436
plant disease 271
- diethylene glycol dibutyl ether (DGDE) 10, 23
- dinitrobenzene (DNB) 369, 370
solution 369
- dinitrotoluene (DNT) 309, 355, 359, 369, 370
solution 369
- diseases 192, 274, 333, 334, 436
chronic 190
inherited metabolic 195
maple syrup urine 274
post-harvest 271
- dissociation 13, 22, 356, 367
proton 150
spontaneous 356, 367
- distribution 137, 222, 471, 507
low impulse air 512
magnetic-field 461, 466
pattern 466
real-time 473
two-dimensional optical 472, 474
- DNA 317, 387, 389, 391, 478
analysis 464
aspect 387, 389
concentration 388, 389
length 387, 388
molecules 387, 458
solutions 387
- DNA–DNA hybridization 380, 387
- DNB *see* dinitrobenzene
- DNT *see* dinitrotoluene
- dosage forms 148, 187, 190, 191, 195
film-coated 195
monolithic drug 194
multiparticulate 195
oral drug 185, 186, 190, 191
orodispersible 197
peroral drug 189
pharmaceutical 147
solid 147, 189, 194, 195, 197
- drinks 45, 46, 57, 58, 168
popular 83, 84

- sports 57
- yogurt 57
- droplet 296, 457–459, 461–466, 468
 - bead 464
 - forms 462
 - handling 468
 - magnetic 465
 - manipulation 459–463, 465, 467
 - electrostatic 459
 - two-dimensional 464
 - manipulation system 460
 - mercury 459
 - solution 459, 461
- drug development 173, 186, 187
 - methods 173
 - modern 186
 - pediatric 146
 - process 192
- drug formulations 38, 181, 186, 189, 192, 232, 233, 237, 239, 241
 - ideal 189
 - oral 189
 - pediatric 186, 201
- drugs 27, 35, 37, 146, 149–151, 157, 158, 160, 173, 175, 182, 186, 222, 232–235, 374, 375
 - palatable 232
 - purity 270
 - quality 231
 - release 146, 194
 - studies 146
 - screening 378, 387
 - suspensions 169
- dry syrup 154–160
 - mixtures 158, 159
 - product 156, 158
 - suspension 154, 156
- dyes 257, 266
 - base 266
 - multiple 266
 - zwitterionic solvatochromic 266
- efficacy 185, 187
 - clinical 153
 - taste-masking 193
- EIT *see* estimated intensity of taste
- electric charge density 5, 7, 19–22, 37
- electric field 262, 263, 378
 - distribution 383
 - core-shell 384
 - cross-sectional 383
 - localized surface plasmon resonance 383
- electrochemical cell 266
 - integrated 487
- electrochemical microdevices 483, 484, 486, 488, 490, 492
- electrochemical odor sensors 266
- electrochemical oxidation 266
- electrochemical polymerization 312
 - template-free 313
- electrochemistry 483, 484
- electrodes 11, 149, 153, 154, 156, 261, 267, 309, 310, 313, 345, 442, 448, 458, 459, 484, 486, 487, 491
 - actuator 488
 - arrayed 459
 - auxiliary 484, 486, 488
 - composite 488
 - cyclodextrin 310
 - fabricated nanowire sensor 309
 - gold 485, 488
 - gold-plated 260
 - interdigitated 261, 264, 312, 313, 316
 - ion-selective 6, 472, 484, 491

- miniaturized ion-selective chip
 - 429
 - modified 451
 - molecular wire network 306
 - nanogap 306, 309
 - nanowire 309
 - nan-PANI 316
 - pH indicator 491
 - pH-sensitive 486, 488
 - polarized 484
 - polysilicon gate 472
 - thin film gold 263, 267
- electrolyte 25, 30, 31
 - layer 423, 424, 429
 - solution 472, 483, 491
- electron-beam lithography 484
- electronic nose (e-NOSE) 251,
 - 253–256, 258, 260, 262, 264,
 - 266, 268, 270, 272, 274, 276,
 - 325, 327, 328, 437
 - sensing system 129
 - sensor array 275
 - sensor types 254
 - system 253–256, 258–260, 263,
 - 266–271, 273, 275–277, 279
 - applications 255
 - novel 267, 269
 - outline 253, 254, 256, 258, 260,
 - 262, 264, 266, 268, 270, 272,
 - 274, 276, 278
 - universal 275
 - technologies 254, 272, 274
 - traces 275
- electronic sensor 277
- electronic taste-sensing systems
 - 185, 186, 188, 189, 191, 199,
 - 201
- electronic tongues 6, 7, 146, 174,
 - 185, 424
 - conventional 7
- electrowetting 459–461, 485, 486
- e-NOSE *see* electronic nose
- environment 134, 137, 495, 512,
 - 513
 - changes 436, 450–453
 - chemical 266
 - destruction 410
 - monitoring 253, 269, 270,
 - 276–279, 451
 - pollutant, detection 436
 - pollution 333
 - protection 277, 378, 387, 391
 - virtual 287, 295, 298
- environmental accident detection
 - systems 453
- enzymatic reactions 464–466, 468
- enzymes 123, 124, 377, 380, 465
 - hydrolytic 490
- estimated intensity of taste 66, 68,
 - 69, 73
 - scale 69
 - value of astringency 69
 - green tea 69
 - values 66, 67, 69, 72–74
- etching 484
 - dry 484
 - wet 337
- evaluation 51, 63, 64, 72–74,
 - 77–80, 94, 106, 107, 110,
 - 113–115, 128, 130, 131, 163,
 - 198, 323, 495, 496, 504, 505
- astringent taste intensity
 - black tea 72
 - Japanese green tea 67, 69
- bitterness
 - clarithromycin dry syrups 156
 - medicines 150
 - orally disintegrating tablets
 - 177
- bitterness suppression
 - clarithromycin dry syrups 160
 - quinine 151
- coffee 52

- commercial sugars 50
- in-field 424
- Kokumi Taste 118, 119, 121, 123
- laboratory 274
- methods 64, 65, 67, 72, 73, 496
 - objective 93, 97
 - quantitative 234
- packaging 279
- plum wines 51
- umami taste intensity, Japanese
 - green tea 71
- water quality 409, 410, 412, 414, 416, 418, 420
- excipients 181, 187, 192, 193, 196, 199–201
 - pharmaceutical 193
 - taste-masking 193
- excitation 263, 383
 - optical 265
- extract 92, 93, 123, 124, 464
- extracts
 - dry 222
 - heated meat 93
 - hot-water 98
 - liquid beef 95
 - meat 93
- fabrication 256, 312, 315, 352, 384, 385, 457, 461, 473, 498
 - electrochemical components 484
 - procedure 365
 - process, sensor chip 362
 - taste sensors 9
 - techniques 384, 385
 - LSPR excitation 384
- famotidine orally disintegrating tablets (FODTs) 173, 174, 176
 - evaluation 173
- FD *see* floating diffusion
- FDA *see* Food and Drug Administration
 - FDA Amendment Act 188
 - FDA Modernization Act 188
- FDTD analysis *see* finite-difference time-domain analysis
- finite-difference time-domain analysis (FDTD analysis) 383, 384
- Fire and Disaster Management Agency (FDMA) 397, 407
- fire-causing materials 397, 404, 407
- flavor 49, 64, 77, 83, 84, 89, 93, 105, 107, 108, 114, 119, 128, 132, 168, 169, 172, 276
 - analysis 89
 - apple 290
 - characteristics 270
 - flowery 111
 - fruit-based 169
 - pineapple 169
 - synthesis 294
- flavoring 238, 239
 - substance 233, 234, 237–239, 241, 242
- flavors, fruit 293
 - five 291, 292
- floating diffusion (FD) 473–475, 477
- flow channels 461, 485–488, 491
 - microfabricated 484
- fluorescence 257, 266, 278
- fluorescent dyes 265, 377, 380
- FODTs *see* famotidine orally disintegrating tablets
- food 6, 12, 17, 19, 28, 37, 43, 61, 74, 92, 117, 118, 269, 277–279, 529, 530

- baby 529
- complex 91
- contamination 271
- control 12, 378, 387, 391
- crops 271
- cultures 37, 38
- decomposed 28
- evaluation 276, 279, 426
- industry 424, 432
- manufacturing 253
- muscle 92, 95, 99, 100
- pet 529
- processed 117, 529
- processing 132, 278
- production 277
- quality 436
- rheometer 129
- rich-tasting 529
- solid 95
- staple 129
- storage 276
- taste 35, 206
- Food and Drug Administration (FDA) 186, 188
- food cultures, national 18
- food ordering 529
- food science 75, 479
- foodstuffs 45, 57, 58, 133, 254, 427
- formulations 38, 146, 148, 160, 181, 187, 193, 194, 199–201, 218, 219, 233
- oral 146
- orodispersible 189
- pleasant-tasting 192, 200
- solid 195
- taste-masked 195
- fructose 8, 16, 17, 28, 30, 55, 56, 104, 112
- fruit 169–171, 523, 525
- fruit juices 55, 57
- fungi 132, 275
- gases 253, 258–260, 262, 264, 265, 267, 275, 312, 315–317, 326, 328, 330, 334, 338–341, 344, 437, 438
 - analyte 266, 275, 312, 315
 - combustible 262
 - exhaust 333, 334, 340, 341
 - harmful 264, 265, 334, 347
 - hazardous 270, 436
 - inorganic 264
 - nitrogen 109
 - oxidizing 340
 - reducing 258, 340, 341, 343, 394, 399
- gas-phase surface sol-gel (GSSG) 435, 438
 - film 442, 443, 446, 447
 - process 439, 440, 442, 447–449
- gas sensitivity 261
- gas sensors 258, 267, 285, 289, 313, 334, 346, 347, 395, 398, 435
 - conducting polymer 312
 - electrochemical 267
 - semiconductor 334
 - thin-film 344, 345
 - tin oxide 394–397, 407
- gold nanoparticles (AuNPs) 306, 308, 314, 316, 317
 - bridge 309
 - nanofiber sensor 311–313, 315, 317
 - nanogap electrode 306, 307, 309
 - nanowire sensor 309
 - structures 308
- gold valve 486
- gold wire 337
- G-protein 147
 - gustducin 187
- G-protein-coupled receptors (GPCRs) 7

- granules 178, 189, 194, 195
 - film-coated 195
 - ready-made 215
 - spherical 195
 - uncoated 195
- grape 104–107, 110, 294
 - juice 105
 - skin 105
 - varieties 111
- green tea 28, 37, 57, 64, 65, 67, 68, 72, 75, 77, 79–81, 427
 - astringency 69
 - Japanese 63–65, 67, 68, 71–73
 - astringent taste intensity 67, 72
 - infusion 69
 - Japanese, umami taste intensity 71, 72
 - powdered 168
- GSSG *see* gas-phase surface sol-gel
- GTP-binding protein 8
- gustatory sensation 150, 151, 155, 162, 175
 - human 156, 157, 178, 181
 - tests 149, 151, 154, 156, 157, 160, 168, 169, 171, 173, 175, 176, 216, 222
 - human 150, 153–155, 159–162, 174, 220, 222, 225, 226
- gustatory sense 32
 - human 64, 67, 71–74, 424
- gustatory tests 179
 - human 176, 217–220, 223–226
- haptens 358, 363
- haptens-protein conjugate 355, 356
 - immobilized 355
- heater 295, 335–337, 346, 347, 369, 370, 397
 - micro 334, 335, 347
 - thin-film 334, 335, 337, 347
- hepatocytes 490, 491
- high-performance liquid chromatography (HPLC) 6, 108, 156, 164, 167, 174, 176, 410
 - analysis 48, 69
 - method 166
- HPA axis *see* hypothalamic-pituitary-adrenal axis
- HPLC *see* high-performance liquid chromatography
- human senses 147, 393
 - five 6
- humans 7, 18, 28, 37, 47, 52, 56, 58, 146, 191, 219, 220, 224–227, 495
 - sensation 45–50, 52–55, 58, 427
- human sensory evaluation 47, 104, 106, 107, 110–112, 114, 115, 177
- human tongue 5, 16, 18, 29, 37, 50, 65, 151, 157, 181, 234, 518
- hydrogen 316, 343, 473, 474
 - bonding 56, 445
 - composites 344
- hydrolysis 438, 439
- hypothalamic-pituitary-adrenal axis (HPA axis) 497
 - responses 497
- ibuprofen 194, 197, 200
 - particles 194
- IBV *see* iodine blue value
- immersions 70, 309, 387
- indicator 24, 354, 436
 - chemical 265
- infection 168, 275, 277
- instruments 129, 182, 185, 322, 323, 424, 427, 431, 483
 - analytical 352

- array-based 266
- bubbler 267
- crossed-wire junction 306
- electronic 253
- expensive analytical 86
- transmission 268
- unique analytical 181
- interactions 19, 35, 37, 45, 53–55, 58, 92, 132, 147, 167, 239, 266, 267, 305, 389, 390
- acid-base 435, 444
- antigen-antibody 351, 352, 354
- electrostatic 382
- film/analyte 441
- lectinoligosaccharide 390
- molecular-receptor 187
- oligosaccharide-lectin 389
- polymeranalyte 262
- taste-substance 6
- weak hydrophobic 14
- iodine blue value (IBV) 128
- ion channels 7, 147
- ion image sensor 472, 478, 480
- ionophore 480, 491
- neutral-carrier-type 479
- ions 316, 368, 415, 472, 473, 479, 480, 492
 - cadmium 415
 - cyanogen 409
 - inorganic 92
 - mineral 500
 - organic 479
 - phosphate 93
 - sodium 13, 472, 480
- ion-selective electrode (ISEs) 6, 472, 484, 491
- ion-sensitive field effect transistor (ISFET) 472
- ISFET *see* ion-sensitive field effect transistor
- ISFET-based biosensor 472
- Japanese black beef 95
- Japanese café-style 525
- Japanese canned coffee 519
- Japanese cooking technique 35
- Japanese cuisine 123
- Japanese food 117, 118
 - traditional 121
- jelly 156–160
 - acidic 158–160
 - chocolate 157–159
 - neutral 160
- Kakkonto 215–227
 - decoction 220–223, 226
 - extract 223
 - commercial 220–222, 226
 - formula 222, 227
 - taste 220, 224
- Kampo 205, 206, 215, 227
 - extracts 205, 206, 215
 - formulae 206, 215–220, 226, 227
 - taste 216, 218, 220
 - medicines 215
- kokumi
 - liquid seasoning 123
 - taste 26, 99, 117–121, 123, 124
 - soup stock materials 117, 118, 120, 122, 124
- labeling procedure 377, 380, 387
- lab-on-a-chip 457–464, 466–468
 - droplet-based 464, 468
 - system 457
- lactic acid 93, 104, 107, 108, 500
- lactose 30, 56
- LAPS *see* light-addressable potentiometric sensor

- layer 135, 139, 195, 262, 264, 310, 311, 314, 435–437, 439, 440, 449, 484, 501
 - amorphous metal oxide 438
 - bran 135, 137
 - cyclodextrin 311
 - gold 265, 308
 - pHEMA 425
 - polysiloxane 261
 - semiconducting 262
 - silver 491
 - SiO₂ 345
 - TiO₂ gel 448
- leaf 77
 - tissues 76
 - unpicked tea 77
- leak detection 279
 - toxic gas 271
- LEDs *see* light-emitting diodes
- light 86, 265, 353, 379, 380, 385
 - absorbed 266
 - absorption 379
 - energy 354
 - incident 264
 - intensity 449
 - red 373
 - scattering 378
 - wavelength 379, 380
 - white 385
- light-addressable potentiometric sensor (LAPS) 473
- light-emitting diodes (LEDs) 477
- lipid/polymer membranes 9, 12, 13, 23, 46, 149, 153, 156, 423–426, 429
 - responses 12
- lipids 9–11, 13, 20–24, 93, 132, 149, 153, 168, 425, 429
 - charged 13, 14, 20, 24
 - components 169, 193
 - concentration 20–22
 - crude 137
 - fraction 93
 - molecules 7, 13, 14, 19, 22
- lipoprotein 146
- liquid 123, 172, 189, 197, 265, 291, 296, 351, 457, 459, 461
 - blend 295
 - droplets 295
 - evaporation 295
 - junction 487
 - phase 193, 291
 - samples 94, 177, 195
- localized surface plasmon resonance 377–390, 392
 - absorbance strength 390
 - biosensor 377, 378, 380, 382, 384, 386, 388, 390, 392
 - label-free detection 377
 - excitation 378, 381–386, 389
 - excitation efficiency 380
 - excitation principle 377, 379, 382
 - nanostructured materials 379, 381, 383
- localized surface plasmon resonance (LSPR)
- low-pass filter (LPF) 297
- Lowry method 506
- lozenges 194, 195
 - sage 195
- LPF *see* low-pass filter
- LSPR *see* localized surface plasmon resonance
- LSPR-based biosensors 378, 385–387, 389–391
- malodors 321
 - evaluation 321
- malo-lactic fermentation (MLF) 103, 104, 108, 109
- malo-lactic starter culture 108

- masking agent 179, 233–235, 237–239, 241, 242, 245
 amount 238, 241, 245, 247
 screened 177
 masking effect 173, 196, 324
 masking efficiency 245
 bitterness 242–245
 masking SN ratio 241, 246
 mass flow controllers (MFCs) 295, 296, 369, 458
 mass spectrometer 292, 293
 mass spectrometry 254, 294
 meat 91–94, 96, 98, 100, 271, 298
 animal 92
 chicken 91–93
 evaluation 93
 extract, chicken 92
 high-lipid 94
 quality 93
 estimation 94
 taste 91–93, 99
 taste characteristics 91, 99
 medications 146, 186, 191
 salty tasting 190
 medicinal plants 164, 167
 commercial 164
 medicinal products 147, 187, 188, 190
 astringent Chinese 165
 medicine, powdered 160, 162, 163
 medicines 35, 43, 76, 143, 145, 146, 148, 150, 152, 154, 156, 158, 160–162, 164, 176–178, 185–186
 acidic 160
 ancient Chinese 215
 bitter-tasting 115
 Chinese 145, 164–166
 herbal 37, 205, 206, 208, 210, 212, 214, 216, 218, 220, 222, 224, 226,
 human 148
 pediatric 35, 146, 185, 188, 190, 195
 traditional Chinese 215
 traditional Japanese 215
 membrane 5, 7, 9, 11, 13, 14, 16, 19–24, 46, 106, 148–151, 154, 167, 267, 426, 427, 479
 active 167
 artificial lipid-based 7, 9, 16
 biological 7, 212
 lipid bilayer 212
 charged 10–14, 106, 150
 components 14, 484
 hybrid 131
 impedance 167
 ion-selective 484, 491
 ion-sensitive 472–474
 isolated dielectric 262
 lipid 5, 9, 14, 16, 131, 256, 410
 lipid-bilayer 157
 plasticized PVC 479
 polymer 9, 429
 porous 266
 potential 11
 probes 98
 selective 472, 479
 sensing 151, 263
 sorbent 263
 surface 5, 12, 13
 MEMS *see* micro electro-mechanical systems
 metal film 354
 catalytic 259
 thin 353
 metal-insulator-semiconductor field-effect transistor (MISFET) 472
 metal layer 262, 264, 265, 484
 catalytic 262
 conductive 264
 gas-sensitive 261
 surface 264

- thin 265
- metal oxide (MO) 256, 258, 259, 276–279, 343, 438
 - sensor array 279
 - sensors 276–279
- metal-oxide-semiconductor field effect transistor (MOSFET) 256, 261, 274, 276, 279
- methylation 119
- MFCs *see* mass flow controllers
- micro electro-mechanical systems (MEMS) 259, 458
 - development 458
 - technology 458
 - technology application 458
- micro sensor 346
 - development 335
- microsystem 490
- micro-tablets 195
- micro-TAS *see* micro total-analysis systems
- micro total-analysis systems (micro-TAS) 458, 469
- micro-valves 459
 - mechanical 457
- milk 17, 37, 172, 338, 427
 - analysis 528
 - soybean 57
- milling 127, 130, 132, 135, 137
- mini-tablets 197
 - coated 197
 - orodispersible 197
- MISFET *see* metal-insulator-semiconductor field-effect transistor
- MLF *see* malo-lactic fermentation
- MO *see* metal oxide
- model 11, 12, 17, 131, 289, 472
 - fluid mosaic 7, 9
 - site-biding 472
 - Tensipresser 129
- mold spore 346, 347
- molecules 14, 151, 187, 190, 260, 305–307, 358, 360
 - acyclic 55
 - adsorbed 263
 - analyte 262, 449
 - biological 364
 - carbonyl 96
 - gas-sensitive 317
 - odorant 263
 - taste-blocker 190
- monitoring 109, 193, 197, 270, 271, 275, 278, 387, 389, 391, 410, 426, 472
 - air pollution 270
 - real-time 265, 410
- monoclonal antibodies 359
- monographs 207, 215
- monolayers 257, 353, 357
- monosodium glutamate (MSG) 14, 19–21, 26, 29, 30, 35, 63, 237–239, 426
 - concentration 14
- MOSFET *see* metal-oxide-semiconductor field effect transistor
- MOSFET-type odor sensors 261
- MSG *see* monosodium glutamate
- multichannel taste sensor 7, 9, 11, 13, 15, 103–114, 146
- musenmai 134, 135
 - cooked 135
 - nonglutinous 135
 - processed 134
- nanogaps 306
- nano-PANI 316
 - dedoped 315
 - doped 315
- nanoparticle layer 385
 - core-shell 383

- structured 383, 384, 386, 387
- substrate 385
- nanoparticles 308, 309, 378, 379, 381, 382
 - Au 316
 - coated spherical 381
 - metal 317
 - synthesis 382, 383
 - noble metal 378–383, 386
 - silver 377
 - structured 381–384
- nanosensors 316
 - hybrid 316, 317
- nanostructures 312–314, 379
 - metallic 378
 - noble metal 377
- nanotechnology 378
- nanowires 312, 313, 315
 - conducting polymers 312
 - sensors 306, 310
- neural networks 18, 147, 299
 - artificial 6, 255, 268
- neuroendocrine dysregulation 497
- neuromodulators 497
- nitrogen 14
 - atmosphere 106, 439
 - compounds 110
 - oxides 267
- NMR *see* nuclear magnetic resonance
- noise 198, 234, 268, 399, 452
 - switching 297
- nose 273, 329, 352, 353, 373–375
 - electronic 351, 352
 - human 254, 333, 334, 437
 - optoelectronic 265, 266
- nuclear magnetic resonance (NMR) 71
- nutrients 28, 145, 169, 172
 - amino-acid-based 168
 - peptide-based 168
- OCPs *see* organic conductive polymers
- odorants 260, 267, 273, 288
- odors 95, 97, 253, 255, 258, 265, 267, 275, 286–291, 293–297, 299, 305, 321–325, 327, 328, 396
 - agricultural 278
 - aldehyde-based 331
 - blended 286–291
 - blends 287
 - burnt 334
 - components 287–294, 296, 297, 299, 323, 324
 - blend 291
 - multiple 286, 289
 - single 288
 - evaluation 322, 331
 - index 325, 327, 329–331
 - identical 330
 - intensity 323, 325–327, 330, 331
 - molecules 258
 - quality 286
 - receptors 325
 - recipe 289
 - recorder 285–291, 293, 294, 301
 - recording 291
 - result 292
 - organic acid-based 331
 - recorder 285–291, 293, 294, 301
 - recording 291
 - result 292
 - reproduced 287, 288
 - sensed 323
- odor-sensing system 285–287, 299
 - studied 286
- odor-sensing technology 286
- odor sensors 253–261, 263–265, 267, 275, 312
 - amperometric 266, 267
 - arrays 254, 255, 258, 267, 273

- calorimetric 262
- design 254
- gravimetric 262
- micro 261
- QCM 264
- two-channel SPR 265
- odor source 267, 295, 299
- odor threshold 326, 328
- odor trails 272
- ODTs *see* orally disintegrating tablets
- oils 57, 462
 - leakage 271
 - silicone 462
- olfaction 272, 287, 299, 301, 374
- olfactory display 285–288, 290, 292, 294–302
 - compact 297
 - inkjet-based 295
 - interactive 298
 - multi-component 285
 - projection-based 295
 - system 299
 - wearable 295
- olfactory sense 323
 - human 323
 - mechanisms 325
- olfactory sensitivity 323, 325, 327
 - human 326
- olfactory stimulus 294
- optical fibers 265
- optical sensors 265, 276, 478
- orally disintegrating tablets (ODTs)
 - 145, 173, 177, 178, 180, 181, 233
- agar 179, 180
- dissolution 177
- manufacturing 177
- propiverine 178–181
- sample 178
 - disintegrated 178
- solution 177
- organic acids 92, 103, 104, 108, 169, 330
- organic conductive polymers (OCPs) 258, 260, 276, 277
 - odor sensor 260
 - sensors 276, 279
 - automotive application 279
 - food evaluation 276
 - food quality control 277
- Oryza sativa* 128
- oxides 258, 461
 - iron 258
 - semiconducting 262
 - tin 258
 - tungsten 258
 - zinc 258, 263
- oxide semiconductor 258, 259, 326
 - polycrystalline 258
- PAA *see* poly(acrylic acid)
- PADE *see* phosphoric acid di-n-decyl ester
- panelists 31, 36, 64, 106, 110, 254, 325
 - trained 106, 114, 115, 518
- PANI *see* polyaniline
- PANI/AuNPs 317
 - sensor 317
- PAR *see* Processed Aconite Root
- paste 158
 - soybean 17
 - sweet bean 57
- PCA *see* principal component analysis
- PCR *see* polymerase chain reaction
- PCs *see* principal components
- Pd catalyst 345, 436, 450
- Pediatric Investigation Plan (PIP)
 - 186, 188, 189

- submission 188
- peptides 19, 91, 92, 94, 99, 100, 104, 110, 111, 124, 172, 317
 - low molecular 124
 - sourness-suppressing 92, 100
- phospholipids 212
- phosphoric acid di-n-decyl ester (PADE) 10, 11, 23–25
 - contents 23
 - electrode 317
 - emeraldine 316
- pH regulator 492, 493
 - electrochemical 488
- pH sensor 471, 472, 474
 - charge-transfer-type 474
- pH signals 472, 474, 475, 477
- pH values 52, 133, 160, 161
- pH variations 472
- PIP *see* Pediatric Investigation Plan
- placebo, formulation 199, 200
- plants 167, 206, 207, 328
 - actual water purification 420
 - oil-bearing 270
- plasticizers 9, 10, 20, 23, 24, 149, 153, 425, 479
- pollen 333, 334, 337, 343, 344, 347
 - grain 335, 343, 344
- pollutants 410, 413, 415, 419, 420
 - gases 334, 337, 347
- pollution 410, 412, 431
- poly(acrylic acid) (PAA) 435, 437–439, 442, 444–447, 449
 - film 449
 - polymer 445
 - organic 438
- polyaniline (PANI) 313, 315, 317
 - deposited 314
- polymerase chain reaction (PCR) 289, 380, 464
 - droplet-based 464
- polymer film 263
 - polymer layer 262
 - sensitive 261
- polymer matrix 261
- polymers 256, 260–262, 449
 - acid-soluble 159
 - conductive 310
 - organic 436
 - organic conductive 258
 - organic semiconducting 260
- polyphenols 57, 71, 72, 103, 106, 107, 110
- polyvinyl chloride (PVC) 9, 425
 - film 480
- pork 37, 91–95, 97, 98, 427
 - carcasses 98
 - consumption 97
 - cooked 92
 - extracts 100
 - loin 98
 - meat 97
 - samples 98, 99
 - taste 97
 - taste evaluation 97
- potassium ions 92, 93, 472, 479–481
- potassium salts 50
- potentials 67, 71, 149, 154, 486
 - electrical 93
 - zeta 380
- potentiostats 487, 492
 - ordinary 486
- powders 189, 194, 215
 - suspensions 155
 - equivalent clarithromycin 156
- principal component analysis (PCA) 18, 80, 81, 132, 133, 137, 145, 165, 166, 171, 186, 255, 268, 415, 418
- map 192
 - sensor responses 200
- result 172
- total enteral nutrients 171

- principal components (PCs) 18, 98, 99, 132, 137, 150, 186, 192, 255, 415, 419
 - map 165
 - scores 98
- probes 96, 428
 - sourness-sensitive membrane 100
- process 72, 76, 84, 111, 132, 177, 198, 206, 213, 234, 270, 276, 278, 306, 437, 438
 - deposition 313
 - desorption 262
 - drying 77
 - fabrication 334, 335, 337, 346, 347, 359, 361, 364
 - heating 213
 - homeostatic 497
 - industrial 277
 - lab-on-a-chip 464
 - manufacturing 119, 232, 234, 245, 520
 - milling 130, 135
 - molding 119, 121
 - non-equilibrium sorption 262
 - packaging 111
 - rolling 80
 - surface sol-gel 438, 439
 - tea-manufacturing 76
 - thick-film 484
- Processed Aconite Root (PAR) 206–214
 - examination 212
 - taste 207, 212, 214, 215
 - testing 213, 214
 - types 207, 210, 212, 213
- product development 6, 11, 86, 89, 198, 201, 518, 525
 - pharmaceutical 187
- product labeling 526
- products 6, 37, 38, 71, 118, 129, 164–166, 169–177, 181, 188, 254, 271, 279, 286, 518–521, 525–529
 - agricultural 64
 - astringent tannin-type 166
 - chemical 254
 - colored 499
 - commercial 49
 - consumer 286
 - drug 146, 174, 232, 245
 - finished 215
 - fish 271
 - generic FODT 173, 176
 - pharmaceutical 195
 - pleasant-tasting 146
 - seafood 117
- properties 132, 146, 188, 189, 197, 263, 266, 309, 312, 387, 396
 - analgesic 206
 - anti-glucocorticoid 497
 - biological 132
 - electrical 260
 - electronic 305
 - optical 312, 379
 - organoleptic 206
 - pasting 128, 130, 132
 - physical 6, 128, 261, 499
 - physicochemical 19, 128
 - physiological 147
 - pleasant organoleptic 189
- propiverine 177, 179, 181
- PVC *see* polyvinyl chloride
- QCM *see* quartz crystal microbalance
- QCM-based sensors 453
- QCM-based sensor systems 437
- quartz crystal microbalance (QCM) 263, 274, 276, 277, 279, 285, 291, 435, 436, 439
 - data 440

- devices 264, 436, 445
- electrode 436, 438–442, 448
 - mercaptoethanol-modified 439
 - terminated 438
- electrode surface 450
- frequency shifts 447
- gas sensors 299
- loading 263
- measurement 445
- module sensors 278
- odor sensors 263, 264, 272
- odor sensor surface 263
- output signal 453
- resonator 436
- resonator surface 437
- responses 451
- sensor parameters 448
- sensor responses 445, 452
- sensors 276, 278, 279, 297, 435–437, 439, 441, 443, 445–447, 450–453
- quartz shear modulus 436
- questionnaires 254, 504, 506
 - self-assessed 505, 506
- quinine 8, 13, 29–31, 36, 148, 149, 151–153, 193, 239
 - binding 151
 - concentration 149, 152
- quinine hydrochloride 12, 14, 36, 148, 192, 193, 236, 237, 242, 243, 245, 247
- bitterness 35, 37, 192, 242, 243
- concentrations 35
- solution 37
- quinine ion 13
- quinine solution 35
- quinine sulfate 169

- range
 - acidic 160
 - nanogram 436
- Rapid-Visco-Analyzer (RVA) 128, 129
- reaction 257–259, 262, 316, 317, 355, 366, 463, 464
 - acid base 305
 - amino-carbonyl 77
 - antigen-antibody 380, 386
 - browning 77
 - enzyme 499
 - pen-shaped portable 467
- receptors 8, 29, 157, 187, 190, 191, 219, 262, 323, 325
 - coupled 147
 - insect olfactory 273
- recipe 286, 289, 290, 293, 294, 518, 530
 - tangy 529
- reducing sugar 104, 110
- reference electrode 11, 149, 154, 157, 426, 472, 473, 475, 478, 484, 486, 488, 489, 491, 492
 - electrochemical 472
 - pH-sensitive 486, 488, 489, 493
 - voltage 477
- refraction indices 354
- refraction intensity 354
- refractive index
 - changes 265, 355, 390
 - detector 354
- relative humidity (RH) 437, 444, 445, 449, 451–453, 507, 509
 - environment 501
- resin 465
 - acrylic 264
 - ion-exchange 57
- resistance 309, 315, 317, 334
 - electric 312
 - gastric 194
- resistance thermometers 262
- response curves 366–368
 - inhibition assay 363

- trinitrotoluene 368
- response patterns 16, 17, 20, 128, 137
- potential 130, 131, 133
- sensor-array 290
- responses 9, 13, 14, 20, 21, 24, 47, 57, 100, 337, 338, 340, 341, 343, 344, 367, 368, 427–429, 438–440, 451, 488, 489
- fingerprint 254
- hormonal 496
- response time 312, 338, 344, 446, 448
- RH *see* relative humidity
- rice
 - balls 123
 - common 135–139
 - cooked 137
 - washed 139
 - cooked 128–132, 134, 137
 - hardness 129
 - texture 129
 - cooking quality 128
 - crackers 57
 - grain 132, 133
 - common 139
 - milled 135
 - milled 127, 128, 130–133, 135, 137
 - pre-washed 134, 135, 137, 139
 - cooked 137
 - raw 131
 - rinse-free 134
 - wash-free 134
- Rikkunshito 215–218
- river water 409–415, 417
 - normal 409, 415
 - polluted 409, 414
 - purifying 416
 - samples 411, 413
- robot 272, 273
 - chemotactics 272
 - odor-source searching 273
 - pathfinder 272
 - plume-tracking 272
- Ryokeijutsukanto 215–220
- SAA *see* salivary amylase activity
- salad dressing 521–523
 - category 522
- saliva 149, 154, 177, 178, 181, 190, 498, 513
 - artificial 197
 - biomarkers 496, 510
 - collection 504
 - cortisol 504, 505, 511
 - levels 505, 511
 - human 16
- salivary amylase activity (SAA) 498
 - biosensor system 498, 499
 - monitoring 498
- salivary glands 497
- salivary stress indicator 498
- salivary stress marker 497
- saltiness 16, 19, 24, 28, 33, 34, 53, 54, 94, 104, 207, 208, 210–214, 223, 224, 412–414, 416, 424–427, 521–523
- salts 9, 13, 19, 50, 57, 122, 206, 207, 213, 239
 - calcium 212
 - hydrochloride 25, 27, 34
 - magnesium 50
 - quaternary ammonium 10
 - sodium 50
 - treatment procedures 213
 - usage 122
- SAM *see* self-assembled monolayers
- SB *see* sodium benzoate 193, 195–197, 201

- self-assembled monolayers (SAM)
 - 309, 353, 359, 361, 366, 372, 385, 497
- semiconductors 345
 - surface 340
 - oxide 258
- sensing 49, 286, 289, 301, 305, 315, 353, 357, 432, 478, 490, 491
 - taste substances 20
- sensing area 334, 471–473, 475, 477
 - geometrical 346
 - large effective 346
- sensing device 93, 352, 353
- sensing element 28, 334–337, 345–347
 - optical 265
- sensing film 334–338, 340, 341, 343–347, 450
- sensing performance 315, 334, 337, 339, 341, 343–347, 431
- sensing system 11, 12, 52, 127, 265, 288, 410, 425
 - capability 288
 - electric 96
- sensitivity 27, 47, 48, 56, 111, 156, 167, 259, 336–338, 344, 345, 352, 442, 443, 446, 448, 474, 480
- sensor array 258, 267, 272, 273, 287, 289
 - colorimetric 266
 - distributed odor 272
 - gas 254
 - system 267
- sensor chips 359, 361–364, 367, 423–427, 429–431, 476
 - fabricated 423–426, 429
 - taste 423, 426
 - fabricated saltiness 427
 - ion image 477
 - pH image 475, 476, 478, 479
- sensor devices 306, 315, 449
- sensorgram 360, 361, 366, 368, 373
 - displacement assay 367
- sensor membrane components 157
- sensors
 - data 152, 171
 - design 7
 - detection 65
 - devices, portable 432
 - drift 289
 - electrode 157, 308, 337
 - fabrication 337, 453
 - gas chromatograph 277
 - height 399, 400
 - hybrid 131, 133
 - interfaces 265
 - investigation 306
 - material improvements 254
 - materials 259, 344
 - measurement 14, 65, 160, 164, 167
 - monitoring 333, 334, 336, 338, 340, 342, 344, 346
 - network 268
 - output data 171, 172
 - photo 472, 474
 - portable explosive 352
 - positive membrane 131
 - potassium ion imaging 479
 - resonance 353
 - responses 23, 24, 133, 137
 - saltiness 27, 33, 425
 - selective odorant 273
 - sensitive 167
 - sensitivity 326, 404
 - signals 192, 193, 199, 200, 397, 429
 - mixed 199
 - solid electrolyte-type 334

- specialized MCTS 115
- structures 346
- surface 14, 47, 193, 258, 305, 343, 351, 353, 356, 357, 359–361, 363–367, 371
 - changes 259
 - dendronimmobilized 364
 - nanostuctured 306
 - nanowire 307, 309
 - proton image 479
 - sweet-sensitive 146
 - taste-sensing 198
 - thick-film 346
 - two-dimensional chemical image 479
 - two-dimensional proton 479
- sensor systems 181, 275, 505
 - artificial taste 169
 - disposable taste 424
 - ion image 477
 - micro odor 261
 - novel gas 449
- sensor taste scores 130
- sensor technology 254
- sensory evaluation 45, 51, 52, 83–85, 89, 92, 94, 95, 105, 106, 109, 112, 115, 127, 129, 130, 132, 177
- sensory fattiness 95
- sensory information 268, 286
- sensory palatability 95
- sensory panels 254
- sensory probes 93
- sensory properties 128
- sensory quantity 323
- sensory score 31, 51, 52
 - human 32, 35, 37, 424
- sensory space 288
- sensory system 147
 - human 127, 129
- sensory tests 6, 16, 18, 28, 31, 32, 35, 37, 64, 67, 72, 73, 86, 89, 108, 109, 127–129, 233
 - human 109
- sensory traits 94
- Shosaikoto 215–220
- Shoseiryuto 215–219
- signal 11, 19, 28, 97, 198, 234, 325, 448, 451, 452, 475, 476
 - chemical 262, 267
 - conditioning 267
 - digital 268
 - electric 266
 - electrical 157, 255, 262, 267, 288
 - factors 234
 - optical 477
 - pattern recognition 268
 - processing 253–255, 268
 - thermal 262
 - thermo-mechanical 182
 - transduction pathways 7, 8
- signal-to-noise ratio (SN ratio) 232, 234, 235, 237, 241–243, 245, 247
 - bitterness masking 237, 241, 243, 244, 247
 - predicted 243
- singular value decomposition (SVD) 289
- skin 105, 274, 496, 497, 499, 505, 509–511, 513, 515
 - conditions 496, 499
 - dryness 496, 499, 500, 513
 - facial 511
 - surface 505
- skin biomarker 495, 499, 511
- smell 6, 77–79, 105, 134, 168, 254, 276, 286, 287, 289, 294, 295, 298–300, 324, 325
 - characteristics 271
 - detected 285
 - human sense 294, 323
- SN ratio *see* signal-to-noise ratio
- sodium benzoate (SB) bitter-tasting API 195

- sodium chloride 12, 27, 169, 201, 206, 207
- ions 92
- solution 9, 13, 26, 27, 53, 54, 154–156, 158, 159, 206–208, 213, 214, 223, 362, 363, 384, 385, 462, 478, 485–489, 491–493
- alcohol 15, 16
- antibody 355, 372
- antigen 356
- berberine 166
- bitter-tasting quinine 192
- calcium chloride 207, 212
- chloroform 309
- cooked rice 128, 130
- dissolved 505
- enzyme 464
- extracted 159, 163, 371, 373
- filtered 154, 155
- five basic taste 177
- hydrogen peroxide 359
- lectin 389
- lipid/polymer membrane 425
- methanol 360
- nanoparticle 384
- oral 192–194
- propiverine 179
- quinine, standard 154
- saturated AgCl 11
- sucrose-free control 53
- sugar 50
- thiophene 309
- soups 118, 121, 122
- soup stock 117, 118, 122, 123
 - Japanese 118
 - materials 117
 - materials 117, 118, 120–122, 124
- sour substances 19, 169
- sour taste 94, 120
 - sharp 104
- SPR *see* surface plasmon resonance
- sugars
 - commercial 50
 - free 131, 137
 - soft white 49, 50
- surface plasmon resonance (SPR) 264, 265, 351–354
 - excitation 264, 265
 - immunosensor 359, 361, 364, 370
 - instruments 375
 - basic 355
 - localized 377, 378
 - measurement 265, 360
 - surface plasmons 265, 353, 354
 - suspensions 154, 155, 161, 164, 167, 174, 189, 194, 312
 - dry syrup product 156
 - oral 194
- SVD *see* singular value decomposition
- sweetener 146, 173, 233, 234, 237, 238, 242
 - amount 238, 241
 - sucrose 239
- sweets, cooked 57
- synergetic effect 121, 122
 - Katsuobushi 121
- system 5, 6, 85, 147, 185, 206, 207, 233, 234, 253–255, 287, 374, 375, 393–395, 449–451, 460–462, 466–468, 496, 497, 527
 - biochemical-analysis 468
 - biological 473
 - cell-based 181
 - droplet-based 467, 468
 - electron 312
 - micro-TAS 458
 - multicomponent 87
 - neuroendocrine 497
 - optical 372
 - polymer 266
 - pump 354
 - robotic 272

- sewage 134, 137
- testing 199

- tablets 174, 189, 194, 195, 215
 - disintegrating 173, 177
 - orodispersible 197
- tannic acid 23, 25–27, 30, 31, 34, 107, 148, 151, 153, 426, 429
- tannins 105, 164–166, 225
- tannin solutions 164–166
 - standard 165, 166
- tartaric acid 8, 15, 20, 21, 27, 53, 72, 100, 104, 107, 169, 218, 426
 - concentration 100
- taste 5–7, 16–19, 77–79, 83–88, 103–107, 117, 118, 127–129, 131–134, 146, 147, 173–175, 177–182, 198–201, 219, 220, 222–227, 518–526
 - allowance 88
 - amplitude 95
 - analyzer 129
 - assessment 7, 18, 35, 146–148, 185, 187, 191, 232
 - human 195
 - objective 17
 - quantitative 231
 - balance 72, 519, 520, 528
 - delicate 525
 - milky 520
 - preferred 526
 - product's 521
 - strong 520
 - black tea 72
 - blockade 191
 - direct 190
 - brothy 93, 94, 97, 99
 - buds 147, 181, 191, 234, 530
 - burned 64
 - cells 7, 219, 226
 - human 93, 148, 181
 - changes 180, 215
 - characteristics 91, 94, 95, 98, 99, 187, 213, 518, 520
 - beef 94
 - beer 527
 - pork 97
 - unpleasant 187
 - characterization 148
 - chemicals 29
 - chicken meat 92, 93
 - commercialized 181, 425
 - common rice 128
 - components 30, 93, 128, 133, 137, 139, 208, 518
 - salty 26
 - consumers 521
 - contributors 99
 - data 87, 88, 518, 522, 525–530
 - database 84, 85, 88, 518–530
 - current 518, 519, 521, 523, 525, 527–529
 - detection 424
 - determinants 220
 - differences 115, 173, 175, 216, 217, 526, 528
 - evaluation 6, 46, 49, 51, 73, 105, 173, 176, 195, 201, 424
 - objective 5, 6, 18
 - factors 94, 207–210, 212, 214, 215, 217, 221, 222, 226
 - five 215, 217, 220
 - features 210, 528
 - flat 114
 - grading 105
 - information 32–34, 78, 81, 93, 188, 209, 427, 431, 525
 - sensor probes 209
 - ingredient-derived 523
 - intensities 18, 28, 33, 35, 63, 65, 68–70, 73, 146, 169, 208–210, 213, 214

- anionic bitterness 211
- tea evaluation 65
- Kakkonto 220–225
- map 86, 427, 430, 431
 - coffee 430, 431
 - tea 80
- mapping 431
- masking 146–148, 173
 - effect 195
 - experiments 199
 - formulations 199
 - materials 36
 - measures 185, 189
 - potency 193
 - properties 194, 195
 - strategies 147, 181
 - techniques 146, 148, 187, 190–192
- materials 19, 21
- measurement 38, 177, 197, 237
 - electronic 193
- meaty 94
- medical 186
- metallic 85
- modification 43
- navigation system 527
- obscuration 190–192
- panel 6
 - human 32, 146, 147, 181, 188, 196
- panels 191
- patterns 208, 220, 525
 - identical 217, 219
 - Kakkonto 221
 - Kampo formulae 218
 - PAR 207
- perception 7, 191, 194, 225
 - biological 146
 - in children 192
 - in human 147
- position 518, 519, 522, 526
 - similar 527
- prediction 181, 188
- preference 37, 38, 525
 - consumer's 525, 527
- pre-washed rice 128
- Processed Aconite Roots 206, 207, 209, 211, 213
- properties 194, 195, 200, 201
 - screening 187
- pungent 104
- qualities 6, 18, 19, 28, 32, 33, 38, 45, 53, 55, 58, 147, 525
 - basic 7, 8, 28, 131
- salty 122, 147
- scores 31
- selection 525
- sensation 147, 192
 - human 182
- sensor
 - analysis 95
 - chip 424, 425, 428
 - design 16, 17, 19, 21, 23
 - measurements 65, 67, 71, 162, 174, 194
 - system 63, 65–67, 70–73, 85, 93, 94, 148, 153, 156
- sensor data 160, 164, 166, 175
- sensors 9–12, 18–20, 24–35, 37, 38, 83–90, 93, 145–148, 160–164, 166, 167, 169–174, 176–179, 409–411, 413–420, 424–427, 528, 529
 - application 410
 - development 7, 9, 16, 17, 19, 37
 - electronic 187, 198, 199
 - lipid membrane 93
 - multichannel 9, 11
 - observation 413
 - output value 163, 176
 - portable 423, 424, 426, 428, 430–432
 - quantitative 173
 - threshold 18, 28, 37

- sensory evaluation, Chinese medicines 163, 165, 167
- substances 6, 12, 13, 19, 29, 32, 33, 35, 37, 53, 68, 424, 425, 427, 429, 431
 - five basic 9
- threshold 19, 28
 - in humans 18, 37
- trend shift 529
 - salad dressing 522
- types 518, 522
- values 208–210, 215, 221, 223
- taste masking excipients (TMEs) 193
- tasters 218
- taste-sensing measurements 190
 - electronic 194
- taste-sensing probe 100
 - sourness-sensitive 100
- taste-sensing sites 423, 424
- taste-sensing system 16, 17, 75, 76, 78–81, 91, 92, 94–96, 98–100, 127–140, 195, 198–200, 205–207, 211–213, 217, 219–227, 232–234, 424
- TDS *see* thermal desorption spectroscopy
- tea 64, 67, 75–81, 84, 170–172
 - African black 72
 - black 57, 64, 65, 72, 73, 75, 77, 79–81
 - broken-type 72
 - catechins 63, 65
 - characteristics 75, 76
 - commercial 65
 - fermentation 75, 76, 81
 - fermented 78, 79
 - fresh 78
 - infusions 64, 67, 70–72
 - plantation 77
 - plants, growth 76
 - postfermented 75, 77, 79–81
 - qualities 64
 - samples 64, 71, 79, 80
 - black 73
 - green 67
 - oolong 80
 - sample solutions 69
 - taste 63, 64, 75–81
 - unfermented 78, 79
- tests 113, 129, 157, 162, 177, 178, 198, 199, 222–224, 449, 450, 502
 - chemical 130
 - gelatinization 128
 - human organoleptic 215
 - non-sensory 163
 - pharmacopoeial 194
 - purity 207
 - triangle 293, 294
- TG *see* transfer gate
- theaflavins 72
 - polymerized 78
- thearubigins 72, 78
- thermal desorption spectroscopy (TDS) 344
- thermohygrometers 502
- thermopiles 262
- thin films 337, 345, 354, 437, 448, 449, 484
 - nano-assembled 435
 - transparent 149, 153
- thin-film technology 334, 346, 347, 436
- three-electrode system 484, 486, 489
 - non-standard 488
 - ordinary 486
- TMEs *see* taste masking excipients
- TNT *see* trinitrotoluene
- TNT-Ab 356, 360, 364, 366
 - binding 356, 366
 - bound 360
 - free 360

- solution 361
 - total protein (TP) 499, 506, 511, 513
 - toxicity 147, 190, 206
 - ambiguous 207
 - toxic substances 19, 410, 411
 - detection 409, 410
 - TP *see* total protein
 - transfer gate (TG) 473–475
 - transistor 262, 267, 475, 476
 - trinitrotoluene (TNT) 353,
 - 355–357, 359–361, 363, 364, 366–368, 370–373, 375
 - analogues 363
 - antibody 366, 367, 371
 - concentration 359, 364, 368
 - detection 373–375
 - immobilization 356
 - injection 357, 368
 - molecules 356
 - solution 356, 367, 369, 371, 374
 - vapors 369
-
- umami sensor 26, 27, 64, 226, 425
 - umami sensor chip 429
 - umami substances 7, 14, 15, 19, 21, 23, 29, 30, 429
 - umami taste 16, 17, 28, 33, 34, 71–73, 80, 81, 93, 94, 98, 99, 103, 104, 131, 207, 208, 210–217, 221–226, 424–427, 519, 520, 523
 - information 72
 - intensities 63, 65, 71, 211, 214, 226
 - level 75, 78, 81
 - rice 129, 130
 - sensor 71, 76
 - substance 72
 - value 222
 - umami values 217
-
- valves 297, 459, 461, 485–488, 492
 - electrowetting-based 485, 487, 491, 492
 - injector 372
 - pH-responsive 486
 - pH-sensitive 486
 - structure 488
 - type I 487
 - type II 487
 - vapor 255, 265, 266, 351–353, 369, 439
 - analytes 267
 - chemical 255
 - concentration 370
 - molecules 265
 - organic 261, 264, 266
 - variations 136, 270–272, 489
 - genetic 266
-
- water 14, 49, 76, 77, 122, 134, 135, 154, 156, 157, 159, 160, 177, 181, 363, 410, 417, 418, 438, 439, 444, 445
 - abnormal untreated 420
 - analysis 420
 - clean upstream 413
 - deionized 438
 - demineralized 197
 - distilled 174, 427
 - evaporated 309
 - extracts 98, 208, 210, 213
 - hot 85
 - jelly 157–159
 - mineral 17
 - Japanese 417
 - molecules 445
 - normal 409, 410
 - normal untreated 420
 - polluted upstream 412

- pollution 410, 411
- purified 164, 167, 178, 179, 201, 419
 - abnormal 418, 420
 - normal 420
- quality 270, 409, 410, 420
 - purified 418, 420
 - untreated 420
- suspensions 158, 159
- tap 409, 410, 416–419
- vapors 76, 326
- wastes 134, 137
- water uptake ratio (WUR) 128
- Weber constant 46
- Weber-Fechner law 32, 215, 323
- Weber fraction 32
- whiskey 300
- wine 17, 51, 103–115, 527
 - blended 111, 113
 - blenders 113
 - deterioration 113
 - fermentation 103
 - noble mold 104
 - plum 50, 51, 57
 - quality 107, 108, 110, 111, 113
 - red 57, 105–109, 112–115
 - blended 112
 - selection 527
 - table 114
 - taste 104–106, 108
 - evaluation 105, 115
 - taste characteristics 528
 - tasting 104, 105
 - vintage 108, 114
 - bottled 114
 - white 57, 104, 105, 108–114
 - blended 112
 - blended dry 112
 - dry 112
 - young 103, 104, 107, 108
- winemakers 105, 111, 112
- winemaking 115
- winery 110, 111, 113
- WUR *see* water uptake ratio

- yeasts 76, 103, 104, 107, 109, 111
 - autolyzed 110
 - granulated dry 107
 - pitched 108
 - strain 107
 - wild 107