

Index

- above-threshold ionization (ATI) 162, 164
- accelerating universe 509–511, 547, 554–555
- action function 40–45, 47, 57, 109
 - classical 57–58
 - quantum action 50, 57–58, 117, 309
- adiabatic transport 194–195, 206–210, 219–222
- algorithm 119–140
 - analytical 119, 122–133
 - synthetic 119, 133–139
- angular momentum 168–181
- antiparticle 474
- approximate quantum potential (AQP) 314
- AQP, *see* approximate quantum potential
- ATI, *see* above-threshold ionization
- ATI spectrum 164–165, 167
- atom
 - bosonic 212, 216, 218
 - fermionic 209, 216
 - interacting 198, 200
- atomic units 155, 242, 336
- autocorrelation function 393

- background radiation 522–523, 529
- BEC, *see* Bose–Einstein condensate
- BEC wave function 118, 222, 224
- Bell, John S. 25, 33–36, 91, 92

- Bell theorem 34–36, 66, 457, 554
- Bell’s inequalities, *see* Bell theorem
- BITLLES simulator 411–419
- black hole 529–530, 544
- Bohm, David 29–34, 37
- Bohmian mechanics
 - single particle 38–59
 - many particle 60–87
- Bohmian theory, *see* Bohmian mechanics
- Bohmian trajectories 47–51, 63–75, 201–203, 394–395, 403–405
 - ensemble of 101–106
 - single-particle 47–51
 - many-particle 63–75, 381, 395
 - velocity of 49, 111, 112, 164, 173, 198, 202, 413, 483
- Born–Oppenheimer approximation 241–244
- Bose–Einstein condensate (BEC) 118, 219–226
- bosons 75, 206–212, 488

- charge density 401–402
- charge neutrality 400–403
- circular polarization, *see* light polarization
- classical dynamics, *see* classical mechanics
- classical mechanics 39–47, 385, 427, 437–438

- classical particles 43–47, 130, 282–283, 307, 379
 - ensemble of 43–47
- classical relativistic mechanics 458–467, 511
- clusters
 - Gaussian 314–318, 321–329, 337
 - magic-number 350
 - nonseparable 320
 - separable 315, 320
- conditional probabilities 314–318, 337, 468
- conditional wave function 76–88, 386–387, 394, 486, 502–503
- conduction current 383, 405
- conformal time 542, 545, 549–550
- continuity equation 31, 46–49, 63–64, 197, 259, 551–552
 - classical 46–47
 - quantum 48–49, 63–64
- Copenhagen interpretation 2–3, 33–35, 37, 90–91
- cosmic model 510–511, 546
- cosmic quantum models 515–517, 521
- cosmological constant 509, 514, 522–524
- cosmology 510, 551
- Coulomb correlations 65, 82–84, 380, 394–396, 402–403
- Coulomb interaction, *see* Coulomb correlations
- current conservation 382, 403, 406, 414
- current fluctuations 390, 392, 417, 420

- dark energy 511, 513, 516, 522–529, 531–532
 - tachyon 511–512, 552
- de Broglie, Louis 1, 5–7, 23, 27–28, de Broglie wavelength 305, 348, 351–352
- de Sitter space 507, 509, 528, 540–541
- de Sitter space-time 533
- DEC, *see* dominant energy condition
- density estimate 318, 320, 322–326
- density functional theory (DFT) 80, 245–246, 331
- DFT, *see* density functional theory
- diffraction 249, 272, 275, 438–442
- diodes 215–217, 377–378
 - single-hole, *see* single-hole diode
- Dirac equation 198, 204, 244, 476, 478
- displacement current 382, 403, 405–407
- dominant energy condition (DEC) 511, 529, 532, 535

- eikonal approximation 429, 435
- Einstein, Albert 1, 22, 26, 28–29, 518–519
- electric circuit 380
- electron devices 191, 377–380
- electron transport 400, 408, 411, 419, 423
- electronic devices, *see* electron devices
- electronic transitions 173, 312
- electronic transport, *see* electron transport
- electronics 377–378, 390–391
- elliptic functions 517–518
- EM, *see* expectation maximization
- EM algorithm 317–326, 338
- EM cycles 320, 322, 324–326
- entanglement entropy 539
- enthalpy 532–533
- entropy 334, 345, 531–534, 537–538, 544

- Euler-Lagrange equation 262–263, 283–285, 331
- exchange interactions 71–72, 79, 81–83, 85, 87–89, 215, 394, 396–398, 420
- expectation maximization (EM) 316–317

- Fano factor 416–417, 419
- fermions 75, 206–212, 396, 488
- FET, *see* field-effect transistor
- Feynman paths 56–58, 308
- field-effect transistor (FET) 378
- field operator 495–496
- field theory 252, 511, 513–514, 549
- fluctuations 379, 381, 383, 385, 387, 389–394, 416, 509
- fluid velocities 36, 224, 226
- four-dimensional space-time 458, 460
- four-velocity 486–487, 502–503, 513
- Fourier transform 160, 165, 416, 442, 499
- free energy 333–335, 346–348
- Friedmann equation 514, 525–526, 549

- general relativity 458, 510, 522
- geometrical optics 426–433, 438, 450
- Green function 56–57, 410
- Gross–Pitaevskii equation 118, 222

- Hamiltonian ray-tracing system 431, 442
- Hamiltonian dynamical system 435, 436
- Hamilton–Jacobi equation
 - classical 45
 - quantum 50–55, 64–65, 117, 133, 136–137, 239, 279, 338, 481, 464, 517
- Hamilton’s principle 40, 42, 58, 279
- harmonic generation 152, 158, 162
- Helmholtz equation 428, 433
- Helmholtz-like equation 427, 428, 450
- Hermitian operators 101–102, 258–259, 470
- hidden variables 5, 30, 35
- Hilbert space 94, 238, 484–485
 - extended 492, 495
- hole transport 210–217
- holes
 - bosonic 216–218
 - fermionic 209, 211
- holographic models 537–538
- Hubble horizon 538–539

- identical particles 68, 71–73, 75, 474
- impossibility proofs 2, 5, 29, 33
- instantons 544, 547
- interacting QFT 495–497, 499
- interaction picture 496
- interference 23, 25, 192, 268, 275, 444–446
- ionization 160–164, 174–175, 177–181

- Klein–Gordon equation 473–480, 490, 495, 515–517, 550–551
- Klein–Gordon subquantum model 515

- Lagrange equation 42–44
- Lagrange multiplier 262–263, 334
- Lagrangian density 282, 284–285, 524, 526

- Laguerre–Gaussian pulses
168–171, 178–184
- Laplace equation 406, 413
- light polarization 154–158,
169–183
- linear polarization, *see* light
polarization
- Liouville–von Neumann equation
250–251
- Lorentz frame 458, 465, 478
- Madelung quantum
hydrodynamics *See* quantum
hydrodynamics
- many-body problem 62–63,
80–81, 394, 396
- many-particle Hamiltonians 72,
92
- many-particle problem, *see*
many-body problem
- matter wave STIRAP 192–196
- measurement
Bohmian 88–106, 379, 470
orthodox 90, 93, 103
sequential 100
von Neumann 95–98
- mesoscopic systems 330, 351–352
- Monte Carlo *See* quantum Monte
Carlo
- Moore’s Law 191, 378
- Müller–Brown potential energy
surface 264
- nanoelectronic devices 379, 390,
394, 400
- negative heat capacity 349–350
- Newton’s equations 39–40, 252,
310, 312
- noise, *see* current fluctuations
- nonlocality 28, 34–35, 65–67, 255,
457–458, 465
- OAM, *see* orbital angular
momentum
- observer 33, 95, 488, 489
- operators, *see* Hermitian
operators
- optical microtraps 192, 198–199
- orbital angular momentum (OAM)
154, 168–169, 171–185
- orthodox formulation, *see*
Copenhagen interpretation
- paraxial approach 443, 451
- particle creation 458, 487, 497,
500, 502
- particle destruction 487
- Pauli equation 68–70
- Pauli exclusion principle 85, 208,
211, 396, 398
- PDF, *see* probability distribution
function
- permutations 85–86, 398
- phantom models 510, 535, 554
- photoionization 150–155,
161–162
- pilot waves 28, 33, 238
- Poisson equation 83, 400–402
- postulates
single particle 58–60
many-particle 73–75
symmetrization 72, 75
- potential energy
hypersurface 342–343
- potential energy surface 246–247,
281–282, 327
- probabilistic interpretation
467–468, 471, 482–483,
498–500
- probability distribution functions
(PDF) 319–320, 337–338,
354, 358
- QFT, *see* quantum field theory
- QM, *see* quantum mechanics

- QTM, *see* quantum trajectory method
- quantum computing 239
- quantum coordinates 518–519, 522
- quantum correlations 65–66, 191, 410
- quantum cosmic models 539, 541
- quantum cosmic scenarios 537, 542
- quantum cosmic solutions 540
- quantum entanglement 65, 387, 554–555
- quantum equilibrium 59–60, 74, 98, 112, 137, 381
- quantum field theory (QFT) 4, 11, 237, 457–458, 484–502
- quantum fields 539
- quantum fluids 237–238, 261, 269
- quantum hydrodynamics 36–37, 139, 222–223, 238, 257, 260–261, 264, 285, 388
- quantum Monte Carlo 139, 314, 353, 400
- quantum potential 32, 50–53, 65–67, 100, 105, 309, 345, 434, 435, 481
- quantum power 107
- quantum pressure 118, 223, 260, 274
- quantum temperature 531–532
- quantum trajectory method (QTM) 313
- quantum transport 197, 390, 404, 419–420
- quantum uncertainties 54, 427
- quantum wholeness 53, 56, 76
- quasi node 201, 224, 228
- rare-gas clusters 330, 345
- Ramo-Shockley-Pellegrini theorems 403, 405
- ray trajectories 432, 444, 450
- reactants 247, 249, 264–266, 269
- relativistic particle 461, 476
- relativistic QM 467–484, 499
- relativity 29, 457–458, 464–465, 516
- principle of 463, 465
- resonant energy 408–409, 418
- resonant tunneling diodes (RTDs) 407–420
- RTDs, *see* resonant tunneling diodes
- s*-wave-scattering length 200, 208, 212, 215–218
- scalar field 510, 523–524, 531, 548–549, 551–552, 554
- Schrödinger equation 48–52, 70, 89–92, 95, 152, 156, 169, 200, 261, 284, 308, 355, 362, 395, 434, 449, 474
- single-particle 48, 59, 395–396
- single-particle pseudo 78–80
- many-particle 61, 63–64, 71, 74, 77, 381, 394, 396, 402, 419
- Schrödinger, Erwin 7, 24, 28
- second law of thermodynamics 532, 534, 544
- selection rules 173–174
- shot noise 391–393
- single-hole diode 215
- single-hole transistor 216–217, 220
- Slater determinants 87, 243, 245, 398–399
- solid-state transistors 378–379
- space-time coordinate transformations 461, 476–478
- space-time metric 459–460, 477
- space-time trajectories 307, 364
- special relativity 458, 516–519, 521

- spherical harmonics 173, 175–177
- spin 68–70, 71–72, 75, 397–399
- spinor 69, 70
- statistical sampling 330, 338
- stimulated Raman Adiabatic passage (STIRAP) 192
- subquantum dark-energy models 548, 553
- subquantum energy 526, 530, 533
- subquantum medium 514, 532, 548
- subquantum models 522–523, 531
- superposition 52
- supersymmetric quantum mechanics 355
- symplectic numerical method 442

- tachyon 464
- thermal bath 251, 544
- thermal noise 391–392
- time-independent DFT 260–261
- trajectories
 - electron 23–24
 - classical 43–47
 - nuclear 257, 450
 - single-particle quantum 47–52, 57
 - quantum hydrodynamic 310–311
 - many-particle quantum 61, 63–64, 73–75
 - imaginary quantum 139
- trajectory pattern 428, 437, 442, 445–446, 448
- transistors 378
- transmission coefficient 131–132, 410

- triode 377–378
- tunneling splitting 355, 358–359

- vacuum 432, 484, 488, 491–492, 497, 499
- variational Monte Carlo (VMC) technique 353–354

- wave function
 - antisymmetric 72, 85, 398
 - classical 47, 53, 283
 - effective 486–487
 - environment 502–503
 - many-particle 61, 64, 71–73, 85–86, 93, 385–386, 397–399
 - many-time 457, 469, 503
 - orbital 70–71, 75, 85, 397
 - polyelectronic 243, 261
 - quasi-classical 511, 522, 550
 - single-particle 52, 67, 78, 81, 396
 - single-particle conditional 77
 - single-time 457, 469, 475, 503
 - single-valued 55–56
 - spin 70–71, 75, 397
 - trial 354
 - two-particle 255
- wave function collapse 25, 30, 32, 93, 102, 487
- wave potential 428, 432, 435, 450
- wormhole 530, 536

- zero-point energy 305, 309, 340, 342, 344, 364
- zero temperature 340, 364, 392