

Index

- AA *see* acrylic acid
- absorption of visible light 39
- acrylic acid (AA) 30, 43
- active triggering 196, 200, 202, 204
- Affinity Intelligent Window 169
- AFM *see* atomic force microscopy
- alkyl chains 17, 50, 92–93
 - long non-polar 74
- alkyl gallate 74–75, 154–55
- alkyl gallate-1-alkanol 74–75
- anti-folded conformation 57
- aqueous polyalkoxide system 117–18, 124–25
- aqueous polymer systems 116–18, 121, 123, 125, 131
- aqueous polymer systems salts 122
- aqueous thermotropic polymer systems 122
- aromatic moiety 11–12
- aromatic polyamides 113
- aromatic solvents 47, 49
- atomic force microscopy (AFM) 50, 174

- band splitting effect 87–88
- bianthrone 56–57
- binary polymer dye blends 86
- Bragg reflection 31, 109
- Bragg's law 2, 5, 27
- "bricks and mortar" morphology 63

- carrier gas 32
- cellulose 14, 126–27, 157, 169
- cellulose derivatives 14, 126
- cellulose fibers 157–58
- charge transfer complexes 77–80, 83
- chirality 4, 11, 25
 - axial 11
- chlorinated rubber 171
- chloroform 14, 50–51, 54, 90, 92
- cholesteric 4, 16, 19, 21, 113, 141
- cholesteric liquid crystalline mixture 22
- cholesteric liquid crystals 3, 5–6, 13, 22, 113, 139–42, 144
- cholesteric phase 3–8, 11–16, 19–21, 23–25, 113, 141
 - induced 8, 10, 12, 18–19
 - lyotropic 13–15
- cholesteric phase of rod-like molecules 6
- cholesteric phase transition 15, 141
- cholesteric pitch 13, 15–16, 141
- cholesteric polyacrylates 21
- cholesteric polymer networks 21
- cholesteric polymers 17
 - first thermotropic 18
- cholesteric polysiloxane copolymers 20
 - molecular structure of 20
- cholesteric polysiloxanes 20
- cholesteric side-chain polymers 19

- cholesteric transition temperature 16
- cholesteryl acetate 6
- cholesteryl benzoate 6
- cholesteryl derivatives 7
- cholesteryl nonanate 15–16
- chromaticity 41
- chromogenic properties 207–8
- chromophores, conjugated 53
- colloidal particles 27, 29, 31
- color mixing, subtractive 40, 128
- color space 41, 146
- color temperature 109
- color wheel 40
- coloration 53, 72, 87, 111, 183, 205
- congruent melting mixture 74–75
- conjugated polymers 58–59, 61, 63, 65–66
- crystal violet lactone (CVL) 68–71, 74–76, 152–55
- crystalline colloidal arrays 2, 27–31
- crystallization 70, 75–76, 86, 179
- CVL *see* crystal violet lactone

- deionized water 27, 29, 33
- diblock copolymers 134
- dichlorobenzene 66
- differential scanning calorimetry (DSC) 70
- diisopropylamine 80
- dimethylsiloxane 93
- dispersion polymerization 29
- DSC *see* differential scanning calorimetry
- dye aggregation 86
- dyes 74, 81–82, 85–87, 94, 127, 156
- dynamic viscosity 120, 127

- electrochromism 207
- electromagnetic radiation 105–6
- emulsification 144, 160, 163
- epoxy resin shell 163
- epoxy resins 134, 160, 163–64
- equilibrium
 - temperature-dependent 49, 51, 56, 59, 83, 95, 150, 187
 - temperature-dependent ligand exchange 184
- esters 141, 155
- extinction coefficients 68
- extrusion technology 148, 153, 156

- fibers, core-shell 158–59
- films
 - heat-sealable 198
 - polymerized 63
 - thin 28, 32, 66, 76–77, 94, 167, 183
- freezing bound water 116, 118, 121, 124

- gel
 - active 196
 - passive 196
 - silica 94
- gel networks 27–28, 49–50, 109, 112, 114–15
 - cross-linked thermotropic polymer 126
 - metal organic 49–50
 - thermotropic polymer 168
- gelators 113
- glazings 166–73, 178, 188, 193–97, 200–1, 204
- gold 33, 204

- gold nanoparticles 33, 183, 204
 gold nanorods 89–90
 gold particles, surface-modified 93
 Grandjean texture 20
- helical pitch 3, 15, 26
 helical structure 3, 5, 15, 21
 helical superstructure 3–4, 9, 23
 helical twisting power (HTP) 8, 10–13
 hexamethylol melamine 161
 hexane 48–49
 highest occupied molecular orbital (HOMO) 60
 HOMO *see* highest occupied molecular orbital
 homopolymers 19, 112
 HTP *see* helical twisting power
 hybrid thermotropic and thermochromic gel networks 127
 hydrated swollen state 29–30
 hydrogel networks 80–81, 84, 94
 hydrogels 28, 81–84, 116–18, 126–29, 167–68, 170, 193–94, 196
 temperature-responsive 27
 hydrophilic moieties 132–33
 hydroxypropyl cellulose 14, 21, 113, 126–27
- IGU *see* insulation glazing unit
 indicator dyes 80–84, 94, 128
 inorganic materials 31, 33, 41–44
 inorganic thermochromic materials 41, 43
 insulation glazing unit (IGU) 202–3
- interactions
 disperse–disperse 155–56
 lipophilic 50
 polar–polar 74, 155–56
 polymer–composite 151
 interface
 organic–water 163
 polymer–water 132
 interface polymerization 160
 interfacial tension 132
 irreversible agglomeration 88–89
 irreversible flocculation 126–27
 irreversible thermochromic effects 21, 88, 93
 irreversible thermochromic polydiacetylenes 64
 isotropic liquid phase 3, 6, 9, 21, 118, 141
 isotropic phase 25, 114, 118–20
- lactone 39, 67
 laminates 182, 185
 lattice expansion 42
 lattice spacing 27–29
 lattice volume 46
 lauryl gallate 70–72, 74, 152–56
 LCST *see* lower critical solution temperature
 LCST-type polymer blends 112
 leuco dye–developer 72, 74–75, 155–57
 leuco dye–developer complexes 69–70, 72, 74, 144, 155
 leuco dye–developer–solvent systems 72, 75, 144, 147–48, 155, 159–60, 164
 leuco dyes 39, 67–69, 71–76, 139, 142, 144–45, 147–50, 152–55, 162, 164
 fluoran 67–69, 72, 76

- ring-open 71–72
- triphenylmethane 68–69
- ligand exchange thermochromic systems 184
- light absorption 39, 87
- light reflection 1–2
- light scattering 27, 105–12, 114, 116, 118, 120, 122, 124, 126, 128, 130, 132–34, 168, 176
- light-shielding properties 175
- lipophilic rod-like polymeric complexes 50
- liquid, isotropic 6–8, 65
- liquid crystalline phases 3–4, 13, 67, 112–13
 - lyotropic 13–14, 113
 - lyotropic cholesteric 15
- liquid crystals 2–3, 5, 7–9, 11, 13, 15–19, 21–23, 25–26, 133–34, 144, 205
 - commercial thermochromic 142
 - dispersed 115, 133
 - low molar mass cholesteric 21
 - low molecular mass 113
 - low molecular weight 18, 134
 - polymer-stabilized 26
 - thermochromic cholesteric 140, 144
- long-chain alkanols 155–56
- low-spin state 46, 48, 50
 - low-temperature diamagnetic 46
- lower critical solution temperature (LCST) 110–13, 122, 168, 171, 196

- materials
 - metal organic 45
 - piezochromic polymer 208
 - polycrystalline 1
 - thermochromic polyolefin 148
 - thermotropic polymer 159
 - thermotropic thermoplastic polymer 159
- matrix, polymer–water 194
- matrix polymer gel network 82
- matrix resin 174
- measurements
 - dynamic light scattering 177
 - mechanical 164–65
- mechanical shutters 166
- mechanochromism 207
- mesogen-jacketed liquid crystalline polymers (MJLCP) 17
- mesogenic moieties 17
- mesogenic structure 8–10
- metal organic thermochromic material 45, 47, 49
- micelles 65, 132
- micro-environment 82
- Mie scattering 106
- Mie theory 106–7
- MJLCP *see* mesogen-jacketed liquid crystalline polymers
- monomers 15, 19, 61, 64, 172

- nanocomposites 88–91
 - silver–polystyrene 90
- nanoparticles, polymer-coated 44
- nematic compounds 9
- nematic host systems 12
- nematic mixtures, wide-range 9–10
- nematic phase 3–4, 8–9, 133
- nucleating agent 176, 179

- octadecylphosphonic acid 76
- oligomers 14–15, 50
- optical properties, temperature-sensitive 29

- orientational order, long-range 3–4
- overcrowded ethenes 56–57
- patterned multicolor films of
 - polymer networks 22
- periodical structures 2
- phase-separated state 125, 127
- phase separation 86, 107, 112, 115–16, 119, 123, 125, 127–28, 133, 196
 - temperature-dependent 128
- phase separation temperature 121–23, 125–27, 129, 131, 194
- phase transition temperatures 15, 18, 141
- phenolphthalein 81, 84, 94–95
- photochromism 207
- photopolymerization 22–23, 61, 65
- phthalein 81
- physical gels 45, 113–14
- piezochromism 207–8
- PMMA fiber shell polymer 159
- poly(ethylene glycol) 90, 114
- poly(ethylene terephthalate glycol) 86–87
- poly(phenylene vinylidenes) 58
- polyacetylenes 58, 62
- polyacrylate core–shell
 - microcapsules 176–77
- polyacrylates 19, 177
- polyalkoxide 84, 116–17, 119–21, 124–25, 128, 169
- polyalkoxide–LiCl hydrogel matrix 84
- polyalkoxide–LiCl matrix 128
- polyalkoxide oligomers 117
- polyalkoxide–water mixtures 121
- polyalkoxide–water mixtures 119–20
- polycyclic aromatic groups 11
- polydiacetylene gels 66
- polydiacetylenes 58, 61, 64–66
 - urethane-substituted 64
- polydispersity 30
- polyether 131
- polyethylene 146–47, 149–50, 152
 - high-density 88
- polyethylene films 151
- polymer aggregates 126
- polymer backbone 17, 19–21, 58–59
 - conjugated 65
- polymer binder 142, 144
- polymer blends
 - photo-initiated cross-linked 172
 - silver dodecyl-mercaptide 90
 - transparent 112
- polymer chain order 60, 66
- polymer chains 60, 115, 124, 132
- polymer dye blend 86
- polymer ethylcellulose 95
- polymer film sensor 95
- polymer functionalization 44
- polymer gel networks 127
- polymer gels 205
 - cross-linked 115
- polymer materials, nanostructured
 - functional 88
- polymer matrix
 - glassy 86
 - thermosetting 159
- polymer network
 - cross-linked 116
 - semi-interpenetrating 171
- polymer networks, three-dimensional 115
- polymer resins 167–68, 173
- polymer–water system 122
- polymeric complexes, self-assembled rod-like 51

- polymerization 50, 118, 133, 157, 171
 - free-radical precipitation 30
 - radical oil-in-water miniemulsion 176
 - solid-state 62
- polymers
 - block 131
 - coordination 47–50
 - emulsion 145
 - fiber-forming 158
 - high molecular weight 112
 - hydrated 132
 - main-chain 17, 21
 - perfluorosulfonate ion exchange 94
 - side chain 17, 26
 - stiff chain 113
 - synthetic 126
 - thermoplastic 146, 157
 - thermosetting 159, 164
 - water-soluble 145
- polymethacrylates 19, 171
- polymethylmethacrylate 171
- polymorphism 21, 118
- polyolefin matrices 152
- polyolefins 147
- polypeptides 14
- polypropylene 147–50, 152–53, 156–57
 - isotactic 109–10
- polypropylene films 151–53
 - thermochromic 153
- polypropylene masterbatches 146
- polypropylene powder 156
- polysiloxane 19, 93
- polystyrene 91–92, 134
 - amorphous 92
- polystyrene matrix 90
- polystyrene-rich microdomains 134
- polythiophenes 58–59
 - conjugated 58
- polyurethane systems 145
- pyrans 53–54
- quartz substrates 59–60
- Rayleigh scattering 105–6
- reflectance 1–2, 169
- resins 174
 - casting 133, 172–73, 178
 - melamine 160, 162
 - polyester-based 174
- reversible thermochromic effect 59, 63–64, 72, 74
- reversible thermochromic properties 153, 157
- reversible thermochromism 41, 56–57, 59, 61–62, 65, 88
- reversible two-component mixtures, molecular structures of 76
- roll-to-roll manufacturing 198
- salicyl-Schiff Bases 55
- SDS *see* sodium dodecyl sulfate
- sensitizers 69, 144
- shading coefficient 185, 200–1
- shell
 - cross-linked polymer 176
 - polymeric 161
- shell polymers 160
- SHGC *see* solar heat gain coefficient
- silica composite,
 - organoaminomodified 96
- silver dodecylmercaptide 90–91
- silver nanoparticles 89, 91
 - thiolate-capped 92
- smectic phase 15, 19, 21, 23, 26, 65, 113

- sodium chloride 124, 126–27, 169
 sodium dodecyl sulfate (SDS)
 132–33, 170
 sol–gel materials 96–97
 sol–gel transition 45, 49–50, 60, 66
 solar heat gain coefficient (SHGC)
 185
 spherical domains 106–7, 174
 spiroheterocyclic compounds 51,
 53–54
 spirooxazines 51–52
 spiropyran 51–52, 54
 stereols 140
 steric factors 154
 storage-resistant food 142
 sulfobetaine 130–31
 sun-protecting glazing 166–73,
 175, 177, 179, 181, 183–85,
 187
 temperature-responsive 167
 sun-protecting glazing based on
 thermochromic materials
 183
 sun-protecting glazing based on
 thermotropic materials 167
 supercooling effect 178–79
 surface-active compounds 148,
 160
 surface plasmons 87
 swelling agent 196
- thermal cross-linking 172
 thermal polymerization 172
 thermo-sensitive paper 142–45
 thermochromic additives 139, 164
 thermochromic cellulose fibers
 157
 thermochromic cholesteric
 mixtures 140
 thermochromic cholesteric phases
 7
- thermochromic cholesteric
 polymers 17
 thermochromic coatings 142, 183,
 198
 thermochromic composites 70,
 139, 142, 159, 163, 165
 thermochromic compounds 79
 thermochromic effect 7, 28, 30,
 44–45, 51, 53–55, 59–61,
 64–66, 77, 79–80, 83, 86,
 90–91, 158–59, 184
 thermochromic films 152, 183–84
 thermochromic glazings 167, 182,
 205
 thermochromic hydrogels 84
 thermochromic inks 142, 144–46
 thermochromic liquid crystal
 products 142
 thermochromic liquid crystalline
 inks 142, 144–45
 thermochromic liquid crystalline
 materials 142
 thermochromic liquid crystals
 (TLC) 142–43, 188
 thermochromic liquid–Ni^{II}
 complexes 187
 thermochromic materials 86, 90,
 139, 158, 167, 183–84, 188,
 193, 195, 197, 199, 201, 203
 reversible 147
 thermochromic microcapsules
 146, 158, 165–66
 thermochromic pigments 157–59
 thermochromic polyethylene
 148–49, 151
 thermochromic polyethylene film
 149, 152
 thermochromic polymer materials
 149
 thermochromic polymer–
 nanocomposite system 88
 thermochromic polyolefin films
 149, 151

- thermochromic polyolefins 147, 152, 156
- thermochromic polypropylene 149, 151, 153–55
- thermochromic polypropylene films 150, 152, 154
- thermochromic salicyl-Schiff bases 55
- thermochromic sol-gel materials 96–97
- thermochromic thermoplastic polymers 146–47, 149, 151, 153, 155, 157
- thermochromic thermosetting polymers 159, 161, 163–65
- thermochromic transitions 43, 45, 59, 61
 - reversible 46, 61
 - solid-state 60
- thermochromic windows 204
- thermochromism 41, 44, 47–53, 55–58, 60–61, 63–64, 66–67, 69, 71–73, 77, 79–84, 94, 128, 207
- thermography 143
- thermometers 140
- thermoplastic liquid crystalline polymers 17
- thermoplastic polymer foils 168
- thermotropic casting resins 133, 172–75
- thermotropic gel networks 112–13, 115, 117, 119, 121, 123, 125, 127, 129
- thermotropic glazing 167–69, 180–81, 201–2
- thermotropic glazings 178–79
- thermotropic hydrogel layer 196
- thermotropic hydrogels 126, 168–69, 193–94, 196, 204
- thermotropic polymer blends 111, 171, 202
- thermotropic resins 133, 175, 180
- thermotropic windows 200, 202, 205–6
- thiolate-capped silver, temperature-dependent aggregation of 92
- thiolate chains, interdigitation of 92
- tilted smectic phases 23–24
- TLC *see* thermochromic liquid crystals
- toluene 47, 53, 80, 93, 109, 171–72
- transition
 - isotropic phase 114–15
 - low-spin 48, 50
 - smectic phase 19, 21
 - solid phase 46, 79
 - solid-state phase 79
 - spin crossover 48
- tungsten 32–33
- UCST *see* upper critical solution temperature
- uncured polymer mixture 172
- upper critical solution temperature (UCST) 111–13, 122
- vanadium dioxide 32–33, 183, 204–5
- vanadium dioxide films 33
 - co-doped 33
- zwitterionic form 51, 68, 71, 74, 160