

Index

- AHNC *see* anisotropic hyper-netted chain
- algorithm 153, 305, 312, 325
 contour-buildup 314
 distance-based 305
- anisotropic hyper-netted chain (AHNC) 108, 116, 118–120
- approach
 analytical 145
 coarse-grained 171, 175
 hybrid 172
 low-temperature 109
 mean-field 240
 mechanical 174
 multiscale 178
 self-consistent 178
 shear 400
 straight 398, 400
 theoretical/computational 303
 zero-temperature 109
- approximations 12–15, 17, 37, 38, 42, 52, 54, 63, 111, 117, 119, 143, 187, 241, 389
- Boltzmann 206, 207, 311
- continuum 144
- harmonic 352
- linear-response 210
- liquid state theory 17
- local density 115
- mean-field 14, 205
- Poisson–Boltzmann 82
- random phase 211
- strong coupling 12, 96, 186, 187, 350, 351, 353, 358
- theoretical 348
- variational 17
- weak coupling 12, 183, 186, 190, 311
- asymmetry 159, 160, 222, 396, 399, 405
- atomistic simulations 144, 152, 153, 300, 321
- attraction 19, 47, 102, 103, 283, 284, 346–348, 350, 357–362, 373, 393, 395, 397, 399, 401, 403–406, 409
- cation–anion 335
- experimental 402
- like-unlike 402
- long-range 394, 395, 405, 410, 412
- monotonic 403
- short-range 281, 287, 295
- universal 355
- BD *see* Brownian dynamics
- behavior 12, 25, 30, 59, 66, 81, 83, 169, 171, 181, 224, 225, 239, 244, 246–248, 403, 404
- bulk 159
- clustering 107
- collective 202
- dynamical 299
- exponential 302
- functional pressure 150
- glassy 280
- linear scaling 322

- long-range 22, 63
- macroscopic 230
- material 248
- microscopic 109
- oscillatory 114
- polyelectrolyte chain 390
- scientific 4
- short-range 22
- thermodynamic 226
- binary mixtures 72, 240, 243, 249, 293
- Bjerrum length 19, 40, 43, 96, 169, 174, 183, 204, 223, 324, 326, 348, 408
- Boltzmann distributions 26, 115, 117, 135, 326, 336, 340
- Boltzmann's constant 53, 240, 336
- boundary conditions 45, 57, 131, 188, 189, 206–208, 223, 241, 255, 306, 307, 328, 341, 390, 400, 402, 406
 - anisotropic 208
 - asymptotic 306
 - charge density 223
 - isotropic 209
 - periodic 145
- Brownian dynamics (BD) 172, 208
- bulk charge distribution 371
- bulk concentrations 302, 336, 386
- bulk electrolyte 27, 28, 161, 163
- bulk fluids 108, 112, 116
- bulk phase coexistence 284
- bulk phase separation 280, 284, 292
- bulk pressures 40, 41, 209
- bulk solution 85, 399
- bulk suspensions 203, 204, 208
- bulk water 129, 139, 147, 148

- capacitance 48, 50, 90, 136, 141, 160, 162, 163, 165, 166, 255
 - double-layer 130, 133, 136, 137, 140, 141
- capacitors 47, 269
 - liquid lattice 39, 47
- capillary-induced phase separation (CIPS) 87–89
- carbide-derived carbon (CDC) 162, 166, 263
- cations 52, 84, 85, 158–160, 162, 333, 336, 339, 358, 359, 363
 - divalent 338
 - molecular 359
 - z-valent 336
- CDC *see* carbide-derived carbon
- cell model 18, 20, 23, 205, 208, 209, 216, 217, 363
- chains 82, 84, 85, 285, 319, 359, 382, 384
 - free 318
 - frozen 6
 - hyper-netted 63, 107
 - jointed 84
 - long aliphatic 145
 - neutral 382
 - neutral random 382
 - three-dimensional polymer 383
- charge correlations 393, 394, 397, 403–405
- charged colloidal rods 251, 260, 261
- charged colloidal suspensions 21, 173, 201, 213, 217, 222, 231–233, 235
- charged colloids 22, 28, 29, 32, 35, 107, 120, 171, 202–204, 206, 208, 210, 212–214, 216–219, 233, 293
- charged cylinders 228, 229, 244, 328
- charged domains 393, 397, 401, 405
- charge density 12, 26, 28, 32, 33, 52, 54, 61, 62, 186, 191, 348, 375, 396, 401
 - absolute surface 401
 - average surface 349

- bare 27
- bulk impurity 371
- equal surface 399
- fixed surface 86, 97, 223
- free 135, 255, 256
- high surface 135
- interior 54
- ionic 134
- low surface 21
- nonzero 52
- total surface 160
- typical colloid 27
- uniform surface 195
- charged fluids 50, 85, 107, 109, 111, 118, 120, 125, 169–171, 178
 - highly-coupled 85
- charge disorder 367–369, 371–378
 - quenched 373
 - uncorrelated 376
- charge distributions 12, 52, 53, 58, 60, 65, 160, 163, 174, 264, 271, 273, 274, 367, 369, 370, 372, 373, 376, 377
 - extended 12, 17, 19
 - linear 18
 - particle 60, 63
 - random 370
 - skewed 273
- charged objects 22, 320, 322, 347
- charge domains 394, 395, 397, 403
- charged particles 13, 14, 25–27, 36, 39, 52, 53, 78, 85, 107, 108, 172, 218, 295, 321, 363
- charged plates 18, 20, 23, 95, 103, 104, 187, 353, 362
- charged surfaces 22, 23, 25, 29, 30, 43, 45, 46, 181, 182, 195, 196, 342, 343, 345, 346, 394–396, 399, 401, 402, 404, 406–408, 410–412
- charged systems 116, 172, 350
- charged wall 26–29, 32, 34, 95, 100, 165, 182, 183, 195
- charges 5, 6, 13, 14, 18–20, 26–28, 61, 62, 93, 94, 159, 160, 175, 176, 272, 273, 306, 308, 324, 325, 339–341, 356, 357, 370, 371
 - absolute 135
 - bare 66
 - basic 223
 - boundary 47
 - bulk 371
 - colloid 27, 28, 177
 - concentrated 358
 - electric 221
 - electron 371, 384
 - electronic 399
 - elementary 26, 94, 254, 323, 328, 336, 338, 339, 408
 - free 70, 132
 - interlocked alternating 337
 - macroion 21, 206
 - metallic 7
 - monovalent 339
 - proton 183, 266
- CIPS *see* capillary-induced phase separation
- closed systems 242, 243, 246, 247
- clusters 190, 280, 283, 287–289, 292, 293
 - Bjerrum 190
 - elongated 287
 - finite-sized 280, 287
 - percolating crystalline 280
 - protein 287
- colloidal particles 14, 24, 36, 72, 173, 179, 182, 201, 222, 228, 229, 231, 237, 252, 261, 283
- colloidal suspensions 22, 121, 125, 177, 209, 216–218, 221, 222, 224, 226, 228, 230–232, 234–236, 261, 279, 280, 296, 297

- colloidal systems 4, 230, 233, 234, 280, 285, 298
 - magnetic 230
 - many-body 231
- colloids 28, 29, 123, 170–173, 177, 222, 224–226, 228–230, 237, 279–286, 288, 290, 292–295, 297, 409, 411
 - binary 281, 294
 - like-charged 223
 - monodisperse 279
 - nanoparticle 281
 - opposite-charged 283
 - polarizable 94
 - spherical 208
 - superparamagnetic 230
 - suspended 170, 180
- computer simulations 66, 124, 144, 146, 147, 152, 273, 344, 345
- contributions 14–16, 29, 32, 34, 52, 60–62, 64, 65, 143, 144, 150, 151, 254, 256, 338, 340, 349, 372
 - additive 256, 378
 - cavity 138
 - convective 254
 - depletion–attraction 342
 - entropic 350, 383
 - nonelectrostatic 135, 137
 - nonlinear 61, 62
 - non-zero 375, 377
 - quadrupole 59
 - repulsive 359
 - self-energy 194
 - short-range 195
 - steric 84
- correlations 12, 13, 19, 26, 29, 35, 55, 63, 66, 108, 112, 223, 224, 326, 393–395, 397–399, 404, 405
 - charge–charge 345
 - direct 63, 117
 - dynamic 175
 - induced 393
 - interionic 183
 - intermolecular 61
 - intraionic 339
 - ion–ion 337
 - many-particle 211
 - microion 223
 - microion–microion 222
 - negative 395
 - non-zero 374
 - short-range 13, 371
- Coulomb interactions 93, 99, 110, 365, 367, 368, 370, 372, 374, 376, 378, 380, 410
- counterions 5, 18–23, 25, 26, 29, 30, 43–47, 94–100, 118, 187, 188, 190, 324, 325, 327, 328, 346–348, 350–352, 354, 355, 361–363
- cobalt hexamine 337
- divalent 355
- dumbbells 356
- mobile 94
- multivalent 11, 22, 181, 229, 362
 - way polyvalent 360
- coupling 170, 172, 175, 229
 - natural 174
 - strong 9, 23, 41, 45, 49, 240, 351
 - weak 38, 41, 44, 346, 361
- Debye–Hückel approximation 213, 306
- Debye–Hückel theory 1, 2, 301
- Debye length 40, 41, 169, 177, 256, 284, 302, 326, 327
- decay length 64, 144, 150, 152, 359
- density 30, 34, 35, 52–54, 72, 73, 82–84, 87, 88, 91, 92, 112, 113, 115, 116, 118, 119, 124, 209, 210, 218, 353, 354, 357

- anion 84
- bulk 91
- counterion 34, 44, 45, 118, 186, 354
- dipole 31, 77
- electronic 311
- intermediate 114, 280
- lipid 145
- low-ion 326
- monomer 84
- multipole 132
- one-particle 351
- solvent 31, 82
- vapor 351
- weighted 84, 116
- density distributions 26, 84, 115, 121
- density functional theory (DFT) 23, 34, 35, 81, 82, 88, 91, 92, 108, 115
- density profile 29, 40, 98, 100–102, 117, 134, 360
 - counterionic 196
 - microion 207, 212
 - monomer 86
 - near-field 189
 - oscillating 129
 - saturated 34
- dependence 17, 28, 132, 225, 233, 266, 288, 405
- direction 58
- explicit 82
- functional 98, 292
- linear 243
- logarithmic 29
- melting temperature 383
- nonlinear 31
- Derjaguin–Landau–Verwey–Overbeek theory (DLVO theory) 123, 173, 223, 225, 355
- DFT *see* density functional theory
- dielectric constants 20, 26, 27, 30–33, 52, 143, 182, 183, 186, 187, 223, 241, 284, 301, 305, 308, 314, 323, 324
- dielectric continuum 52, 62, 65, 203
- dielectric contrast 325, 327, 329, 378
- dielectric discontinuities 131, 182, 189, 194, 376, 378
- dielectric interfaces 22, 107, 108, 110, 112, 114, 116, 118, 120, 122, 124, 125, 325
- dielectric jump 99–101
- dielectric profile 26, 129–134, 136, 138–140, 142, 232
- dielectrics 30, 69, 71, 78, 120, 135, 141, 265, 310, 329
- differential capacitance 87, 88, 90, 167, 272, 274
- dipolar interactions 71, 215, 228, 281, 284, 286, 292
- dipoles 27–32, 35, 74, 360
 - aerial 28
 - electrical 252
 - fluctuating 75
 - neutral 74
- disorder 6, 368, 371, 383
 - charge-domain 394
 - statistical 369
- dissipative particle dynamics (DPD) 173, 174, 179
- distribution 23, 28, 51, 58, 118, 160, 176, 190, 224, 348, 384, 397
 - microion 202, 224
 - molecular island 227
 - negative ionic 301
 - phase space 175
 - radial 113
 - solvent 52
 - thermodynamic equilibrium 311
- DLVO theory *see* Derjaguin–Landau–Verwey–Overbeek theory

- domains 394, 397, 401–403
 - chiral-nematic 258
 - disordered 393
 - graphitic 162, 163
 - unbounded 306, 307
- double layers 3, 5, 25, 27, 28, 32, 35, 36, 124, 125, 164, 165, 170, 173, 187, 251–254, 256, 258, 261
- double-stranded DNA (dsDNA) 317, 337, 347, 348, 350, 352, 354, 356, 358–360, 362
- DPD *see* dissipative particle dynamics
- dsDNA *see* double-stranded DNA
- dynamics 50, 78, 163, 165, 166, 170, 172–175, 178, 179, 240, 247, 261, 318, 391
 - combined 173
 - diffusive 175, 258
 - dissipative particle 173, 179
 - polymer 173, 331
 - solvent 174
- EDLCs *see* electrical double-layer capacitors
- effective interactions 36, 72, 93, 120, 145, 170, 171, 174, 201, 202, 209, 211, 213, 216–219, 224, 225, 237
- effects
 - Casimir 368
 - funneling 320
 - hysteresis 90
 - nonelectrostatic 135
 - nonlinear 58
 - overscreening 159, 163
 - patch 368
 - short-ranged 110
 - solvent 62
- electrical double-layer capacitors (EDLC) 155
- electric fields 75, 77, 79, 130, 131, 239, 240, 242–249, 251, 253, 254, 256, 257, 259, 261, 300, 320–322, 326, 327, 331
- external 131, 251, 252, 261, 320, 321
- nonuniform 240, 243, 248, 249
- uniform 242, 243, 284
- electrode polarization 163, 251, 253, 255, 256, 260
- electrodes 85–87, 156–160, 162, 163, 181, 252–256, 264, 266–269, 271, 273, 320
- gold 317
- electrolytes 22, 23, 26, 27, 55–59, 61, 62, 65, 66, 93, 95, 141, 142, 156, 174, 175, 182–184, 190, 320, 339, 346–348
- aqueous 25, 82, 141, 266
- multivalent 190, 333
- electrolyte solutions 21, 50, 52, 55, 64, 66, 107, 110, 113, 121, 141, 158, 163, 172, 173, 181
- electroneutrality 56, 83, 85, 169, 195, 206, 218, 336, 339, 357
- global 94, 97, 207, 356
- electrophoresis 178, 320, 321, 333, 334
- electrostatic correlations 23, 85, 96, 118, 183, 188, 235, 346, 358, 360, 363
- electrostatic coupling 40, 85, 350
- electrostatic double layer 25, 26, 28, 30, 32, 34, 36
- electrostatic energies 30, 31, 60, 69–72, 74–76, 78, 137, 138, 183, 187, 194, 343, 368, 370, 386
- electrostatic field 30, 31, 39, 52, 53, 72, 176, 340, 349
- electrostatic interactions 12–14, 16–18, 20–22, 24, 35, 36, 52, 63, 70, 71, 169, 173, 236, 237, 342, 343, 378, 381, 382, 408, 409

- dominant 401
- effective 202, 215
- long-range 11, 35, 325
- short wavelength 16
- energy 27, 70, 71, 77, 99, 191, 195, 204, 264, 274, 309, 333, 340, 373, 375, 383
- adhesion 398
- configurational 70
- electric 263
- ground-state 41, 97
- interparticle 352
- kinetic 204
- potential 53, 95, 109, 137, 211, 324, 325
- salinity-gradient 264, 268
- equilibrium 110, 172–174, 190, 209, 240, 246, 280, 287, 293, 294, 319, 351, 391
- chemical 85
- stable 358
- stable bridging 358
- thermal 93, 172, 301
- unstable 374
- experiments 148, 149, 151, 152, 215, 216, 224, 225, 228, 229, 242, 243, 281, 283, 284, 286, 287, 315, 316, 359, 369, 383, 403, 404, 408, 409
- computer 319
- expression 16, 43, 46, 58, 70, 116, 186, 194, 195, 256, 268, 272, 308, 310, 354, 358
- algebraic 308
- classical 309
- finite-difference 308
- mean-field 340
- statistical mechanical 131
- symmetrical 60
- external fields 30, 31, 35, 47, 115, 118, 131, 239, 260, 261, 280, 296, 307
- field 5, 28, 30, 31, 49, 52, 53, 71, 74, 150, 156, 240, 241, 245, 303, 306, 385, 387
- continuous 171
- dimensionless 243
- electrical 321
- electromagnetic 119
- far 188–190, 349, 350
- homogeneous 131
- long-wavelength 15
- nanopore 321
- nonuniform 31, 242, 245, 248, 249
- scalar 73
- solvent 72
- uniform 242, 243, 248
- field amplitude 251–253, 256–259
- finite-difference scheme 307, 329
- fluctuations 2, 12–17, 72, 123, 131, 133, 272, 362, 374–379, 387
- finite 87
- ionic 2
- long-wavelength 16
- sample-to-sample 369
- thermal 30, 348
- torque 377, 378
- fluids 63, 86, 107, 112, 113, 115, 123, 124, 170, 174, 175, 177, 232, 240, 241, 245, 247–249, 284, 294
- cluster 282
- complex 175, 177, 294
- dense neutral 117
- dielectric 240
- hard sphere 116
- homogeneous 107
- immiscible 71
- inhomogeneous 115, 216
- inorganic 109
- Lennard-Jones 182
- molecular 112

- multicomponent 114
 - nonuniform 205
 - fluid velocity 171, 175, 176, 247
 - forces 4–6, 8, 123, 230, 394, 395, 399, 407, 408, 410–412
 - Casimir 118, 374
 - charge-fluctuation 4
 - Coulomb 204
 - dielectric boundary 324, 329
 - double layer 5
 - external 172
 - fluctuation 4
 - interparticle 201
 - intersurface 49, 394
 - lateral 369, 370
 - many-body 222
 - mechanical 321
 - molecular 239
 - pair 229
 - random 173
 - short-range 182
 - translational 369
 - formulations 69–71, 74–77, 115, 236
 - classical 69
 - functional integral 14
 - mean-field 138
 - Fourier transform 59, 184, 185, 193, 194, 372
 - free energy 16, 17, 48, 70–76, 82, 84–86, 115, 116, 138, 205, 206, 249, 269, 271, 272, 274, 313, 314, 340–342, 384
 - free energy barriers 319, 322, 328–330
 - free ions 74, 75, 190
 - frequencies 252, 253, 256, 258, 259, 397, 400
 - applied 260
 - finite 254
 - high 251, 252, 258, 260
 - low 251–253, 257, 258, 260
 - function 40, 42, 46, 48, 49, 57, 61, 63, 64, 75, 76, 160, 161, 177, 194, 195, 290, 318, 328, 329, 342, 343
 - mechanical 287
 - pair-correlation 227
 - periodic 349
 - state 265–267
 - trilogarithm 374
 - wave 390
- Gauss–Seidel scheme 309
 - Gauss’s law 208
 - GCMC approach *see* grand canonical Monte Carlo approach
 - geometries 6, 12, 22, 26, 94, 95, 157, 314, 322, 353, 378, 390
 - colloid 28
 - complex 243
 - complicated 73
 - constraining 323
 - fundamental 243
 - general 120
 - hexagonal 187
 - one-plate 94, 95, 97, 99, 104
 - planar 19, 131, 182, 348, 352, 353
 - slit 356
 - sphere-plate 369
 - Gibbs-dividing surface 130, 134, 139, 140
 - Gouy–Chapman length 30, 43, 96, 189, 348, 408
 - grand canonical Monte Carlo approach (GCMC approach) 146
 - graphite electrodes 158, 159, 167, 273
 - Green’s function 12–14, 57, 370, 377
 - hard spheres 30, 110, 113, 124, 260, 279, 298, 304
 - classical 92

- HNC *see* hyper-netted chain
- hydration 6, 8, 29, 139, 140, 149, 151, 314
- hydration repulsion 143, 144, 146, 148, 150, 152, 154
- hydration shells 32, 110
- hydrophilic nature 138
- hydrophilic nature 40
- hydrophobic attraction 395, 412
- hydrophobicity 129, 137, 141
- hyper-netted chain (HNC) 63, 107, 108, 113, 114, 116, 117
- ILs *see* ionic liquids
- image charges 95, 99, 137, 139, 171, 183, 187, 191, 324, 327, 328, 359, 370, 375, 377
- explicit 157
- induced 194, 371
- ionic 187
- repulsive 104
- images 99, 100, 138, 139, 188, 190, 191, 253
- periodic 182
- repulsive 138
- interaction energy 18, 28, 60, 96, 137, 336, 343, 350, 370, 376, 377
- electrostatic 194, 196
- macroion–macroion 210
- nonzero 370
- interactions 5–7, 16–18, 22, 28, 29, 51–55, 65, 66, 99, 100, 151–153, 222–228, 260, 359–361, 373–375, 393, 394, 398–404, 406–408
- anisotropic interparticle 284
- antisymmetric 402, 406
- asymmetric 207
- attractive 201, 280, 286, 338, 343, 344, 350, 403, 409
- attractive normal 397
- charge disorder 374
- charge domain 405
- correlation-induced 119
- counterion 95
- dielectrophoretic 31
- dipolar 280
- dispersion 150
- double-layer 5, 405, 408
- field-induced 251, 252
- fundamental 143, 202
- hard core 84
- hard sphere 323
- hydrodynamic 171, 173, 178, 180, 258, 260, 318
- hydrophobic 393, 395, 404, 405, 412
- hydrophobic surface 396
- inter-rod 258
- intramolecular 299
- ionic 30
- ion-surface 137, 140
- long-range 21, 382
- macroion 209
- magnetic 231
- microion–microion 223
- molecular 150, 313
- nonmonotonic 403
- nuclear 227
- pairwise additive 230
- repulsive 223, 257, 280, 318, 341
- repulsive–core 33, 34
- short range 55, 63
- short-range 280, 382, 383
- soft 174
- solvent-ion 110
- symmetric 402, 406
- tertiary 383
- two-body 95, 98, 229
- interfaces 25, 27–29, 32, 33, 35, 79, 108, 109, 117–120, 133–135, 141, 142, 156–159, 163, 185, 186, 231–233, 245, 246, 248, 249
- colloid–electrolyte 28

- flat 117, 255
- fluid–fluid 240, 244, 247
- planar graphite 156
- quartz–water 130
- reservoir–suspension 207
- ion cloud 51, 54, 58, 59, 65, 118, 119, 329
- ion concentrations 31, 51, 53, 171, 336, 399
- ion distributions 52, 53, 66, 79, 123, 169, 170
- ion dynamics 173, 175
- ionic liquids (ILs) 38, 39, 47, 50, 81, 82, 84–86, 88, 90–92, 107, 123, 155, 156, 158, 159, 161–167
- ionic solutions 40, 41, 70, 123, 302
- ionic strength 253, 311, 383, 410
 - high 257, 258
 - low 217, 251, 252, 257

- Johnson–Kendal–Roberts model 398

- layers 30, 32, 114, 116, 117, 159, 395, 404, 407
 - charged smectic 38
 - condensation 348
 - condensed counterion 354
 - condensed ionic 354
 - correlated 354
 - dense 118
 - molecular 371
 - polarized 159
 - polymer 231, 233
 - stern 32, 136, 303
- LDA *see* local density approximation
- Legendre transform 48, 69–71, 74, 77, 79, 206
- local density approximation (LDA) 115

- local dielectric constants 369
- local particle organization 286
- long-ranged attractions 359, 393, 395–397, 399, 401, 403–405, 408, 409
- long-ranged function 63
- long-ranged interactions 382, 405
- long wavelength correlations 14

- macroions 24, 203–212, 215, 335, 336, 338, 344, 348, 351, 360, 363
- Maxwell relations 264, 269, 274
- Maxwell's equations 75, 77, 131
- MC simulations *see* Monte-Carlo simulations
- MCT *see* mode coupling theory
- MD *see* molecular dynamics
- MD simulations 111, 120, 137, 138, 140, 147, 148, 151–153, 330
- medium 5, 30, 72, 75, 77, 130, 230, 301, 306
 - aqueous 182
 - continuous 172
 - dielectric 71, 221, 301, 323
 - Poisson–Boltzmann 26
 - nonpolar 27, 28
 - passive 172
 - solvent 30
 - uniform 347
- membranes 108, 144, 145, 147, 148, 249, 307, 316, 319, 324, 325, 334, 345, 391
 - biological 145, 181, 307
 - cell 144
 - hydrocarbon 182
 - lipid 335
 - lipid bilayer 316
 - semi-permeable 203
 - thin colloidal 231

- microions 171, 172, 203,
 - 205–207, 209–212, 222–224, 228
 - correlated 209
 - intrinsic 207
 - monovalent 202, 223
 - negative 203
- mode coupling theory (MCT) 283
- models 7, 8, 32–34, 37, 38, 40, 43,
 - 44, 47, 82–85, 137, 138, 144, 145, 246, 247, 303, 305, 306, 311, 312, 348, 402–404
- all-atom 161
- atomistic 145
- chain 319
- coarse-grained 82, 157, 167,
 - 215, 330
- complex 301
- continuum 49, 144
- discrete 49
- dsDNA 322
- mean-field 337, 399
- multicomponent 202
- theoretical 318, 394, 395
- molecular dynamics (MD) 111,
 - 112, 114, 130, 133, 140, 141, 145, 171, 172, 174, 208, 300, 319, 322
- molecular simulations 153, 156,
 - 160, 166, 176, 361
- molecules 6, 84, 115, 124, 132,
 - 143, 152, 171, 307, 311, 313, 315, 317, 332, 355
- biological 292
- non-spherical 51
- polymeric 318
- surfactant 40, 404
- Monte-Carlo simulations (MC simulations) 101, 182, 183,
 - 186, 188, 190
- nanopores 315–318, 320, 322,
 - 324, 326, 328, 330–334
- neutron scattering 224
 - small-angle 227
- neutron spin echo (NSE) 292
- NSE *see* neutron spin echo
- OCM *see* one-component model
- OCP *see* one-component plasma
- one-component model (OCM) 202,
 - 204, 205, 213, 224
- one-component plasma (OCP) 18,
 - 19, 23, 24, 85, 92
- one-dimensional Coulomb gases
 - 37, 38, 40, 42, 44, 46, 48
- onion-like carbons 163
- Oseen tensor (OT) 171–173
- osmotic pressure 6, 83, 121, 209,
 - 213, 214, 218, 219, 311, 329, 357, 399, 401
- OT *see* Oseen tensor
- pair interactions 63, 100, 225,
 - 228, 229, 233, 260
- parameters 34, 64, 74, 75, 95, 114,
 - 145, 151, 225, 226, 228, 303, 306, 310, 325
- coupling 18, 40, 354, 357
- dielectric jump 372, 373
- dumping 192, 193
- fitting 96–98, 136
- free 248
- key 18
- macroscopic 301
- plasma 183
- splitting 15, 17–19, 21
- tunable 151
- particle density 44, 112, 117, 283,
 - 353
- PB approximation *see* Poisson–Boltzmann approximation
- PB Model 328–330, 339, 341, 343,
 - 403, 408

- PB theory 12, 20, 21, 52, 66, 202, 205, 208, 209, 223, 224, 322, 326, 347, 348, 350, 355, 360
- peak 91, 288
 - broad 91
 - cluster 288
 - cluster–cluster correlation 288
 - monomer–monomer correlation 288
- permittivity 94, 110, 336, 386, 399
 - effective 64
 - inverse perpendicular 132
 - macroscopic 221
 - relative 202
- phases 87–89, 108, 115, 118, 120, 241, 245, 248, 256–258, 260, 283, 292, 293
 - aqueous 336
 - chiral-nematic 251
 - concentrated 87–89
 - crystal 231
 - field-induced 251
 - frozen 382
 - high density 88
 - isotropic 19
 - low-temperature 382
 - micellar 280
 - nematic 19
 - non-crystalline 280
 - solid 279
 - vapor 284
- phase separation 70, 71, 122, 245, 283, 284
 - capillary-induced 87
 - liquid–liquid 287
 - macroscopic 286
- phase transitions 79, 217, 239, 243–245, 248, 249, 279, 293, 294, 296
- PMF *see* potential of mean force
- Poisson–Boltzmann approximation (PB approximation) 52–57, 59, 60, 64–66, 329
- polarization 30, 31, 62, 65, 74–76, 130–132, 162, 251, 252, 258, 301
 - electric 69
 - electronic 303
 - field-induced 252
 - molecular 301
 - physical 78
- polyelectrolytes 2, 3, 23, 112, 121, 172, 179, 202, 217, 331, 333, 338, 339, 346, 381–384
 - biological 383
 - flexible 383
 - random 368
- polymers 92, 148, 170, 173, 177, 201, 231, 249, 282, 318, 331
 - biological 381
 - charged 322, 346
- pore 88, 91, 92, 162, 176, 266, 316–320, 322–325, 327–329, 333, 334
 - biological 316, 317
 - long 320, 327
 - nanometer-sized 263
 - narrow 87, 91
 - slit 162, 176
 - solid-state 317
- pore axis 320, 323, 324
- pore lengths 319, 327, 328
- pore sizes 90, 91, 155, 164, 165
- potential of mean force (PMF) 137, 171–173
- potentials 40, 72, 88, 135, 225, 269–271
 - Coulomb 99
 - interatomic 227
 - long-range 113
 - oscillating 344
 - string–string interaction 285
- pressure 44, 45, 102, 112, 142, 147–150, 152, 209, 214, 239, 247, 265, 353, 399, 401, 408
 - atmospheric 148
 - disjoining 40, 42–46, 48

- extrapolated 147, 148
- hydrostatic 148
- isotropic 146
- partial 148
- vapor 155
- processes 108, 221, 247, 249, 264, 320, 322
 - adsorption–desorption 268
 - biological 110, 299
 - capacitive mixing 264
 - charging 164, 186, 267, 268
 - chemical 108, 227
 - cyclic 267
 - desalination 264
 - diffusional 319
 - dimerization 41
 - discretization 308
 - electrochemical 81
 - ion exchange 267
 - physicochemical 223
- properties 2, 18, 23, 32, 38, 72, 91, 155, 163, 170, 202, 239, 318, 381, 388
 - catalytic 108
 - chemical 137
 - convolution 42
 - dielectric 5, 72, 77, 140
 - dynamical 201
 - electric 300
 - electrokinetic 173, 178
 - electronic 317
 - geometric 266, 269
 - intrinsic 115, 354
 - macroscopic 112
 - macroscopic interfacial 133
 - mechanical 317
 - molecular 130
 - static 130
 - structural 88, 107, 163, 209, 213, 215, 225, 226
 - thermodynamical 226
- proteins 74, 252, 279–282, 284, 286–290, 294, 297, 303, 312, 314, 335, 345, 381
- coat 252
- globular 280
- regime 22, 41, 42, 94, 177, 229, 284, 342, 408, 409
 - coupled 119
 - hydrodynamic 174
 - intermediate 228
 - no-salt 94
 - saturated 27
 - three distance 353
- regions 19, 21, 30, 31, 93, 94, 182–185, 188, 189, 284, 286, 302, 308, 310, 336, 341, 375, 378
 - concentrated 30
 - critical 104
 - dielectric 304
 - double-layer 170
 - finite 368
 - high-field 245
 - isotropic 257
 - low-field 245
 - monophase 73
 - one-phase 282
 - overlapping 227
 - particle-rich 286, 287
- repulsion 1
 - double-layer 394
 - inter-plate 394
 - like-like 402
 - long-range 281, 283, 286, 287, 293
 - steric 150
- restricted primitive model (RPM) 121, 123–125, 172, 178
- rod-like ions 337–341, 343–345
- RPM *see* restricted primitive model
- SANS *see* small angle neutron scattering
- SAS *see* solvent accessible surface

- SC regime *see* strong coupling regime
- small angle neutron scattering (SANS) 288
- solvent accessible surface (SAS) 304, 312
- strong coupling regime (SC regime) 12, 96, 186, 187, 350, 351, 353, 358
- structure 5–7, 35, 101, 102, 141, 144, 162, 163, 165, 172, 173, 216, 218, 226, 284, 287, 299, 360, 361
 - adaptive 109
 - carbon 162
 - checkerboard 309
 - chiral 257, 258
 - heterogeneous 371
 - hexagonal 100
 - layered 158
 - molecular 130, 133, 137
 - oligomeric 84, 85
- supercapacitors 91, 156, 161, 162, 263, 264, 266, 268, 270, 272
- superionic state 162, 163, 165
- surface charge density 86–88, 94, 136, 143, 176, 182, 187, 189, 338, 339, 342, 343, 349, 394, 400, 402, 404
- surface charges 5, 27, 40, 43, 99, 142, 195, 252, 271, 328, 371–373, 375, 394
 - induced 183
 - random 372
 - symmetric 47
- surface conductivity 133, 137
- surfaces 5, 6, 26, 40, 85–89, 129–132, 136, 137, 160, 161, 188, 189, 302, 303, 307, 308, 341–344, 368, 369, 371, 393–405, 407, 408
 - adsorbing 39
 - carbon-based 136
 - charged solid 170
 - colloid 26–28, 177
 - curved 104
 - diamond 133
 - dielectric-dividing 130, 134, 139, 140
 - dimensionless 177
 - domain-coated 398, 400
 - electrode 258
 - heterogeneous 396, 401, 409
 - hydrophilic 134
 - hydrophobic 134, 139–141, 410, 411
 - isolated 344
 - membrane 144, 148
 - opposite plate 101
 - overall-neutral 393
 - smooth 158
 - solid 335
 - solvent accessible 304, 312
 - solvent-excluded 304, 305
 - spherical 85
 - surfactant-coated 368, 395, 398, 405, 410
- surfactants 36, 40, 395–397, 407
- suspensions 171, 179, 180, 201, 203, 204, 209, 214–218, 233, 234, 251–254, 256, 258, 260, 261, 280, 283
 - charged 172, 173
 - closed 203, 207, 208
 - colloid 27, 217
 - monodisperse 215
 - reference 210
 - salt-dominated 204
 - salt-free 214, 222
- systems 11–22, 38, 43–47, 115–117, 145–147, 172–175, 182, 190, 191, 225, 226, 265–267, 300, 301, 306, 307, 350, 351, 367–370, 372–375
 - charge neutral 191
 - classical 101

- complex 215, 224
 - cylindrical 246
 - disordered 384
 - electrochemical 155
 - electrolyte 65
 - experimental 72
 - frozen 109
 - homogeneous 108, 113, 115
 - ideal 281
 - inhomogeneous 108, 116, 117
 - layered 39
 - many-body 226
 - many-particle 202
 - microscopic 228
 - pairwise-additive 230
 - simulated 145, 147
 - two-component 222
 - two-plate 19
 - unbounded 172, 173
- TE *see* thermodynamic extrapolation
- temperature 129, 239–241, 249, 254, 265, 266, 268, 271, 382, 383
 - absolute 13, 53, 203, 301, 323, 336, 399
 - binodal 246
 - critical 242
 - finite 286, 355
 - intermediate 109
 - inverse 93
 - theory 1–3, 7, 8, 11, 12, 14, 17, 21, 22, 82, 83, 109, 110, 121, 122, 124, 182, 183, 185, 186, 216–218, 224, 225, 361–363
 - approximate 82
 - classical 119
 - continuous 157
 - continuum 326
 - density functional 34, 91, 108, 209
 - linearized 177
 - mean-field 156
 - molecular 271
 - nonlinear 342
 - order-parameter 6
 - particle-based 14
 - single-particle 95
 - splitting 18–21
 - thermodynamic extrapolation (TE) 146, 147
 - thermodynamics 2, 23, 69, 86, 110, 125, 209, 215, 216, 218, 219, 224, 226, 227, 264, 265, 269, 271, 274
 - transition 40, 42, 43, 87, 90, 240, 245, 382
 - fluid–solid 279
 - freezing 121, 382, 383
 - gas–liquid 284
 - glass 123, 216, 283
 - isotropic-nematic 22
 - order–disorder 287
 - ordering 19
 - translocation 317, 318, 320, 331
- van der Waals surface (VDWS) 304, 305
- VDWS *see* van der Waals surface
- vector 58, 71, 76, 375
 - dumbbell direction 355
 - infinitesimal 375
 - polarization 131
 - position 351
 - replication 191
 - virial strong-coupling approach (VSC approach) 95, 97, 103, 104, 351–353
 - VSC approach *see* virial strong-coupling approach
 - VSC method 95, 96, 103, 104

- water 5, 28, 112, 113, 129, 130,
140–142, 145–148, 151, 152,
169, 303, 322–325, 360,
395–401, 403–405, 407, 408,
410, 411
- brackish 264
- distilled 1
- fluid 231
- fresh 263, 264, 268
- purified 408
- sea 264, 268
- weak coupling 12, 183, 186, 190,
311
- Wigner strong coupling approach
(WSC approach) 97, 104,
351–353, 359
- work 3, 4, 12, 53, 72, 74, 75, 77,
84, 85, 183, 265–268, 307,
309, 321, 322, 324, 329, 393,
394
- chemical 267
- pressure–volume 269
- reversible 265
- theoretical 156
- WSC approach *see* Wigner strong
coupling approach