

# Index

- abrasion, airborne particle
  - 465–66, 468, 500
- abutments 268–70, 470–72,
  - 525–29, 547, 565
  - alumina-based 527–29
  - zirconia-based 528–29
- acid etching 234, 322–23,
  - 345–46, 353, 466, 500
- acid-resistant ceramics 498
- acidic monomers 26–27, 221, 224
- acrylic materials 87, 118–19, 121,
  - 123
- acrylic polymers 121–22
- acrylic resin 85
- active pharmaceutical ingredients (APIs) 601, 603
- adherends 132–33, 223, 496–97,
  - 502
- adhesion 3–4, 130–34, 230–31,
  - 233, 235, 237–41, 243,
  - 271–72, 302–3, 330–31,
  - 359–60, 362–65, 371–72,
  - 422, 496–97
  - chemical 134, 213, 217
  - coating 423–24
  - mechanical 134
  - resin cement 237, 240–42,
    - 355
  - theories of 362–63, 365
  - zirconia–porcelain 486
- adhesion zone 503, 505
- adhesive fixed partial dentures (AFPDs) 546
- adhesive interfaces 25, 30, 261,
  - 477, 503
- adhesive materials 133–34, 217
- adhesive procedures 5, 23
- adhesive resins 26–27, 221, 272
- adhesive strength 235, 359–60,
  - 365
- adhesive systems 132, 219, 230,
  - 241
- adhesive technology 1–3, 44
- adhesive–dentin interface 33, 35
- adhesives 1–2, 6–7, 22, 24, 27, 42,
  - 44–45, 132, 223, 228, 230,
  - 236, 240, 496, 498
  - etch-and-rinse 11, 13, 15, 17,
    - 19, 21, 23, 25
- afibrillar interfacial zones 321
- AFM *see* atomic force microscope
- AFPDs (adhesive fixed partial dentures) 546
- aging, artificial 46, 375, 470,
  - 488–89
- air abrasion 236–39, 241–43
- airborne particle abrasion system 508
- alginates 105, 107–9
- all-ceramic crowns 563
- all-ceramic restorations 98, 100,
  - 233, 485, 496, 505, 508,
  - 518–23, 530
- all-ceramic systems 489
- allergen 184, 189–91
- alloys 83–84, 95–97, 101–2, 136,
  - 142–43, 146–47, 240–41,
  - 341, 343–44, 350, 410,
  - 439–40, 478
- alumina 235–36, 243, 346, 370,
  - 377, 459–63, 482–84, 519,
  - 522–23, 527–30
  - glass-infiltrated 236–37
  - polycrystalline 236, 522
  - zirconia-reinforced 506
- alumina particles, silica-modified 500–1

- alumina powder, silica-coated 371
- aluminum nitride 377, 386
- alveolar bone 296, 299, 442, 554, 606
- amalgam, dental silver 83–84, 95, 125, 143, 145, 147–48
- amelogenesis 61–63, 75
- anterior crowns 520–21, 523
- APIs *see* active pharmaceutical ingredients
- atomic force microscope (AFM) 368–369
- auxiliary dental materials 94
  
- barrier membranes 606, 608–14, 617, 620, 622–29
  - exposure of 617, 627
  - nonresorbable 617, 629
  - resorbable 615, 619
- base metal alloys 83, 102, 240–42, 343
- bioactive glass coatings 302
- bioactive glass materials 299
- bioactive glass research 288, 293
- bioactive glass scaffolds, mesoporous 303
- bioactive glasses 243, 264, 281–306, 454, 567
- bioactive materials 82, 282, 289, 466, 468
- bioactivity 243, 282, 289, 292, 417, 419, 562
- biocompatibility 82–83, 143, 173–76, 178, 184, 194–96, 202–4, 227–28, 260, 282, 349, 417, 439–40, 451, 612
- biological materials 82
- biological tissues 282, 299, 323, 325, 424
- biomaterial scaffold 610
- biomaterial toxicology 177, 184
- biomaterials 81–83, 117–18, 173–76, 181, 184, 192, 195–99, 201–3, 213, 285, 295, 299, 459, 462, 610
- carcinogenicity 196
- first-generation 282
- mutagenic 196
- novel 417
- polymeric 191, 325
- primary metallic 320
- second-generation 282
- touchable 592
- biomechanics in dentistry 155–56, 158, 160, 162, 164, 166, 168, 170
- biomedical materials 425, 478
- biomineralization 57–58, 64, 69, 76, 291
  - primary 59, 61, 64–65
- bioresorbable materials 453, 619
- blood 123, 144, 146, 192, 197, 607, 610
- bond strength 19–20, 24–25, 34, 37–38, 41, 46, 133, 221, 238–39, 487, 489–90, 494–95, 503
  - improved 236–37
  - microtensile 25, 43, 488
  - tensile 224, 487, 503
- bonding 2, 4–6, 8, 10, 12, 14, 16, 18, 20, 22–24, 26, 28, 30, 32, 34
  - durable 1, 18, 369–70, 384, 390, 477
  - mechanical 102–3
  - porcelain–metal 486, 488
  - porcelain–zirconia 488–95
- bonding dental porcelain 102
- bonding effectiveness 28, 35, 39–40, 43
- bone
  - autologous 300
  - cancellous 546, 551, 554, 557–58
  - host 321, 324, 329
  - natural 290, 326, 402
  - peri-implant 419, 543
- bone formation 296, 321, 332, 416, 612, 614, 618
- stimulation of 296

- bone graft materials 619
- bone grafting 299–300, 305
- bone-grafting materials 305, 625
- bone grafts 426, 606, 610, 614
- bone healing 287, 321–23, 328, 345, 437–38, 441, 443, 451
  - indirect 437
  - undisturbed 442, 445–46
- bone mineral 400
- bone regeneration 299, 349, 402, 618
- bone resorption 348, 550–51
- bone tissue 281, 283, 285–86, 295, 303, 305, 329, 339, 564, 622
  - peri-implant 544
- bone-to-implant contact 323, 354
- brittle materials 97, 137–38, 165, 167, 170
- bulk materials 74, 426
  
- CAD *see* computer-aided design
- calcium 62–63, 66–67, 70, 74, 181, 221, 232, 243, 264, 292, 297, 411–12, 414, 462
- calcium nitrate tetrahydrate 407, 409–12
- carbon 97, 104, 112, 117, 268, 340, 344, 374, 460, 462, 555, 558
- cavity preparation 7–8, 15, 38, 41
- cell adhesion 318–19, 323, 413, 415, 417–19, 421
- cellular response 293, 295–97, 468
- cement choice 235–36
- cement materials 213–14
- cement thickness 544
- cementation 100, 229, 231, 234–35, 270, 371, 374–75, 462
- cements 39, 85, 139, 141, 214–15, 217, 219, 221, 224–32, 235–36, 238–44, 271–72, 483, 498, 544
- adhesive resin 219, 546
- composite 100, 130, 217, 225, 228, 372, 382
- conventional 226, 228–29, 235–36, 240
- dual-cure 227
- ionomer 300
- luting 138–39, 203
- self-cured 224, 228, 230
- zinc phosphate 214–15
- ceramic abutments 527–30
- ceramic denture teeth 98
- ceramic materials 82, 97, 234, 236, 239, 406, 505, 517–19
- ceramic-metal systems 100, 102
- ceramic restorations 100, 229, 233–35, 496–98, 500, 505–6, 508, 518, 524
- ceramics
  - acid-resistant 498, 500
  - alumina-based 491, 524, 527
  - metal-bonded 584
  - polycrystalline 235, 491, 524–25, 527
  - zirconia-based 470, 482, 525–27
- chemical bonding 3, 5, 9, 34, 39, 102–3, 132–33, 289, 302, 486, 490
- chemical vapor deposition (CVD) 377, 388, 401, 403
- chemicals, unpolymerized 188, 202
- clenching 548, 554–55, 568
- clinical dentistry 104, 156
- CLSM *see* confocal laser scanning microscopy
- coatings
  - composite 407–8, 420–21
  - nanostructured alumina 377, 386
  - polished 412
  - porous 556–57, 567
  - porous titanium 563

- thick bioglass 401
- titanium plasma 345–46
- collagen 5, 7–9, 14, 18, 20, 23, 33–34, 39, 289–90, 329, 418, 421–22, 616, 619–23, 630
  - dental 14, 19, 23
- collagen fibers 286, 413, 606, 621
- collagen membranes 616, 621–23
  - cross-linked 620–21
- collagenases 23, 621–22
- composite materials 125, 143, 167, 283, 360, 461
- composite resins 83, 266, 269–70, 272
- composites 39, 126, 164, 227–28, 303, 402–3, 405, 421
  - dental 126, 188, 217, 228, 424
  - dental resin 91, 187, 191–92, 194
  - resin 2, 83, 120–21, 125–27, 129, 142, 187–88, 191, 202–3, 272, 369, 371, 384, 496
  - resin-based 215, 498, 501, 503, 505
  - self-adhesive 42–43
- compressive strength 126, 136, 167, 225, 300
- compressive stresses 165, 225, 234, 494, 520, 526, 562
- computed tomography (CT) 444, 449, 543, 548, 557, 568, 586
- computer-aided design (CAD) 100, 270, 484, 517–18, 544, 568, 581, 590
- confocal laser scanning microscopy (CLSM) 418
- connective tissue cells 606–7
- contamination, bacterial 617, 626
- coping cast alloy 101–2
- copolymers 86, 104, 121, 124, 303, 453, 619, 623–24
- coronoid process 553
- cortical bone 539, 551, 553–54, 556, 558–59, 561, 612
- crystallites 58, 62, 70–72, 74
- CT *see* computed tomography
- CVD *see* chemical vapor deposition
- cytotoxicity 195, 198–201, 228
- deformation 140, 158, 160–63, 170, 343, 437, 468, 535, 542, 562, 569
- delamination 423, 468, 489, 492–94, 496, 561
- demineralization 59, 63, 74, 88, 90, 231–32
- dental adhesives 2, 240
  - contemporary 2
  - resin-based 5
- dental amalgams 84, 143, 145–46
- dental appliances 266
- dental biomaterials 81–83, 85, 87, 89, 91, 93, 127, 149, 477, 482–83, 491, 591–92, 597, 599–600, 604
  - analog 604
  - digital 591–92, 597
  - modern 577
  - restorative 199
- dental caries 59
- dental cements 141, 213–14, 217, 224–25, 227, 243
  - contemporary 217
  - resin-based 218, 226, 228
- dental ceramics 491, 501, 505, 528
- dental clinics 582, 589
- dental drugs 600, 603–4
- dental enamel 59–61, 64, 76, 497
- dental enamel biomineralization 58
- dental enamel formation 67, 75
- dental fluorosis 177, 179–80, 182

- dental hypersensitivity 295–96, 300–1, 306
- dental implant abutments 477
- dental implant fixtures 482, 563
- dental implant placement 606–7
- dental implantation 551
- dental implantology 526
- dental implants 161, 320, 322, 329, 332, 341, 343, 347, 351, 518, 525, 535, 543, 545–46, 555–56
  - aluminum oxide 558
  - coated titanium-threaded Brånemark-type 564
  - porous-coated 556
  - screw-shaped 421
  - sol-gel-coated 422
  - titanium 345, 347, 565
- dental industry 32, 42
- dental informatics 577–78, 580, 582, 584, 586, 588, 590, 592–604
- dental instruments 94–95
- dental laboratories 85, 94, 369, 371, 373–75, 390, 527, 582, 588–89
- dental literature 62, 497
- dental materials 81–82, 95, 130, 134–37, 139–41, 143, 149, 156, 214, 228, 255, 360, 366, 376, 389
  - designing 58
  - new 155
  - restorative 81, 83, 517
- dental nanocomposites 554
- dental porcelain 98–103, 355, 379, 519–20
- dental prostheses 94, 156, 560
  - fixed 268
- dental prosthetic devices 302
- dental pulp 15, 227, 544
- dental resin 90, 127, 185–87, 190–92
- dental resin systems 263
- dental resinous materials 184
- dental restorations 92, 228, 235, 237, 359, 369, 375, 459, 477, 491, 517–18, 524
  - traditional ceramic 233
- dental tissues 376, 491
- dental tubules 295, 301
- dental waxes 93–94
- dental zirconia 235, 491
- dentifrices 87–89, 181
- dentin 1–2, 4–5, 7–9, 11–12, 14–15, 18, 20, 23–24, 26–27, 31–32, 34, 36–38, 40–43, 46–47, 273–74
  - acid-etched 19, 22
  - intertubular 15
  - natural 36–37
- dentin bonding 360
- dentin margins 18, 40
- dentin powder 24
- dentin tooth structure 217
- dentine 65, 75, 86, 221, 223, 266, 268, 271, 286, 289, 326, 412–13, 497, 554–55, 559
- dentine barrier tests 199–200
- dentine hypersensitivity treatment 296
- dentistry
  - adhesive 44, 134
  - modern 204, 580
  - prosthetic 341, 465
- dentition 92, 101, 111, 183, 268
- denture base material 121–22
- denture base resins, powder-liquid-type 267
- denture bases 121–24, 141, 267–68
- denture-rebasing materials 124
- denture repair materials 122
- dentures 123–25, 268, 299–300, 552, 582
  - conventional complete 544
  - removable 267–68
  - removable partial 108, 268

- digital impression systems 588–89
- direct metal laser sintering (DMLS) 590
- DMLS *see* direct metal laser sintering
- dual-cured materials 223, 232
- ductile materials 137–38, 170
  
- E-glass 264, 297–98
- E-glass fibers 297, 470
- EBM *see* electron beam melting
- EDHAp *see* electrochemically deposited pure HAp
- electrochemically deposited pure HAp (EDHAp) 413
- electron beam melting (EBM) 590
- enamel
  - mature 57–58, 60, 67
  - mottled 178
  - remineralization of 59
  - uncut 42
- enamel adhesion 187–88
- enamel biomineralization 67, 69, 72
- enamel caries 74, 295
- enamel fluorosis 183
- enamel formation 59, 63–64, 70
- enamel margins 40, 42
- enamel mineral 62–63, 66, 74
- enamel pellicle 63, 69
- enamel proteins 67
- enamelines 59, 68
- epithelial cells 609, 613, 625
- etching 5, 16, 23, 27, 42, 64, 234, 241, 345–47, 369, 379, 388, 483, 498, 501
- ethanol 22–24, 38, 89, 116, 124, 369, 372, 374, 381, 408–11
  
- facial bones 435–36, 452
- fatigue strength 226, 343
- FDM *see* fused deposition modeling
  
- FEA *see* finite-element analysis
- FEM *see* finite-element method
- fiber-reinforced composites (FRCs) 127, 162, 255–68, 270–72, 274, 302, 546
- fibroblasts 201, 620, 625
- fibrous tissue 283, 416, 437
- fillers 92, 110, 114, 116–17, 126–27, 164, 185, 255, 258, 283, 300
  - inorganic 126–27, 130, 461
- finite-element analysis (FEA) 401, 535–36, 538–40, 542–68, 597
- finite-element method (FEM) 160, 535–36, 539–40, 542–43, 557, 560, 562, 566–68
- fixed partial dentures (FPDs) 98, 114, 214, 219, 229, 268–70, 341, 506–8, 521, 523, 529, 609
- fixed partial dentures, adhesive 546
- flexural strength 123, 160, 225, 266, 462, 484, 489, 491–92
- fluoride 64, 88, 175, 177, 179–82, 302, 469
- fluorosis, tooth surface index of 183
- FPDs *see* fixed partial dentures
- fracture 136–37, 167, 169–70, 235–36, 268, 271, 435–36, 441–42, 445–46, 449, 464, 467, 505–6, 508, 528–30
  - brittle 170, 286
  - compound 443–44
  - facial 437, 441
- fracture patterns 442–43, 502
- fracture toughness 137, 170, 213, 235, 463, 470, 484, 492–93, 521–22, 554, 584
- FRCs *see* fiber-reinforced composites
- FSZ *see* fully stabilized zirconia

- functional ankylosis 348, 350–51
- functional monomers 1–3, 5, 8, 27–29, 32–34, 36–37, 39–40
- fully stabilized zirconia (FSZ) 525
- fused deposition modeling (FDM) 590
  
- GBR *see* guided bone regeneration
- gel system 402
- GICs *see* glass ionomer cements
- GICs, resin-modified 233, 236, 242–43, 498
- GIs *see* glass ionomers
- glass fibers 255–56, 258, 260–61, 263–67, 271, 274
  - bioactive 288
- glass granules 304–5
- glass-infiltrated ceramics 235, 522, 527
- glass infiltration agent 385, 388
- glass ionomer cements (GICs) 83, 86, 90, 145, 216, 299–300, 498, 505
- glass ionomer materials 203
- glass ionomers (GIs) 3, 5–11, 32–34, 44–45, 215–17, 228, 236, 243
  - conventional 233–34
  - resin-modified 8, 226, 236
- gold alloys 97, 240–41
- graft material 299, 610, 630
- grit blasting 103, 234, 345–46, 369–70, 375, 379–80
- GTR *see* guided tissue regeneration
- guided bone regeneration (GBR) 606–9, 619, 628–29
- guided tissue regeneration (GTR) 606–8, 624, 626–29
- gypsum 91–92, 109, 131
- gypsum materials 92, 582
  
- HAp-coated titanium fiber web 415
- HAp coatings 407–8, 412, 414, 416–17, 419, 565
  - plasma-sprayed 566
  - traditional plasma-sprayed 421
- HAp powder 35–36, 408
- HAP precipitation 289, 292, 301
- Haversian remodeling 437
- histatins 68–70
- hydrofluoric acid 100, 234, 369, 460, 466, 497–98
- hypersensitivity 173, 184, 189, 191–92
  
- implant abutments 517, 524–28, 563
  - ceramic 526–27, 529
- implant dentistry 166, 339–40, 342, 344–46, 348, 350–52, 354, 459–60, 462, 464, 466, 468, 470, 472, 478
- implant materials
  - dental subgingival 347
  - new potential binary 343
  - subgingival 459
- implant-supported restorations 526, 528–30
  - fracture strength of 528
- implant surface topographies 322, 354
- implant surfaces
  - hydrophobic 354
  - roughened zirconia 467
- implant therapies 166, 352, 355
- implantable materials 426
- implants
  - all-ceramic restorations on 517–18, 520, 522, 524, 526, 528, 530
  - blade 348
  - bone 413
  - breast 118
  - coated 414, 419
  - dental subgingival 478

- dental submucosal 339
- dental titanium 563
- first-generation 348
- metallic 535, 568
- oral 166, 343, 348–49, 351–52
- second-generation 348–49
- silicone breast 118
- subperiosteal 348
- third-generation 351–52
- impression materials 109, 117, 584, 588, 597
  - alginate 108–9
  - alginate dental 109
  - condensation silicone rubber 112, 114
  - dental 104, 597
  - polyether 111–12
- indentation 325, 424, 558–59, 561, 564–66
- infections 295, 330, 348, 609, 617, 627
- inorganic material glass 293
- inorganic materials 129
- interfacial bond failure 508
- interfacial ultrastructures 28, 32
- interpenetrating polymer networks (IPNs) 259
- IPNs *see* interpenetrating polymer networks
- leucite 498, 519–22
- lithium disilicate 519, 521–22
- luting agents 86, 141, 214–16, 232
- luting materials 225
- mandibular bone remodeling 549, 551
- mastication 157, 166–67, 547, 613
- masticatory system 257–58, 266
- maxillary dentures 268, 552
- MDP *see* methacryloyloxydecyl dihydrogen phosphate
- melt-derived bioactive glasses 283, 287
- mercury 84–85, 96, 143–46
  - liquid 84, 146
- metal alloys 224, 371, 374–75, 470, 518
- metal oxides 98, 102, 215, 372, 375, 384, 462
- metals, precious 591
- methacryloyloxydecyl dihydrogen phosphate (MDP) 32, 221, 241, 497–98, 501, 508
- methyl methacrylate 85, 119–21, 215, 259–60, 263, 500, 556
- mineralization 61, 68, 300–1, 326, 330, 413
- monomers 12, 31, 34, 47, 104, 120, 123, 126, 185–87, 221, 224, 263, 272, 498
  - acid-modified 221, 223–24, 231
- mottled teeth 177–78
- mouth 3, 59, 124–25, 141, 145, 149, 257, 523, 525, 527, 582, 585
- MTA *see* mineral trioxide aggregate
- nanocoatings 399–400, 402, 406–7, 409, 411, 425–26, 535, 543, 562–63, 568
- nanindentation 324–25, 422–23, 425, 535, 543, 558–60, 562, 564, 568
- nanostructured materials 399–400
- nanostructured titanium surfaces 330
- NMR *see* nuclear magnetic resonance
- nonresorbable materials 435, 439–40, 452



- nonresorbable membranes
  - 617–18, 624, 629
- nuclear magnetic resonance (NMR) 14, 36, 69
- oral biomaterials 173, 175, 177,
  - 181–82, 184–85, 187, 189,
  - 191, 193, 195, 198–200,
  - 202–4, 213, 577, 581
  - solid-phase 201
- oral cavity 59, 83, 141, 143, 149,
  - 255–56, 266, 270, 299,
  - 618, 627
- oral environment 22, 57, 59, 63,
  - 65–67, 69–70, 74, 147,
  - 199, 213, 390, 491, 591,
  - 600, 603
- organic materials 359, 406
- organic resin material 129
- orthodontics 95, 173, 266, 343
- orthognathic surgery 447, 451,
  - 453
- orthopedic implant materials 562
- orthotropic material 162–63, 541
- osseointegration 149, 160, 302,
  - 321, 339, 345, 347–52,
  - 354, 413, 416, 420,
  - 465–68, 478–79, 555
- osteoblastic cells 322, 331
- osteoblasts 290, 321–22, 326,
  - 333, 414–15, 418, 420,
  - 469, 478, 621
- osteoclasts 412, 414–15
- osteosynthesis materials 453–54
- osteotomies 435, 437, 439, 447
- overdenture-retaining bar system
  - 549
- partial fiber reinforcement (PFR)
  - 267
- partially stabilized zirconia (PSZ)
  - 237, 463, 482, 523, 525
- particulate filler composites (PFCs)
  - 267–68, 273
- patient-matched dental devices
  - 568
- periodontal regeneration 622,
  - 626, 629
- periodontal tissues 157, 164, 303,
  - 606–7, 610, 621, 630
  - regeneration of 605–7, 629
- periodontists 191, 617, 621, 630
- periodontitis 295, 300, 606
- PFCs *see* particulate filler
  - composites
- PFR *see* partial fiber reinforcement
- phosphoric acid 1, 5, 8, 12–15, 18,
  - 24, 32, 42, 94, 99, 221, 497
- physical vapor deposition (PVD)
  - 401, 403–404
- plasma spraying 322, 402–3, 417,
  - 466
- plastic deformation 137, 170,
  - 562, 565
- plastic materials 563–64
- plasticizer 107, 110–11, 124
- plastics 96, 104, 119–20, 122,
  - 201, 559, 566
- polymerization 11, 34, 38, 104,
  - 111, 185, 187, 223–24,
  - 227, 260, 263, 268, 290,
  - 382, 405
- polymerization contraction 258,
  - 267, 272
- polymerization shrinkage 116,
  - 126–27, 130, 234, 267
- polymers
  - bioabsorbable 303, 617
  - denture base 259, 267–68
  - short chain 186
- porcelain 97–99, 101–3, 121–22,
  - 131, 137, 141, 167,
  - 242–43, 370–71, 374,
  - 482–83, 487–90, 492–95,
  - 497, 519–21
  - feldspathic 499, 584
  - firing process of 98–99, 102
  - veneered 488–89, 493

- porcelain coating, internal 377, 387–88
- porcelain crowns 214, 582
- porcelain materials 486, 492, 584
- porcelain powder 98–99, 377
- porcelain surfaces 100
- porcelain veneer 370, 379, 472
- porcelain–zirconia bonding  
486–87, 489, 491, 493, 495
- Portland cement 95
- progenitor cells 607, 609, 611
- proline-rich proteins (PRPs)  
68–69
- prostheses 83, 257, 295, 545, 568, 591
- proteins 58–59, 62–63, 67–69, 73, 75, 296, 318, 416, 611–12
- PRPs *see* proline-rich proteins
- PSZ *see* partially stabilized zirconia
- PVD *see* physical vapor deposition
- quartz 97–98, 219, 271
- refractory material 460–61
- regenerative tissue matrix (RTM)  
622
- remineralization 60, 62–63, 74, 243, 302
- resin  
epoxy 120, 184, 191, 259, 271  
filled 83, 126  
restorative composite 259, 268, 270  
self-adhesive 214, 221, 231  
thermoset 271
- resin-based cements 213–14, 216–18, 220, 222, 224–30, 232, 234, 236, 238, 240, 242, 244, 498
- resin-based dentin-bonding system 217
- resin-based materials 235, 500
- resin bonding 238, 377, 384, 387, 470, 496, 499, 502, 505
- resin cements 219–20, 222–23, 226–32, 234, 236–37, 239–43, 271, 376, 482  
adhesion of self-adhesive 241  
dual-cured 220, 224, 230  
self-adhesive dental 222  
silane Lithium disilicate 242
- resin gloss 11–12
- resin infiltration 16, 234–35
- resin monomers 11, 384
- resin systems 258–59, 261, 263, 266
- resin tags 15, 20–21, 27
- resin zirconia bonding 376, 383, 389, 462, 496–97, 499, 501, 503, 505, 507
- resorbable membranes 614, 618–19, 629
- restorations  
dental implant 582, 607  
metal–ceramic 518–19  
milled dental porcelain 100
- restorative dentistry 213, 266, 359, 477, 518
- restorative materials 2–3, 10, 82–83, 86, 97, 139–40, 148, 225, 227, 359, 374, 381, 490, 496–97, 503  
direct 83  
indirect 83, 390  
resin-based 11, 44  
resin-based composite 125
- RTM *see* regenerative tissue matrix
- saliva 57, 59, 63, 66, 68–69, 123, 141, 146, 191, 263, 266, 603
- salivary proteins 59, 63, 68–69
- SBF *see* simulated body fluid
- SBS *see* shear bond strength
- scanning electron microscopy (SEM) 8, 135, 290, 367, 408, 420–21, 499, 580

- SCG *see* slow crack growth
- sealants 90–91, 112
- SEAs *see* self-etch adhesives
- SEAs, two-step 44–45
- SED *see* strain energy density
- selective infiltration etching (SIE)  
376, 385, 387, 465, 469–70
- self-adhesive cements 219,  
228–29, 236–37, 270
- self-adhesive resin cements 217,  
225–26, 228–29, 232,  
235–37, 241
- self-etch adhesives (SEAs) 1,  
5–7, 14, 25–29, 31–33, 35,  
37–41, 44, 47
- self-etching 27, 38, 219, 221–22,  
224, 230, 242–43, 507
- self-etching adhesives 231–32
- SEM *see* scanning electron  
microscopy
- shear bond strength (SBS) 240,  
383, 483, 488, 492, 503
- Si-HAp coatings 416–17
- SIE *see* selective infiltration etching
- silane coatings 372, 375, 382
- silane coupling agents 100,  
126–28, 241–42, 261, 263,  
366, 371–75, 378–79, 381,  
384, 461, 500, 508
- silane hydrolysis 381–82
- silane monomers 118, 372, 374,  
381–82
- silane treatment 236–37, 240–41
- silanes 112, 118, 126, 129, 237,  
239, 241–43, 258, 359,  
371–72, 374, 378–79,  
381–83, 497
- silanization 100, 263, 341,  
359–60, 362, 364, 366,  
368, 370–72, 374–82, 384,  
386, 388, 390, 554
- silanol groups 290, 382
- silica 98, 110, 112, 114, 117, 129,  
235, 237, 241, 286–87,  
370, 372, 374, 378, 381
- silica-coating 371, 470, 500
- silica coating  
pyrochemical 369–70, 379  
tribochemical 369, 371, 380
- silica gel 87, 289
- silicates 87, 95, 117, 214–15, 287,  
372
- silicoating 236–37, 239, 241
- silicones 104, 112–13, 117–18
- simulated body fluid (SBF)  
291–93, 401, 415, 417, 419
- slow crack growth (SCG) 491
- sphene coatings 409
- Sr-HAp coatings 408, 414
- statherin 68–70
- strain energy density (SED) 547
- Streptococcus mutans* 256, 295,  
330, 332
- stress analysis 535–36, 539, 544,  
551
- stresses  
implant–bone interface 556  
oxidative 320  
shear 136, 158, 164–65, 170,  
567
- surface pretreatment 359–60,  
362, 364–66, 368–90
- surface-treated materials 369
- surface treatment 263, 359, 371,  
374–76, 490, 498, 500–1  
zirconia-based 376
- synthetic materials 58, 121
- TEM *see* transmission electron  
microscopy
- tensile strength 136–37, 147, 167,  
257, 265, 340, 343, 440
- tetragonal zirconia polycrystal  
(TZP) 463, 480, 522, 525
- TFR *see* total fiber reinforcement
- tissue culture 201

- tissue integration 624–25
- tissues
  - calcified 328–29
  - living 117, 281–82, 289, 293, 460
  - mineralized 9, 322, 326, 328
- titanium 317–20, 322–24, 326, 328, 330, 332–33, 339–44, 349–52, 399–400, 408–10, 412–22, 439–40, 451, 526–30, 566
  - biological activity of 317–18, 320, 322, 324, 326, 328, 330, 332
  - oxidized 319, 321, 326
  - pure 344, 478
  - sol-gel coatings on 399–400, 402, 404, 406, 408, 410, 412, 414, 416, 418, 420, 422, 424, 426
- titanium abutments 471, 526, 528–30
- titanium alloy plates 441–42, 452
- titanium alloy substrate 409, 566
- titanium alloys 341–42, 349–50, 439, 441, 449, 451
- titanium dioxide 110, 344
- titanium fiber web 415
  - uncoated 415
- titanium implant surfaces 317, 591
- titanium implants 302, 317, 320–24, 328–32, 339, 351, 408, 416, 464, 466–67, 555
  - bonding of 333, 421
- titanium in implant dentistry 339–40, 342, 344, 346, 348, 350, 352, 354
- titanium materials 322–23, 344
- titanium meshes 449–50
  - orbital 449
- titanium surfaces
  - anodized 420
  - modified 320, 330, 333
    - oxidized 320, 328
- tooth anatomy 627
- tooth enamel 2, 4, 42, 89, 99, 286, 289, 302
- tooth preparation 130, 506, 518, 549
- tooth structure 127, 215, 217, 229, 233, 235, 359, 496–98, 503, 518, 544
- tooth surface 13, 27, 38–39, 69, 87, 91, 230, 256
- tooth tissue 3, 6, 47, 214, 219, 223, 231, 233, 490
- toothpastes 88–89, 301–2, 305
- total fiber reinforcement (TFR) 267
- toxicology, dose-dependent 184, 201
- transmission electron microscopy (TEM) 10, 22, 36–37, 368
- tumors, benign bone 292
- TZP *see* tetragonal zirconia polycrystal
- unlock reconstruction plates 443–45, 449
- veneer materials 492
- veneer metal–ceramic restorations 520–21
- veneering 266–67, 269–70, 272, 486–87, 493–94, 506
- veneering material 492–93, 508
  - ceramic 387
- veneering porcelain 462, 487, 489, 492–96
- veneering porcelain fracture 495–96
- VHN *see* Vickers hardness number
- Vickers hardness number (VHN) 137, 468
- viscoelastic material 140, 325

- water
  - deionized 92, 376–77, 384
  - distilled 92, 377, 387, 410–11, 522
  - drinking 175, 177, 180–81
  - fluoridated 175, 180
- water aging 23, 25
- water-based cements 216, 225, 227, 236
- water fluoridation 177, 181–82
- water fluoride concentration 179–80
- water fluoride content 180, 182–83
- water fluoride level 179–80
- wound healing 320–21
  
- X-ray diffraction (XRD) 35, 37–38, 499
- XRD *see* X-ray diffraction
  
- yttria 462–63, 480, 482
  
- zinc oxide eugenol (ZOE) 85, 214, 217
- zinc phosphate 214–17, 228–29, 232
- zircon 461–62
- zirconates 461
- zirconia 235, 237–40, 378, 387, 389, 459–72, 477–78, 480, 482–96, 498, 500–2, 504–6, 522–23, 527–28, 559
  - biomedical applications of 464–65, 467, 469, 471
  - monolithic 242–43
- zirconia abutments 470–71, 529
- zirconia-based ceramic
  - substructures 480, 507
- zirconia-based polycrystalline ceramics 525
- zirconia-based restorations 489, 493, 495–96
  - reliability of 492
- zirconia ceramics 236
- zirconia cores 229, 492–93
- zirconia implants 464, 466, 468–71
  - surface properties of 466, 468
- zirconia restorations 484–85, 488, 495
- zirconia surface
  - coated 377
  - nanoporous 465
  - silica-based coated 377
  - silica-coated 384
  - smooth 468
  - treated 377
  - unmodified 239
- zirconia surface modifications 466
- zirconia surface pretreatments 385
- zirconia surface roughness 490
- zirconia surface treatment 490–91
- zirconia-to-resin cement systems 477
- zirconium 340, 342, 460–61, 463, 478–80
- zirconium crowns 480
- zirconium dioxide 459–62, 477, 480
- ZOE *see* zinc oxide eugenol
- ZrO<sub>2</sub>-toughened alumina (ZTA) 463, 484
- ZTA *see* ZrO<sub>2</sub>-toughened alumina

