

Index

- AAO *see* anodized aluminum oxide
- absorption 44, 54, 63, 64, 70, 72
negligible light 6
plasmon 70
solar 50
wavelength-selective light 3
- active pixel sensor (APS) 92, 201, 205
- adhesion 112, 127, 131, 146, 147, 157, 182, 194, 209, 216, 218
- adsorption 36, 192, 209
- AES *see* Auger electron spectroscopy
- anodized aluminum oxide (AAO) 57
- APS *see* active pixel sensor
- Auger electron spectroscopy (AES) 102
- bandgap 17, 70, 72
- bands 17, 35, 70
spectral 75
target-wavelength 77
wide 59
- beetles 2, 7, 9, 28, 31, 32, 34, 36, 78
desert 112, 145
jewelled 9
- bias voltage 106, 186, 193, 198, 199
- bidirectional reflectance
distribution function (BRDF) 10, 11
- bovine serum albumin (BSA) 213
- BRDF *see* bidirectional reflectance distribution function
- BSA *see* bovine serum albumin
- butterflies 2, 7, 14, 15, 20–22, 24, 28, 32, 33, 36, 37, 56, 58, 78, 79, 83
- cabbage 4
- lycaenid 6
- neotropical 25, 33
- papilionid 4, 7, 29
- CAs *see* contact angles
- cell adhesion 168, 178, 194, 209, 210, 217
- cells 82, 168, 182, 187, 191, 194–197, 209, 211
anchorage-dependent 195
bone marrow 197
dead 126
mesenchymal stem 197
osteoblastic 209
osteogenic 197
papillose epidermal 124
silicon-based solar 77
stem 213
terminal 126
thermophotovoltaic 72
- chemical vapour deposition (CVD) 51
- coatings 51, 142, 170, 172, 182, 183, 185–187, 189, 191, 193, 195, 197, 199, 202–204, 208, 213–217
adsorbed 162
ambient-side 43
anti-forgery 26
as-plasma-sprayed 205
biocompatible polymeric 201
ceramic 201, 204, 206

- easy-to-clean 53
- graded-index 52
- metallic 2
- multi-purpose 53
- periodic multi-layer 61
- photochromatic 77
- single-layer thin-film 39
- spin 56, 168
- sprayed 201, 202, 205
- structured 44
- contact angles (CAs) 111, 113, 117, 118, 123, 142, 155, 165, 173, 216, 217
- contrast 6, 42, 44, 50, 54, 76, 154, 210, 215
 - chromatic 20, 21
 - enhanced 38
 - optical 20, 21
 - stable colour 7
- COPs *see* cyclic olefin polymers
- CVD *see* chemical vapour deposition
- CVD
 - catalyst-assisted 53
 - microwave 70
 - plasma-enhanced 53
 - polished 70
- cyclic olefin polymers 168
- deep reactive ion-etching (DRIE) 65, 95, 96, 105
- density 52, 53, 93, 94, 97, 100, 167
 - electron 144
 - ion 102
 - nanotip 97
 - polymer micro-etch mask 98
- deposition 3, 5, 137, 162, 163, 167, 177, 182, 209, 220–223
 - chemical vapour 51
 - electrochemical 152
 - electroless 56
 - glancing angle 51, 82
 - layer-by-layer 152
 - melanin 4, 5
 - physical vapour 51
- diamond-like carbon (DLC) 188, 220, 223
- diamonds 14, 70, 89, 139
- DLC *see* diamond-like carbon
- DRIE *see* deep reactive ion-etching
- DRIE process 96–98
- droplet 115, 116, 118–124, 131, 141, 155, 157
 - spherical 125
 - water–glycerol 126
- effective medium approximation (EME) 44, 45
- effective medium theory (EMT) 44, 47–49
- EGFP *see* enhanced green fluorescent protein
- EMA *see* effective medium approximation
- EMT *see* effective medium theory
- enhanced green fluorescent protein (EGFP) 187
- etching 53, 54, 84, 96, 97, 101, 103, 105, 106, 109, 162, 167, 177
 - atom beam 55, 85
 - current 53
 - electrochemical 53
 - physical sputter 165
 - wet 54, 56, 72
- etching times 118, 144, 164, 165
- etch mask 95–97, 102
- etch rate 94, 95, 97, 102, 103
- experiments 117, 123, 133, 138, 139, 149
 - bouncing droplet 121
 - cell culture 168

- fabrication 27, 33, 45, 51, 54, 67, 83, 84, 86, 87, 108, 133, 161, 165, 166, 178, 179
- feathers 13, 129, 130
 blue-coloured 19
 cleansed 129
 dove's 129
 peacock's 36
 peacock's tail 36
 red coloured 4
 tail 13
- films 39, 40, 51, 52, 57, 68, 69, 81, 101, 102, 114, 146, 152, 166, 169, 170, 173, 188, 209–211, 223
 allylamine 213
 chromium 92
 dense ceramic 206
 fluorocarbon 166
 gradient 48
 methyl 213
 plasma-sputtered CaP 206
 polybutadiene 168
 sol-gel 66
- frequencies 17, 70, 221
 middle 170
 pulsing 198
 radio 95, 158, 183
 spatial 19
- GFP *see* green fluorescent protein
- green fluorescent protein (GFP) 187, 213
- hairs 126–128
 human 4
 interommatidial 37
 multicellular 126
 nanoscale foot 131
 needle-shaped 129
- high aspect ratio 96, 102, 104
- high temperature plasmas (HTP) 160
- HTP *see* high temperature plasmas
- hydrocarbons 169, 171
 aliphatic 169
 aromatic 169
 fluorinated 166, 169
- hydrophilicity 136, 180, 190, 216
- hydrophilic surface 113, 115–117, 133, 135, 137, 139, 144
- hydrophobicity 22, 141, 149, 163, 170, 174, 175
- hydrophobic surface 111, 115, 116, 119, 124, 125, 137, 170
- imaging 11, 31
- impact velocity 121–123
- implantation 191, 193, 198, 205, 207
 carbon ion 186
 grafting 160
 oxygen ion 198
 plasma immersion ion 182, 220–223
- implants 181, 182, 191, 202, 203, 205, 223
 blasted 207
 dental 202, 219
 metallic 201
 reconstruction 182
 titanium alloy 181
- incidence 10, 38, 51, 77
- incident light 3, 17, 59, 64
- incident wavelength 44, 47
- interfaces 8, 9, 27–32, 36, 38, 40, 42, 127, 129, 177, 179–181, 186, 202–205, 208, 218, 221
 air-silicon 65
 air-SiNT 62
 air-solid 65
 ambient-layer 48
 carbide 188

- coating-substrate 43
- double 39
- implant 202
- layer-ambient 43
- liquid-air 115, 116, 119, 124
- mixed-phase 155, 156
- multiple 40
- solid-air 116
- solid-air-liquid 123
- solid-ambient 65
- solid-liquid 114, 123, 155
- solid-solid 131
- water-air 123
- water-solid 113
- interference 4, 9, 36, 64
 - constructive 7, 9
 - destructive 9, 39
- interference reflectors 20, 21
 - blue-reflecting 20
 - tree-shaped 20
- ion milling 67, 68, 85, 105
- ions 101-106, 158, 160-162, 169, 183, 194
 - energetic 184
 - hydrogen 215
 - hydroxyl 215
 - toxic metal 182, 215
- iridescence 10, 11, 16-18, 22, 28, 31, 36
 - blue 37
 - polarised 24
- iridescent colours 2, 13
- layers 8, 9, 40, 42, 44, 46, 48, 49, 52, 62, 192, 202, 203, 208
 - amorphous Si 50
 - anti-scratch 53
 - apatite CaP 203
 - bonded 208
 - calcified 207, 208
 - carbonated calcium phosphate 202
 - carbon-implanted 186
 - cell 208
 - compound 170
 - fluorinated 167
 - fluorocarbon 167
 - high-index 40
 - melanin 6, 13, 21
 - perforated chitin 6
 - pinhole-free polymer 163
 - protein 168
 - surface oxide 184
- light 2-5, 7, 10, 12, 16, 17, 20, 22, 24-26, 28, 36-39, 44, 78, 79, 90, 92, 94
 - non-absorbed 20
 - polarised 15, 24
 - reflected 6, 10, 11, 40, 44, 92
 - scattered 3, 11
 - scattering bluish 19
 - scattering greenish 19
 - visible 4, 7, 25, 26, 84
- light scattering properties 10, 11, 26
- light wavelengths 8, 11, 16
- liquid 113-115, 130, 131, 150, 154-157, 166, 216, 217
 - non-wetting 116
- liquid droplet 114, 119, 124, 154, 155
- lotus leaf 112, 124, 125, 130-134, 148, 152-154, 165, 174
- low-temperature plasma (LTP) 159-161
- LTP *see* low-temperature plasma
- mask 51, 55, 97
 - porous alumina membrane 55, 83
 - resistant etching 162
- mask material 97, 103
- mask plate 92, 93, 101

- materials 6, 7, 9, 26, 30, 32, 38, 40, 49, 50, 70, 136, 137, 143, 144, 151, 152, 162, 172–174, 218, 219
 - bio-inspired 26
 - biological 2, 25, 203
 - biomimetic 133
 - bulk 182
 - crystalline 72
 - dark 77, 82
 - high-index 77
 - high-tech 2
 - hydrophobic wax-like 153
 - inorganic 67, 177
 - low-index 77
 - low surface energy 113
 - man-made 25
 - man-made photonic 2
 - matrix 166
 - molten 202
 - oleophilic 127
 - oleophobic 127
 - pigmented 6
 - polymer 51, 67
 - sputtered 102
 - transparent 70
 - waste 161
- mesenchymal stem cells (MSCs) 197, 216
- metal plasma electron evaporation source (MPEES) 191, 192, 221
- MPEES *see* metal plasma electron evaporation source
- MSCs *see* mesenchymal stem cells
- multilayers 7, 9, 10
 - chitin-melanin 11
 - perforated chitin-air 8
- nanograsses 139–141
- nanoimprint lithography 69, 83, 90
- nanomasks 95, 97, 102, 103
- nanopillars 139, 141
- nanosatellite 91, 92
- nanostructured surfaces 111, 144, 145, 184
- nanostructures 54, 55, 108, 125, 127, 129–131, 142, 150, 154
 - aperiodic 75
 - biological 25, 31
 - columnar 54
 - moth-eye 69
 - polymer 67
 - tapered 76
- nanotips 84, 94, 97, 135
 - flexible 131
 - long-height 103
 - short-height 103
- optical effects 2, 20, 25
- optical lenses 39, 77
- optical signature 24
- optical surfaces 35, 36, 81
- orientation 17, 18, 91, 92, 131
 - crystal 17
 - polymer chain 164
- osteoblasts 187, 197, 209, 213
- papilionids 8, 21, 57, 58
- papillae 124, 127, 130
- particles 103, 125, 126, 158, 201–203
 - charged 157
 - contaminating 126
 - metal 54
- passivation 97, 105, 106
- passivation layer 102, 103, 105, 106
- patterned surfaces 120–122, 146, 147
- PECVD *see* plasma-enhanced chemical vapor deposition
- periodic structures 37, 72, 84, 87

- petals 131, 132, 152, 154, 175
 - camellia 153, 154
 - flower 3, 174
- photonic bandgaps 17, 20, 33
- photonic crystals 1, 14–17, 22, 25, 28, 31, 33
 - biological 17, 26, 30, 31
 - cubic 14
 - diamond-type 15–18
 - gyroid-type 15, 16, 25, 31
 - modulated-diameter Si NWs 65
- photonic nanostructures 25, 28, 78, 84
- photonic structures 1, 2, 4, 6–10, 12–14, 16–18, 20–22, 24–26, 28, 30, 32, 34, 79
 - animal 6
 - biological 2, 3, 7, 25–27
 - complex 17
 - inorganic 26
 - multilayered 21
 - natural 59
 - quasi-ordered 18, 19
 - submicron 36
- pigmentary colouration 3, 5, 20, 21
- pigments 3, 4, 29
 - biological 6
 - chemical 3
 - ommochrome 4
 - organic 3
 - pterin 20
- pitch values 120–122, 137, 138, 142, 143
- plasma 96, 101, 102, 151, 152, 157–161, 163–166, 168, 170, 171, 173, 177, 197, 201, 202, 205, 206, 209, 213–215, 224
 - atmospheric 160
 - cold 160, 161
 - complex 133
 - dual 198
 - electron cyclotron resonance 134
 - high density 101
 - high pressure 160
 - low pressure 159
 - metal 191
 - non-thermal 152, 160
 - oxygen gas 198
- plasma-enhanced chemical vapor deposition (PECVD) 117, 166
- plasma etching 54, 72, 85, 102, 162, 165, 176
 - clean 103
 - dry 139
 - hydrogen 139
- plasma etching process 94, 95, 102, 107
- plasma gases 158, 159, 161, 163, 169, 173
- plasma polymerization 163, 164, 177, 209, 213, 218, 224
- plasma processing 1, 35, 144, 151, 152, 154, 156–158, 161, 162, 164, 168, 170, 172, 174, 176, 178, 180, 181
- plasma species 162, 163
- plasma spraying 201, 204, 215, 224
- plasma technology 161, 174, 177
- plasma treatment 85, 144, 152, 161, 165–167, 175
- polymer films 56, 163
- polymers 34, 45, 53, 72, 79, 85, 159, 161, 182
- porosity 51, 53, 82
- precursors 166, 171–173, 213
- predators 2, 23, 24, 38
- process 56, 57, 65, 68, 76, 95, 97, 106, 163, 167, 169, 192, 198, 201, 206, 209, 210

- bonding 203
 - chemical etching/leaching 45
 - co-sputtering 206
 - fibrillar 196
 - hybrid-etch 165
 - lithography 56
 - mask-less wet-etching 53
 - nanolithography 94
 - roll-to-roll micro-replication 56, 83
 - silicon etching 95, 104
 - technological 2
- properties 72, 129, 152, 167, 182, 201, 221, 223
 - adhesive 152
 - anti-fogging 131
 - anti-reflecting 36
 - broadband AR 72
 - bulk 152, 161, 166
 - chemical 182
 - cleaning 125
 - geometrical 94
 - intrinsic material 113
 - light control 25
 - morphological 167
 - non-transparent 172
 - omnidirectional AR 69
 - photonic 17, 21
 - spectral 25
- radicals 101, 103, 104, 158
 - free 159
 - reactive 162
- radio frequency (RF) 95, 158, 183, 198, 206, 224
- RCWA *see* rigorous coupled-wave analysis
- RCWA model 67, 72
- reactive ion etching (RIE) 55, 88, 90, 94, 95, 108, 109
- receding angle 123, 141
- receptors 181
 - membrane 197
 - optical 37
- reflectance 6, 7, 9, 15, 20, 22, 35, 38, 40, 45, 46, 49, 50, 59–64, 66, 68–76, 79, 99, 100
 - angle-dependent 9, 46, 71
 - corneal 58
 - declining 73
 - green 22
 - light 23
 - simulated 64
 - spectral 22
 - suppressed 54
 - zero 40, 41
- reflectance minima 74, 75
- reflectance spectra 4, 5, 7–9, 21, 62
- reflectivity 31, 49, 50, 52, 63, 71
- refractive index (RI) 6, 14, 30, 37–40, 42–46, 48, 49, 51, 60, 62, 63, 67–69, 84
- resorption 202, 203
- RF *see* radio frequency
- RF plasma 96, 159, 170
- RI *see* refractive index
- RIE *see* reactive ion etching
- RIE grass 95–97
- RIE process 56, 94, 95, 97
- rigorous coupled-wave analysis (RCWA) 48, 81
- RI profiles 42, 62–65
- RMRP *see* roll micro-replication process
- roll micro-replication process (RMRP) 56, 83
- roughness 36, 115–117, 124, 136, 140, 142, 147, 154, 155, 163, 167, 177, 197
 - average 167
 - hydrophobic multiscale 166
 - micro scale 113

- microscale 124
- microscopic 153, 174
- plasma-etched nanoscale 168
- roughness factor 115–117, 136, 144
- samples 11, 97–100, 135, 141, 162, 167, 173, 182, 186, 187, 192, 194, 196, 197, 199, 201, 214
 - air-like 140
 - annealed 189
 - biased 198
 - carbon-implanted 187
 - implanted 187, 196
 - nanograss 141
 - photonic 11
 - titanium alloy 183
 - treated 196
 - untreated 198
- sandfish skink 128, 129
- SBF *see* simulated body fluid
- self-masked dry etching (SMDE) 60, 66, 84
- silicon nanotips (SiNTs) 60–63, 65, 66, 84, 91, 93–97, 99–107, 133–136, 142, 149
- simulated body fluid (SBF) 192, 196, 201, 205, 207, 208, 215, 216, 220
- SiNTs *see* silicon nanotips
- Si substrate 56, 83, 98, 117, 118
 - bare 117
 - coated 118
 - intrinsic 117, 118
 - plain 118
- SMDE *see* self-masked dry etching
- solar cells 35, 39, 60, 81–83, 85, 88, 108
- spacing 45, 46, 50, 53, 75, 76
 - inter-pillar 59
 - pillar 140
- spacing factor 138, 139
- species 4, 22, 24, 57, 102, 161, 162
 - active 158
 - biological 36, 40
 - fluoride 166
 - fluorocarbon 117
 - gaseous 209
 - ion 197
 - reactive 101, 161
 - reactive chemical 161
 - sputtered 206
 - toxic 24
- specular reflectance 46, 60–62, 100
- structural colours 2, 4, 6, 18, 22, 27, 29, 30, 36
- substrate 39, 41–44, 46, 48, 49, 52, 84, 95, 97, 100, 167, 169, 170, 172, 208, 209, 214, 216
 - coated 172
 - flexible 67
 - horizontal 135
 - rotating 52
 - silver 173
 - transparent 51
- sub-wavelength gratings (SWG) 72, 81
- sub-wavelength structures (SWS) 37, 44, 47, 49, 55, 59, 61
- SWG *see* sub-wavelength gratings
- SWS *see* sub-wavelength structures
- SWS
 - nanopatterned 59
 - pre-designed 56
 - pyramidal 48
 - six-layered 49
 - wafer scale 56
- techniques 51, 53, 56, 60, 94, 95, 101, 107, 152, 182, 209, 214

- conventional engineering 58
- masking 55
- plasma-based 181, 201, 214
- sol-gel 51
- solvent-free 152
- synthesis 53
- wet-etching 51
- thin films 7–9, 17, 29, 79, 86, 162, 179, 206, 209, 224
- titanium alloys 182–184, 190, 191, 206, 213, 216, 218, 221
- transition 79, 118, 120, 121, 123, 139, 167, 180
- transmittance 9, 36, 49, 57, 67–70, 72

- vacuum chamber 192, 198
- vacuum plasma 159
- vacuum plasma spraying (VPS) 201
- VPS *see* vacuum plasma spraying

- wafers 102, 103, 106
 - carrier 106
 - planar 60
- water droplets 119, 125–127, 131, 134, 135, 142, 147, 153, 154, 168, 175
- water strider legs 149
- wavelength 7, 9, 16, 20, 37, 38, 40, 41, 44, 47, 51, 63, 64, 68, 100
 - non-green 36
 - solar 50
 - visible 33, 87
- wettability 118, 150, 156, 167, 168, 174, 175, 179, 220, 223
- wetting properties 111, 112, 114, 116, 118, 124, 132–134, 136–138, 140, 142, 144, 145, 148, 150
- wing scales 1, 3–9, 15, 16, 18, 22, 25, 28–31, 33
 - brown-black 4
 - coloured 5
 - orange-coloured 4
- wood 9, 148, 178, 179

